

PRICE BOOKLET APRIL 2026



GARAGES, SHEDS & GARDEN BUILDINGS

All Prices include VAT, Delivery, Installation and 10 Year structural Guarantee

UK Leading Supplier of Concrete Sectional Buildings



Why Choose a Hanson Garage?

- Free Site Survey**
No obligation quotes & advice
- Expertly Designed**
Unrivalled choice of buildings
- Concrete Base Service**
Full concrete base service for your building
- Garage Dismantle Service**
Let us dismantle your old building
- 10 Year Structural Warranty**
Peace of mind on your new building
- Fast & Efficient Build**
Quick Installation by professional fitters
- Over 40 Years Experience**
Leading UK supplier of concrete buildings



Garages & Sheds

Pages 2-15



Garden Rooms

Pages 16-17



Insulated Buildings

Pages 18-23

Unique Interlocking Concrete Panels

Featuring overlapped and bolted joints designed for superior weatherproofing and structural integrity.

Get A Quote Online



Scan QR Code

Download Our Brochure



Scan QR Code



www.hansongarages.co.uk

01977 695111

APEX ROYALE

OUR BEST SELLING GARAGE (APEX ROOF)

- Hormann White Georgian design Up and Over door with 4 point locking
- Other Door Styles available (See options)
- Interlocking Concrete Panels with multispar finish
- 'True' Brick Front Posts (Choice of 6 colours)
- White PVCu Fascias
- Coloured Cement Fibre Roof Sheets with close fitting ridge tile
- Heavy Duty White 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu double glazed Window in White
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



APEX ROYALE (Pitched Roof)												
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)			8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)	2 x 10' (3.05m)
14'1" (4.29m)	5160	5710	5975	6755	7805	8410	9320	9910	11095	11435	13580	
16'1" (4.90m)	5350	5955	6215	6990	8070	8690	9760	10285	11425	11865	14060	
18'1" (5.51m)	5590	6195	6515	7320	8310	9100	10100	10665	11830	12260	14510	
20'1" (6.12m)	5855	6450	6715	7530	8570	9370	10455	10995	12240	12590	14940	
22'1" (6.73m)	6120	6705	6990	7730	8850	9855	10875	11355	12625	12940	15405	
24'1" (7.34m)	6315	6925	7225	7980	9130	10285	11225	11695	12940	13320	15855	
26'1" (7.95m)	6585	7225	7565	8250	9390	10640	11695	12060	13340	13760	16305	
Additional 2'	245	270	295	315	330	395	405	415	425	465	505	

PENT ROYALE

OUR BEST SELLING GARAGE (PENT ROOF)

- Hormann White Georgian design Up and Over door with 4 point locking
- Other Door Styles available (See options)
- Interlocking Concrete Panels with multispar finish
- 'True' Brick Front Posts (Choice of 6 colours)
- White PVCu Fascias
- Box Profile Steel Roof Sheets with felt underlay (full length up to 20' long)
- Heavy Duty White 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in White
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Galvanised 'C' Section steel trusses (up to 18' wide)
- Internal Cement Fillet



PENT ROYALE (Rearward Sloping Roof)												
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)			8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)			
14'1" (4.29m)	4930	5600	5975	6535	7760	7905	8720	9460	n/a	n/a	n/a	
16'1" (4.90m)	5115	5775	6155	6755	7950	7960	8940	9700	n/a	n/a	n/a	
18'1" (5.51m)	5305	5985	6375	6935	8235	8410	9180	9910	n/a	n/a	n/a	
20'1" (6.12m)	5500	6195	6575	7145	8420	8620	9450	10145	n/a	n/a	n/a	
22'1" (6.73m)	5725	6385	6755	7355	8680	8820	9700	10385	n/a	n/a	n/a	
24'1" (7.34m)	5885	6595	6955	7530	8920	9070	9910	10625	n/a	n/a	n/a	
26'1" (7.95m)	6065	6805	7185	7785	9210	9415	10275	11035	n/a	n/a	n/a	
Additional 2'	210	235	245	255	305	340	355	390	n/a	n/a	n/a	

*Maximum Length of 30'1" (9.17m)

DUCHESS/DUKE ROYALE

REARWARD SLOPING GARAGE WITH TILE EFFECT ROOF

- Hormann White Georgian design Up and Over door with 4 point locking
- Other Door Styles available (See options)
- Interlocking Concrete Panels with multispar finish
- 'True' Brick Front Posts (Choice of 6 colours)
- White PVCu Fascias
- Forward sloping Metrotile Roof and Rearward sloping Box Profile Steel Roof with felt underlay (full length roof sheet up to 20' long)*
- Heavy Duty White 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in White
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



DUCHESS ROYALE (For Duke just add 5%)												
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)			8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)			
14'1" (4.29m)	6030	6415	6735	7485	8180	8900	9070	9505	n/a	n/a	n/a	
16'1" (4.90m)	6195	6795	6955	7760	8500	9320	9540	9945	n/a	n/a	n/a	
18'1" (5.51m)	6375	7005	7175	8050	8810	9745	9980	10405	n/a	n/a	n/a	
20'1" (6.12m)	6525	7210	7395	8310	9120	10175	10440	10875	n/a	n/a	n/a	
22'1" (6.73m)	6805	7510	7740	8680	9505	10625	10945	11375	n/a	n/a	n/a	
24'1" (7.34m)	7065	7795	8080	9050	9910	11095	11435	11885	n/a	n/a	n/a	
26'1" (7.95m)	7355	8115	8410	9415	10295	11555	11940	12390	n/a	n/a	n/a	
Additional 2'	290	305	330	355	375	430	460	465	n/a	n/a	n/a	

*Maximum Length of 30'1" (9.17m)

MONARCH ROYALE

HIGHER PITCHED ROOF WITH TILE EFFECT ROOF SHEETS


- Hormann White Georgian design Up and Over door with 4 point locking
- Other Door Styles available (See options)
- Interlocking Concrete Panels with multispar finish
- 'True' Brick Front Posts (Choice of 6 colours)
- White PVCu Fascias
- Higher 17.5° Roof Pitch on single garages, 15° Roof Pitch on doubles
- Tile Effect, Plastisol Coated Roof Sheets with Felt Underlay (Choice of Colours)
- Heavy Duty White 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in White
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



MONARCH ROYALE (Higher Pitched Roof)												
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)			8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)	2 x 10' (3.05m)
14'1" (4.29m)	6525	7245	7595	8600	9965	10750	11930	12710	14255	14685	17500	
16'1" (4.90m)	6765	7565	7905	8900	10310	11115	12500	13190	14675	15245	18115	
18'1" (5.51m)	7090	7870	8290	9330	10625	11645	12955	13690	15225	15755	18700	
20'1" (6.12m)	7420	8200	8545	9615	10955	12005	13430	14110	15725	16205	19260	
22'1" (6.73m)	7775	8520	8900	9870	11325	12635	13960	14565	16230	16660	19855	
24'1" (7.34m)	8040	8810	9210	10210	11685	13190	14410	15025	16660	17130	20455	
26'1" (7.95m)	8370	9210	9650	10555	12050	13660	15015	15505	17170	17730	21025	
Additional 2'	300	325	345	375	405	480	485	500	515	565	615	

SHEDS / WORKSHOPS ROYALE

- White PVCu Fascias
- Interlocking Concrete Panels with multispar finish
- Coloured Cement Fibre Roof Sheets with close fitting ridge tile (Apex)
- Box Profile Steel Roof Sheets with felt underlay (Pent)
- Heavy Duty White 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in White
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



Type ▶	PENT ROYALE CONCRETE SHEDS & WORKSHOPS							APEX ROYALE CONCRETE SHEDS & WORKSHOPS						
Width ▶	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)
4'1" (1.24m)	3850	3890	3950	4230	4420	4750	5515	4080	4160	4220	4690	4895	5280	5865
6'1" (1.85m)	3890	3980	4150	4360	4530	4885	5645	4170	4220	4360	4840	5040	5370	6065
8'1" (2.46m)	3990	4060	4245	4530	4660	4980	5775	4300	4360	4440	5040	5180	5525	6230
10'1" (3.07m)	4070	4110	4320	4660	4830	5180	6020	4420	4470	4540	5180	5370	5765	6415
12'1" (3.68m)	4160	4200	4400	4830	5080	5480	6365	4540	4600	4640	5370	5645	6055	6715
14'1" (4.29m)	4230	4280	4490	5140	5445	5900	6915	4640	4690	4720	5635	5885	6355	7185
16'1" (4.90m)	4420	4490	4690	5240	5845	6285	7430	4850	4895	4940	5855	6325	6715	7620
Additional 2'	175	185	195	205	215	255	300	185	195	205	245	270	290	345

PENT SHED

APEX SHED

APEX GRAPHITE

ULTRA MODERN DESIGN OF GARAGE (APEX ROOF)

- Hormann Black Vertical design Up and Over door with 4 point locking**
- Interlocking Concrete Panels with multispar finish
- Graphite Rustic 'True' Brick Front Posts (Other colours available)
- Anthracite PVCu Fascias
- Coloured Cement Fibre Roof Sheets with close fitting ridge tile
- Heavy Duty Black 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in Anthracite
- Black PVCu guttering
- Foam Filler to eaves
- Internal Cement Fillet



** Alternative Door Manufacturer used for Doors 9' and above

APEX GRAPHITE (Pitched Roof)											
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)		8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)	
14'1" (4.29m)	5600	6205	6505	7365	8510	9170	10165	10835	12140	12500	14875
16'1" (4.90m)	5820	6475	6755	7595	8800	9480	10665	11235	12490	12980	15385
18'1" (5.51m)	6075	6745	7090	7970	9085	9925	11025	11655	12940	13420	15885
20'1" (6.12m)	6365	7025	7310	8215	9360	10220	11435	12015	13370	13770	16375
22'1" (6.73m)	6645	7285	7595	8420	9660	10775	11875	12405	13800	14170	16870
24'1" (7.34m)	6880	7530	7860	8700	9955	11235	12260	12790	14170	14575	17365
26'1" (7.95m)	7145	7860	8250	9000	10265	11635	12780	13190	14595	15075	17860
Additional 2'	245	270	295	315	330	395	405	415	425	465	505

PENT GRAPHITE

ULTRA MODERN DESIGN OF GARAGE (PENT ROOF)

- Hormann Black Vertical design Up and Over door with 4 point locking**
- Interlocking concrete panels with multispar finish
- Graphite Rustic 'True' Brick Front Posts (Other colours available)
- Anthracite PVCu Fascias
- Box Profile Steel Roof Sheets with felt underlay (full length up to 20' long)
- Heavy Duty Black 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in Anthracite
- Black PVCu guttering
- Foam filler to eaves
- Galvanised 'C' section steel trusses (upto 18' wide)
- Internal Cement Fillet



** Alternative Door Manufacturer used for Doors 9' and above

PENT GRAPHITE (Rearward Sloping Roof)											
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)		8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)			
14'1" (4.29m)	5350	6095	6485	7125	8460	8620	9505	10320	n/a	n/a	n/a
16'1" (4.90m)	5545	6285	6685	7365	8655	8680	9745	10595	n/a	n/a	n/a
18'1" (5.51m)	5765	6505	6925	7565	8970	9160	10020	10825	n/a	n/a	n/a
20'1" (6.12m)	5975	6735	7145	7785	9195	9405	10310	11095	n/a	n/a	n/a
22'1" (6.73m)	6205	6935	7365	8005	9480	9650	10595	11345	n/a	n/a	n/a
24'1" (7.34m)	6385	7155	7575	8215	9735	9910	10825	11620	n/a	n/a	n/a
26'1" (7.95m)	6595	7395	7830	8480	10055	10295	11235	12060	n/a	n/a	n/a
Additional 2'*	210	235	245	255	305	340	355	390	n/a	n/a	n/a

*Maximum Length of 30'1" (9.17m)

DUCHESS/DUKE GRAPHITE

REARWARD SLOPING GARAGE WITH TILE EFFECT ROOF

- Hormann Black Vertical design Up and Over door with 4 point locking**
- Interlocking Concrete Panels with multispar finish
- Graphite Rustic 'True' Brick Front Posts (Other colours available)
- Anthracite PVCu Fascias
- Forward sloping Metrotile Roof and Rearward sloping Box Profile Steel Roof with felt underlay (full length roof sheet up to 20' long)*
- Heavy Duty Black 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in Anthracite
- Black PVCu guttering
- Foam Filler to eaves
- Internal Cement Fillet



* Duke includes a Slate Effect Roof

** Alternative Door Manufacturer used for Doors 9' and above

DUCHESS GRAPHITE (For Duke just add 5%)											
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)		8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)			
14'1" (4.29m)	6575	7155	7335	8160	8930	9715	9910	10365	n/a	n/a	n/a
16'1" (4.90m)	6735	7385	7565	8460	9270	10175	10405	10875	n/a	n/a	n/a
18'1" (5.51m)	6925	7620	7815	8780	9615	10650	10905	11375	n/a	n/a	n/a
20'1" (6.12m)	7100	7840	8070	9060	9945	11115	11415	11865	n/a	n/a	n/a
22'1" (6.73m)	7395	8170	8420	9480	10385	11620	11975	12435	n/a	n/a	n/a
24'1" (7.34m)	7705	8510	8800	9880	10815	12140	12525	13000	n/a	n/a	n/a
26'1" (7.95m)	8025	8840	9160	10255	11245	12635	13065	13560	n/a	n/a	n/a
Additional 2'*	290	305	330	355	375	430	460	465	n/a	n/a	n/a

*Maximum Length of 30'1" (9.17m)

MONARCH GRAPHITE

HIGHER PITCHED ROOF WITH TILE EFFECT ROOF SHEETS

- Hormann Black Vertical design Up and Over door with 4 point locking**
- Interlocking Concrete Panels with multispar finish
- Graphite Rustic 'True' Brick Front Posts (Other colours available)
- Anthracite PVCu Fascias
- Higher 17.5° Roof Pitch on single garages, 15° Roof Pitch on doubles
- Tile Effect, Plastisol Coated Roof Sheets with felt underlay (Choice of Colours)
- Heavy Duty Black 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in Anthracite
- Black PVCu guttering
- Foam Filler to eaves
- Internal Cement Fillet




** Alternative Door Manufacturer used for Doors 9' and above

MONARCH GRAPHITE (Higher Pitched Roof)											
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)		8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)	
14'1" (4.29m)	7100	7885	8270	9390	10895	11755	13040	13915	15585	16085	19175
16'1" (4.90m)	7365	8235	8620	9715	11255	12150	13680	14420	16055	16690	19835
18'1" (5.51m)	7730	8590	9030	10185	11620	12720	14170	14985	16660	17255	20495
20'1" (6.12m)	8080	8940	9320	10505	11985	13120	14685	15445	17210	17750	21115
22'1" (6.73m)	8470	9295	9715	10785	12370	13825	15270	15955	17770	18250	21750
24'1" (7.34m)	8770	9615	10045	11135	12770	14420	15765	16450	18250	18765	22400
26'1" (7.95m)	9120	10045	10530	11510	13180	14940	16440	16980	18800	19425	23065
Additional 2'	300	325	345	375	405	480	485	500	515	565	615

SHEDS / WORKSHOPS GRAPHITE

- Interlocking Concrete Panels with multispar finish
- Anthracite PVCu Fascias
- Coloured Cement Fibre Roof Sheets with close fitting ridge tile (Apex)
- Box Profile Steel Roof Sheets with felt underlay (Pent)
- Black Heavy Duty 3' (915mm) wide Multi Point Locking Steel Personnel Door
- Black PVCu guttering
- 4' (1.22m) wide PVCu Double Glazed Window in Anthracite
- Foam Filler to eaves
- Internal Cement Fillet



Type ▶	PENT GRAPHITE CONCRETE SHEDS & WORKSHOPS						APEX GRAPHITE CONCRETE SHEDS & WORKSHOPS							
Width ▶	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)
4'1" (1.24m)	4160	4210	4245	4580	4770	5160	5885	4410	4480	4590	5060	5225	5635	6275
6'1" (1.85m)	4210	4440	4490	4710	4910	5290	6030	4510	4590	4710	5150	5370	5735	6375
8'1" (2.46m)	4330	4560	4600	4910	5050	5415	6185	4650	4710	4810	5370	5535	5910	6565
10'1" (3.07m)	4410	4620	4690	5050	5250	5545	6435	4785	4840	4910	5535	5725	6155	6755
12'1" (3.68m)	4520	4730	4770	5250	5425	5865	6685	4930	4960	5030	5725	6055	6365	7075
14'1" (4.29m)	4750	4820	4860	5480	5810	6315	7275	5040	5080	5130	6030	6205	6675	7565
16'1" (4.90m)	4860	5030	5070	5590	6240	6615	7815	5160	5225	5260	6265	6655	7075	8025
Additional 2'	175	185	195	205	215	255	300	185	195	205	245	270	290	345

APEX EARL

OUR LATEST LUXURY GARAGE (APEX ROOF)

- Agate Grey Vertical design Up and Over door with 4 point locking
- Interlocking Concrete Panels with multispar finish
- True Brick Front Posts in Stone Grey (Other colours available)
- Agate Grey PVCu Fascias
- Coloured Cement Fibre Roof Sheets with close fitting ridge tile
- Heavy Duty Agate Grey 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu double glazed Window in Agate Grey
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



APEX EARL (Pitched Roof)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)	
Length ▶	14'1" (4.29m)	5885	6515	6825	7730	8940	9625	10675	11375	12745	13130	15615
	16'1" (4.90m)	6105	6805	7100	7980	9240	9955	11205	11795	13120	13630	16155
	18'1" (5.51m)	6385	7090	7445	8370	9540	10420	11575	12240	13590	14090	16680
	20'1" (6.12m)	6685	7365	7675	8620	9825	10735	12005	12625	14045	14465	17190
	22'1" (6.73m)	6975	7650	7980	8850	10135	11305	12470	13020	14485	14885	17710
	24'1" (7.34m)	7225	7905	8250	9140	10455	11795	12880	13430	14885	15305	18235
	26'1" (7.95m)	7510	8250	8655	9450	10785	12215	13420	13850	15325	15825	18755
Additional 2'	255	285	305	330	345	410	420	430	445	495	525	

PENT EARL

OUR LATEST LUXURY GARAGE (PENT ROOF)

- Agate Grey Vertical design Up and Over door with 4 point locking
- Interlocking Concrete Panels with multispar finish
- True Brick Front Posts in Stone Grey (Other colours available)
- Agate Grey PVCu Fascias
- Box Profile Steel Roof Sheets with felt underlay (full length up to 20' long)
- Heavy Duty Agate Grey 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu double glazed Window in Agate Grey
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Galvanised 'C' Section steel trusses (up to 18' wide)
- Internal Cement Fillet



PENT EARL (Rearward Sloping Roof)


Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)				
Length ▶	14'1" (4.29m)	5625	6395	6805	7475	8880	9050	9980	10835	n/a	n/a
	16'1" (4.90m)	5820	6605	7025	7740	9100	9110	10230	11125	n/a	n/a
	18'1" (5.51m)	6055	6835	7265	7940	9430	9625	10530	11365	n/a	n/a
	20'1" (6.12m)	6275	7065	7510	8170	9660	9880	10825	11645	n/a	n/a
	22'1" (6.73m)	6515	7285	7740	8410	9955	10120	11125	11920	n/a	n/a
	24'1" (7.34m)	6705	7520	7960	8620	10220	10405	11365	12195	n/a	n/a
	26'1" (7.95m)	6925	7775	8225	8910	10565	10805	11785	12670	n/a	n/a
Additional 2'	220	245	255	275	315	355	375	405	n/a	n/a	n/a

*Maximum Length of 30'1" (9.17m)

DUCHESS/DUKE EARL

REARWARD SLOPING GARAGE WITH TILE EFFECT ROOF

- Agate Grey Vertical design Up and Over door with 4 point locking
- Interlocking Concrete Panels with multispar finish
- True Brick Front Posts in Stone Grey (Other colours available)
- Agate Grey PVCu Fascias
- Forward sloping Metrotile Roof and Rearward sloping Box Profile Steel Roof with felt underlay (full length roof sheet up to 20' long)*
- Heavy Duty Agate Grey 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu double glazed Window in Agate Grey
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



DUCHESS EARL (For Duke just add 5%)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)				
Length ▶	14'1" (4.29m)	6905	7520	7695	8570	9370	10200	10405	10885	n/a	n/a
	16'1" (4.90m)	7065	7750	7940	8880	9735	10685	10935	11425	n/a	n/a
	18'1" (5.51m)	7265	8005	8200	9220	10090	11175	11445	11940	n/a	n/a
	20'1" (6.12m)	7455	8235	8470	9515	10455	11665	11975	12460	n/a	n/a
	22'1" (6.73m)	7775	8580	8840	9955	10905	12195	12570	13050	n/a	n/a
	24'1" (7.34m)	8090	8940	9240	10375	11355	12745	13140	13650	n/a	n/a
	26'1" (7.95m)	8420	9280	9625	10765	11805	13270	13730	14235	n/a	n/a
Additional 2'	300	315	345	375	395	450	485	495	n/a	n/a	n/a

*Maximum Length of 30'1" (9.17m)

MONARCH EARL

HIGHER PITCHED ROOF WITH TILE EFFECT ROOF SHEETS

- Agate Grey Vertical design Up and Over door with 4 point locking
- Interlocking Concrete Panels with multispar finish
- True Brick Front Posts in Stone Grey (Other colours available)
- Agate Grey PVCu Fascias
- Higher 17.5° Roof Pitch on single garages, 15° Roof Pitch on doubles
- Tile Effect, Plastisol Coated Roof Sheets with Felt Underlay (Choice of Colours)
- Heavy Duty Agate Grey 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu double glazed Window in Agate Grey
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



MONARCH EARL (Higher Pitched Roof)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)
Length ▶	14'1" (4.29m)	7455	8280	8690	9855	11435	12340	13690	14610	16375	16890
	16'1" (4.90m)	7740	8640	9050	10200	11820	12760	14365	15135	16860	17530
	18'1" (5.51m)	8115	9020	9480	10695	12195	13360	14875	15735	17500	18115
	20'1" (6.12m)	8490	9390	9780	11025	12590	13770	15425	16215	18070	18630
	22'1" (6.73m)	8890	9760	10200	11325	12990	14520	16030	16750	18665	19165
	24'1" (7.34m)	9210	10090	10540	11695	13410	15135	16560	17280	19165	19715
	26'1" (7.95m)	9570	10540	11055	12085	13840	15685	17265	17830	19735	20395
Additional 2'	310	340	360	395	420	505	510	520	535	595	640

SHEDS / WORKSHOPS EARL

- Agate Grey PVCu Fascias
- Interlocking Concrete Panels with multispar finish
- Coloured Cement Fibre Roof Sheets with close fitting ridge tile (Apex)
- Box Profile Steel Roof Sheets with felt underlay (Pent)
- Heavy Duty Agate Grey 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu double glazed Window in Agate Grey
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



Type ▶	PENT EARL CONCRETE SHEDS & WORKSHOPS							APEX EARL CONCRETE SHEDS & WORKSHOPS						
Width ▶	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)
Length ▶	4'1" (1.24m)	4370	4420	4470	4810	5020	5415	6175	4630	4710	4810	5315	5490	5920
	6'1" (1.85m)	4430	4660	4710	4950	5150	5555	6325	4740	4810	4940	5415	5635	6020
	8'1" (2.46m)	4550	4800	4830	5150	5305	5680	6495	4885	4940	5050	5635	5810	6205
	10'1" (3.07m)	4630	4850	4920	5305	5515	5820	6755	5020	5080	5150	5810	6010	6465
	12'1" (3.68m)	4740	4960	5020	5515	5700	6165	7025	5170	5215	5270	6010	6355	6685
	14'1" (4.29m)	4995	5060	5105	5755	6095	6625	7640	5290	5335	5380	6340	6515	7015
	16'1" (4.90m)	5105	5270	5325	5865	6545	6945	8200	5425	5490	5525	6575	6990	7430
Additional 2'	175	185	195	205	215	255	300	185	195	205	245	270	290	345



PENT SHED

APEX SHED

APEX WOODTHORPE

STYLISH GREAT LOOKING GARAGE (APEX ROOF)

- Hormann Woodgrain Vertical design Up and Over door with 4 point locking**
- Interlocking Concrete Panels with multispar finish
- Rustic Brown 'True' Brick Front Posts (Other colours available)
- Woodgrain PVCu Fascias
- Coloured Cement Fibre Roof Sheets with close fitting ridge tile
- 3' (915mm) wide PVC double Glazed Personnel door, Half Glazed, Fully Glazed or Fully Panelled
- 4' (1.22m) wide PVCu Double Glazed Window in Woodgrain
- Brown PVCu Guttering
- Foam Filler to eaves
- Internal Cement Fillet

AVAILABLE IN:
 GOLDEN OAK
 ROSEWOOD



Pictured in Rosewood

** Woodgrain Up and Over doors only available up to 8' (2.44m) wide

APEX WOODTHORPE (Pitched Roof)



Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3"*** (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3"*** (7.39m)	26'3"*** (8.00m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)				2 x 7' (2.13m)	2 x 8' Doors (2.44m)					
Length ▶	14'1" (4.29m)	5600	6205	6505	7365	8510	9170	10165	10835	12140	12500	14875
	16'1" (4.90m)	5820	6475	6755	7595	8800	9480	10665	11235	12490	12980	15385
	18'1" (5.51m)	6075	6745	7090	7970	9085	9925	11025	11655	12940	13420	15885
	20'1" (6.12m)	6365	7025	7310	8215	9360	10220	11435	12015	13370	13770	16375
	22'1" (6.73m)	6645	7285	7595	8420	9660	10775	11875	12405	13800	14170	16870
	24'1" (7.34m)	6880	7530	7860	8700	9955	11235	12260	12790	14170	14575	17365
	26'1" (7.95m)	7145	7860	8250	9000	10265	11635	12780	13190	14595	15075	17860
	Additional 2'	245	270	295	315	330	395	405	415	425	465	505

**Brick Fronts will be Cladded for this size Building

PENT WOODTHORPE

STYLISH GREAT LOOKING GARAGE (PENT ROOF)

- Hormann Woodgrain Vertical design Up and Over door with 4 point locking**
- Interlocking Concrete Panels with multispar finish
- Rustic Brown 'True' Brick Front Posts (Other colours available)
- Woodgrain PVCu Fascias
- Box Profile Steel Roof Sheets with felt underlay (full length up to 20' long)
- 3' (915mm) wide PVC double Glazed Personnel door, Half Glazed, Fully Glazed or Fully Panelled
- 4' (1.22m) wide PVCu Double Glazed Window in Woodgrain
- Brown PVCu Guttering
- Foam filler to eaves
- Galvanised 'C' section steel trusses (upto 18' wide)
- Internal Cement Fillet

AVAILABLE IN:
 GOLDEN OAK
 ROSEWOOD



Pictured in Golden Oak

** Woodgrain Up and Over doors only available up to 8' (2.44m) wide

PENT WOODTHORPE (Rearward Sloping Roof)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3"*** (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)				2 x 7' (2.13m)	2 x 8' Doors (2.44m)				
Length ▶	14'1" (4.29m)	5350	6095	6485	7125	8460	8620	9505	10320	n/a	n/a
	16'1" (4.90m)	5545	6285	6685	7365	8655	8680	9745	10595	n/a	n/a
	18'1" (5.51m)	5765	6505	6925	7565	8970	9160	10020	10825	n/a	n/a
	20'1" (6.12m)	5975	6735	7145	7785	9195	9405	10310	11095	n/a	n/a
	22'1" (6.73m)	6205	6935	7365	8005	9480	9650	10595	11345	n/a	n/a
	24'1" (7.34m)	6385	7155	7575	8215	9735	9910	10825	11620	n/a	n/a
	26'1" (7.95m)	6595	7395	7830	8480	10055	10295	11235	12060	n/a	n/a
	Additional 2'*	210	235	245	255	305	340	355	390	n/a	n/a

*Maximum Length of 30'1" (9.17m)

DUCHESS/DUKE WOODTHORPE

REARWARD SLOPING GARAGE WITH TILE EFFECT ROOF

- Hormann Woodgrain Vertical design Up and Over door with 4 point locking**
- Interlocking Concrete Panels with multispar finish
- Rustic Brown 'True' Brick Front Posts (Other colours available)
- Woodgrain PVCu Fascias
- Forward sloping Metrotile Roof and Rearward sloping Box Profile Steel Roof with felt underlay (full length roof sheet up to 20' long)*
- 3' (915mm) wide PVC double Glazed Personnel door, Half Glazed, Fully Glazed or Fully Panelled
- 4' (1.22m) wide PVCu Double Glazed Window in Woodgrain
- Brown PVCu Guttering
- Foam Filler to eaves
- Internal Cement Fillet

* Duke includes a Slate Effect Roof

AVAILABLE IN:
 GOLDEN OAK
 ROSEWOOD



DUCHESS

Pictured in Golden Oak

** Woodgrain Up and Over doors only available up to 8' (2.44m) wide

DUCHESS WOODTHORPE (For Duke just add 5%)



Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3"*** (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)				2 x 7' (2.13m)	2 x 8' Doors (2.44m)				
Length ▶	14'1" (4.29m)	6575	7155	7335	8160	8930	9715	9910	10365	n/a	n/a
	16'1" (4.90m)	6735	7385	7565	8460	9270	10175	10405	10875	n/a	n/a
	18'1" (5.51m)	6925	7620	7815	8780	9615	10650	10905	11375	n/a	n/a
	20'1" (6.12m)	7100	7840	8070	9060	9945	11115	11415	11865	n/a	n/a
	22'1" (6.73m)	7395	8170	8420	9480	10385	11620	11975	12435	n/a	n/a
	24'1" (7.34m)	7705	8510	8800	9880	10815	12140	12525	13000	n/a	n/a
	26'1" (7.95m)	8025	8840	9160	10255	11245	12635	13065	13560	n/a	n/a
	Additional 2'*	290	305	330	355	375	430	460	465	n/a	n/a

*Maximum Length of 30'1" (9.17m)

MONARCH WOODTHORPE

HIGHER PITCHED ROOF WITH TILE EFFECT ROOF SHEETS

- Hormann Woodgrain Vertical design Up and Over door with 4 point locking**
- Interlocking Concrete Panels with multispar finish
- Rustic Brown 'True' Brick Front Posts (Other colours available)
- Woodgrain PVCu Fascias
- Higher 17.5° Roof Pitch on single garages, 15° Roof Pitch on doubles
- Tile effect, plastisol coated roof sheets with felt underlay (Choice of Colours)
- 3' (915mm) wide PVC double Glazed Personnel door, Half Glazed, Fully Glazed or Fully Panelled
- 4' (1.22m) wide PVCu Double Glazed Window in Woodgrain
- Brown PVCu Guttering
- Foam Filler to eaves
- Internal Cement Fillet

AVAILABLE IN:
 GOLDEN OAK
 ROSEWOOD



Pictured in Rosewood

** Woodgrain Up and Over doors only available up to 8' (2.44m) wide



MONARCH WOODTHORPE (Higher Pitched Roof)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3"*** (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3"*** (7.39m)	26'3"*** (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)				2 x 7' (2.13m)	2 x 8' Doors (2.44m)				
Length ▶	14'1" (4.29m)	7100	7885	8270	9390	10895	11755	13040	13915	15585	16085
	16'1" (4.90m)	7365	8235	8620	9715	11255	12150	13680	14420	16055	16690
	18'1" (5.51m)	7730	8590	9030	10185	11620	12720	14170	14985	16660	17255
	20'1" (6.12m)	8080	8940	9320	10505	11985	13120	14685	15445	17210	17750
	22'1" (6.73m)	8470	9295	9715	10785	12370	13825	15270	15955	17770	18250
	24'1" (7.34m)	8770	9615	10045	11135	12770	14420	15765	16450	18250	18765
	26'1" (7.95m)	9120	10045	10530	11510	13180	14940	16440	16980	18800	19425
	Additional 2'	300	325	345	375	405	480	485	500	515	565

**Brick Fronts will be Cladded for this size Building

SHEDS / WORKSHOPS WOODTHORPE

- Interlocking Concrete Panels with multispar finish
- Woodgrain PVCu Fascias
- Coloured Cement Fibre Roof Sheets with close fitting ridge tile (Apex)
- Box Profile Steel Roof Sheets with felt underlay (Pent)
- 3' (915mm) wide PVC double Glazed Personnel door, Half Glazed, Fully Glazed or Fully Panelled
- 4' (1.22m) wide PVCu Double Glazed Window in Woodgrain
- Brown PVCu Guttering
- Foam Filler to eaves
- Internal Cement Fillet

AVAILABLE IN:
 GOLDEN OAK
 ROSEWOOD



PENT SHED



APEX SHED

Type ▶	PENT WOODTHORPE CONCRETE SHEDS & WORKSHOPS							APEX WOODTHORPE CONCRETE SHEDS & WORKSHOPS						
Width ▶	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)
Length ▶	4'1" (1.24m)	4160	4210	4245	4580	4770	5160	5885	4410	4480	4590	5060	5225	5635
	6'1" (1.85m)	4210	4440	4490	4710	4910	5290	6030	4510	4590	4710	5150	5370	5735
	8'1" (2.46m)	4330	4560	4600	4910	5050	5415	6185	4650	4710	4810	5370	5535	5910
	10'1" (3.07m)	4410	4620	4690	5050	5250	5545	6435	4785	4840	4910	5535	5725	6155
	12'1" (3.68m)	4520	4730	4770	5250	5425	5865	6685	4930	4960	5030	5725	6055	6365
	14'1" (4.29m)	4750	4820	4860	5480	5810	6315	7275	5040	5080	5130	6030	6205	6675
	16'1" (4.90m)	4860	5030	5070	5590	6240	6615	7815	5160	5225	5260	6265	6655	7075
	Additional 2'	175	185	195	205	215	255	300	185	195	205	245	270	290

APEX **PRESSURE TREATED TIMBER**

- Hormann framed fully retractable Vertical design Up and Over door in White
- Interlocking Concrete Panels with multispar finish
- 'Pressure Treated' timber fascias
- Robust Grey Cement Fibre Roof Sheets with close fitting ridge tile
- 4' (1.22m) wide timber Window (Optional 1 on a single, 2 on a double)
- Foam Filler to eaves
- Unlimited Length
- Wide Range of Optional Extras (See Page 14-15)



TIMBER APEX (Pitched Roof)												
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)		8' Door (2.44m)			2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)
14'1" (4.29m)	3740	4300	4450	5080	5260	6505	7035	7565	8400	8710	10785	
16'1" (4.90m)	3960	4480	4660	5280	5525	6855	7420	7915	8780	9130	11195	
18'1" (5.51m)	4150	4660	4860	5470	5775	7185	7805	8290	9140	9525	11620	
20'1" (6.12m)	4330	4850	5080	5665	6030	7530	8180	8655	9515	9910	12060	
22'1" (6.73m)	4520	5040	5290	5865	6275	7860	8570	9030	9880	10320	12480	
24'1" (7.34m)	4720	5205	5490	6065	6535	8200	8940	9390	10255	10705	12900	
26'1" (7.95m)	4940	5400	5710	6255	6795	8545	9340	9760	10605	11115	13330	
Additional 2'	220	245	250	295	315	340	360	405	410	415	425	

PENT **PRESSURE TREATED TIMBER**

- Hormann framed fully retractable Vertical design Up and Over door in White
- Interlocking Concrete Panels with multispar finish
- 'Pressure Treated' timber fascias
- Box Profile Steel Roof Sheets with felt underlay (full length up to 20' long)
- Galvanised 'C' Section steel trusses (up to 18' wide)
- 4' (1.22m) wide timber Window (Optional 1 on a single, 2 on a double)
- Foam Filler to eaves
- Maximum Length of 30' (9.15m)
- Wide Range of Optional Extras (See Page 14-15)




TIMBER PENT (Rearward Sloping Roof)											
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)		8' Door (2.44m)			2 x 7' (2.13m)		2 x 8' Doors (2.44m)			
14'1" (4.29m)	3760	4290	4480	4960	5160	6535	7125	7630	n/a	n/a	n/a
16'1" (4.90m)	3960	4480	4660	5150	5415	6815	7445	7940	n/a	n/a	n/a
18'1" (5.51m)	4150	4660	4850	5335	5665	7100	7760	8215	n/a	n/a	n/a
20'1" (6.12m)	4330	4850	5050	5500	5910	7375	8105	8510	n/a	n/a	n/a
22'1" (6.73m)	4510	5030	5240	5710	6155	7650	8400	8810	n/a	n/a	n/a
24'1" (7.34m)	4700	5215	5425	5875	6415	7940	8740	9085	n/a	n/a	n/a
26'1" (7.95m)	4860	5415	5645	6105	6675	8280	9110	9460	n/a	n/a	n/a
Additional 2'*	195	215	220	230	285	315	330	330	n/a	n/a	n/a

*Maximum Length of 30'1" (9.17m)

SHEDS / WORKSHOPS

- 'Pressure Treated' timber fascias
- Interlocking Concrete Panels with multispar finish
- Robust Grey Cement Fibre Roof Sheets with close fitting ridge tile (Apex)
- Box Profile Steel Roof Sheets with felt underlay (Pent)
- Heavy Duty White 3' (915mm) wide 3 Point Locking Steel Personnel Door
- 4' (1.22m) wide timber Window (Optional)
- Foam Filler to eaves
- Wide Range of Optional Extras (See Page 14-15)



Type ▶	PENT CONCRETE SHEDS & WORKSHOPS							APEX CONCRETE SHEDS & WORKSHOPS						
	Width ▶	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)
4'1" (1.24m)	3110	3155	3185	3375	3570	3940	4390	3155	3220	3295	3540	3760	4150	4540
6'1" (1.85m)	3330	3375	3405	3520	3680	4060	4540	3230	3295	3405	3695	3900	4245	4740
8'1" (2.46m)	3430	3485	3520	3680	3840	4170	4675	3365	3405	3505	3900	4050	4410	4910
10'1" (3.07m)	3495	3560	3605	3840	4010	4370	4930	3495	3540	3615	4050	4230	4640	5105
12'1" (3.68m)	3595	3640	3680	4010	4280	4700	5280	3615	3660	3715	4230	4540	4940	5415
14'1" (4.29m)	3670	3715	3760	4320	4650	5130	5865	3715	3760	3805	4520	4785	5240	5865
16'1" (4.90m)	3870	3915	3960	4430	5050	5525	6395	3940	3970	4010	4740	5225	5625	6315
Additional 2'	125	135	145	180	190	235	270	150	170	180	210	245	270	300

THE FORTRESS **HIGH SECURITY GARAGE**

- Highly secure manual Single Skin Roller Shutter Door in White
- Interlocking Concrete Panels with multispar finish
- Maintenance Free white UPVC Fascias
- Box Profile Steel Roof Sheets with felt underlay (full length up to 20' long)
- Foam Filler to eaves
- Maximum Length of 30' (9.15m)
- Internal Cement Fillet
- Guttering and downpipes
- Wide Range of Optional Extras (See Page 14-15)



THE FORTRESS (Rearward Sloping Roof)												
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)		8' Door (2.44m)			2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)
14'1" (4.29m)	4280	4825	5020	5515	5725	7425	8035	8560	n/a	n/a	n/a	
16'1" (4.90m)	4485	5020	5205	5710	5985	7710	8365	8880	n/a	n/a	n/a	
18'1" (5.51m)	4675	4720	5400	5905	6250	8010	8695	9160	n/a	n/a	n/a	
20'1" (6.12m)	4865	5400	5610	6075	6500	8290	9045	9470	n/a	n/a	n/a	
22'1" (6.73m)	5050	5585	5800	6295	6750	8580	9355	9780	n/a	n/a	n/a	
24'1" (7.34m)	5240	5780	5995	6470	7025	8880	9700	10060	n/a	n/a	n/a	
26'1" (7.95m)	5420	5985	6230	6705	7285	9230	10080	10455	n/a	n/a	n/a	
Additional 2'	205	225	230	240	295	325	340	340	n/a	n/a	n/a	

BRICK CLADDING (£80 PER FOOT)



Rustic Red



Sand



RUSTIC RED BRICK CLADDING



SAND BRICK CLADDING

STANDARD PLANK CLADDING (£80 PER FOOT)



White



Cream



Sand



Light Grey



Camel



Anthracite



Quartz Grey



Blue Grey



ANTHRACITE PLANK CLADDING



WHITE PLANK CLADDING

STONE CLADDING (£80 PER FOOT)



Country Beige



Slate Grey



Light Grey Sandstone



Cream Sandstone

IMPORTANT SIZE INFORMATION

- When you add cladding to any elevation on your building it will add 2" (50mm) to the external size.
- For instance, if you have a 16'1" x 8'3" building, and you clad the front and one side, the external size will become 16'3" x 8'5".
- It's important to then ensure the concrete base is laid allowing for the extra size.




SLATE GREY STONE CLADDING


QUATTRO PLANK CLADDING (£90 PER FOOT)



Turner Oak Malt



Artisan Oak



Sheffield Oak Alpine




Kitami Oak

Quattro Plank Clad Vertically (Extra £10 per /ft)


SHADOW PLANK CLADDING (£90 PER FOOT)




Sheffield Oak Alpine



Turner Oak Malt



Sheffield Oak Concrete




Kitami Oak

Shadow Plank Clad Vertically (Extra £10 per /ft)


PREMIUM TIMBER EFFECT CLADDING (£90 PER FOOT)




Woodland Oak



Sheffield Oak



African Paduak



Grey Cedar



SHEFFIELD OAK PREMIUM TIMBER EFFECT CLADDING


HOW TO PRICE THE BUILDING

- Step 1 - Decide which sides are to be cladded
- Step 2 - Use Guide below to calculate the cost

How to Calculate the Cost of the Cladding of your buildings

Example (4 sided Garage Cladding): Length1 + Length2 + Width1 + F1 (Front - use 1) x £80
 For a 16'1" long x 8'3" wide garage with a 7' up & over door (round to the nearest ft)
 = 16 + 16 + 8 + 1 = 41 x £80 = £3,280

* Please note: Hanson's require a 1m area to work around the building in order to clad



Latest Offers

Visit our Hanson Garages website to see our latest offers on our range of garages, sheds, workshops and garden rooms.



Scan QR Code



ROOF UPGRADE OPTIONS



£1.99 per square ft.
Apex Only
Cement Fibre Roof Sheets
in Spanish Red, Mocca Brown, Green or Blue/Black



£1.99 per square ft.
Apex Only
Coloured Box Profile Upgrade
Plastisol Coated with Felt Underlay



£8.00 per square ft.
Apex Only
Insulated Box Steel Roof Sheets
Box Profile, 40mm Thick Composite Sheets



£92 Each
Apex Only
Translucent Roof Sheets
Only available on Cement Fibre Roofs



£7.45 per square ft.
Apex Only
Tile Effect Steel Roof Sheets
Plastisol Coated with anti-condensation Felt Underlay in Anthracite, Terracotta, Black, Van Dyke Brown



£10.35 per square ft.
Apex Only
Insulated Tile Steel Roof Sheets
Plastisol Coated Steel Sheets with Felt Underlay and 25mm Insulation Board in Anthracite, Terracotta, Black, Van Dyke Brown



£11.90 per square ft.
Apex Only
Metro Tile Roof
in Titanium, Bramble, Rustic Brown, Terracotta, Tartan Green



£15.60 per square ft.
Apex Only
Tapco Slate Roof
in Pewter Grey, Chesnut Brown, Moss Green, Stone Black, Brick Red, Wheat, Sand, Plum

BRICK FRONTS



Red Wirecut



Golden Russett



Rustic Brown



Cedar Buff



Graphite Rustic



Stone Grey

REAL BRICK FRONT POSTS - Your choice of 6 different bricks

7' Door (2.13m)		8' Door (2.44m)		10' (3.05m)	2 x 7' Doors (2.13m)		2 x 8' Doors (2.44m)		2x9' (2.74m)		
8'3" (2.51m)	9'3" (2.83m)	9'3" (2.83m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)
275	330	275	330	490	490	430	660	440	660	755	755


WINDOWS

Window Type	Timber	Fixed	Opening
EXTRA 4' (1.22m) TIMBER WINDOW		100	N/A
	PVCu	White	Coloured
2' (610mm) FIXED		185	255
2' (610mm) OPENING		235	315
4' (1.22m) FIXED		225	305
4' (1.22m) OPENING		290	370
2' (610mm) FULL HEIGHT		280	305
2' (610mm) FULL HEIGHT OPENING		310	350


£40 extra for frosted glass



4'0" Timber Window (Fixed)



2'0" PVCu Window (Fixed or Opening)



4'0" PVCu Window (Fixed or Opening)



2'0" PVCu Full Height Window (Fixed)

EXTRA HEIGHT

Height	Price
7'2" (2.18m) TO EAVES (7' HIGH DOOR)	15% of Garage Price
7'6" (2.28m) TO EAVES (7'6" HIGH DOOR)	25% of Garage Price
8' (2.44m) TO EAVES (7' HIGH DOOR)	30% of Garage Price
8' (2.44m) TO EAVES (7'6" HIGH DOOR)*	35% of Garage Price
9' (2.74m) TO EAVES AND OVER	POA

*8' To Eaves Door Maximum Door Height is 7'6"



FASCIAS

PVCU FASCIAS & VERGEBOARDS

Available as an upgrade to Pent and Apex Garages, Sheds and Workshops

Size	White	Coloured*
FASCIAS 8'-9' (2.43m-2.74m) WIDE	435	580
FASCIAS 10'-14' (3.00m-4.27m) WIDE	505	680
FASCIAS 16'-24' (4.88m-7.31m) WIDE	695	845

*Anthracite, Agate Grey, Golden Oak, Rosewood



White (Apex)



White (Pent)



Anthracite (Apex or Pent)



Agate Grey (Apex or Pent)



Golden Oak (Apex or Pent)



Rosewood (Apex or Pent)

PERSONNEL DOOR


PERSONNEL DOOR

Door Type	White	Black	Anthracite/Woodgrain	Coloured*
STEEL / PVCu DOORS (4pt LOCKING AS STANDARD ON STEEL DOORS)				
3' (915mm) STEEL DOOR	495	595	-	595
4' (1.22m) STEEL DOOR	780	880	-	880
3' (915mm) HALF/FULL GLAZED PVCu	850	-	1020	-
4' (1.22m) PVCu FRENCH DOORS	1275	-	1510	-

*Anthracite, Goosewing Grey, Olive Green, Juniper Green



Vertical Steel



Verical Steel (Black / Coloured)



Half / Full Glazed PVCu



French Doors PVCu

MAIN DOOR OPTIONS



MAIN DOOR OPTIONS

Door Size	Vertical (Up and Over)	Horizontal (Up and Over)	Georgian (Up and Over)	Elegance (Up and Over)	Finesse (Up and Over)	Steel Side Hung	Roller ⁽¹⁾ (Single Skin)	Roller ⁽¹⁾ (Insulated Electric Operated with Box)	Sectional ⁽²⁾ (Insulated 40mm Non Electric)
6' (1.83m) x 6'6" (1.98m)	605	N/A	N/A	N/A	N/A	1140	315	1300	N/A
7' (2.13m) x 6'6" (1.98m)	As standard	75	255	255	255	1195	355	1395	1235
8' (2.44m) x 6'6" (1.98m)	As standard	125	395	395	395	1255	455	1460	1305
9' (2.74m) x 6'6" (1.98m)	195	275	425	N/A	N/A	N/A	550	1530	1390
10' (3.05m) x 6'6" (1.98m)	1005	N/A	1285	N/A	N/A	N/A	720	1830	1535
12' (3.65m) x 6'6" (1.98m)	1520	N/A	1680	N/A	N/A	N/A	900	2050	1820
14' (4.26m) x 6'6" (1.98m)	1660	1380	2330	N/A	N/A	N/A	1000	2090	2000

*Electric Operator is an additional £550

UPGRADE:

VERTICAL / HORIZONTAL / SECTIONAL / GEORGIAN / FINESSE / ELEGANCE

White Provided as Standard
Coloured / Woodgrain Doors 7' - 14' ADD £350

ROLLER / SIDE HUNG DOORS

White Provided as Standard
Coloured / Woodgrain Doors 7', 8' ADD £215 (See Colours Below)
Coloured / Woodgrain Doors 9', 10', 12', 14' ADD £325 (See Colours Below)

DOOR COLOURS AVAILABLE

Terra Brown, Steel Blue, Signal Blue, Moss Green, Ruby Red, Jet Black, Anthracite, Golden Oak, Rosewood

(Allow extended delivery time on coloured doors)

ROLLER / SECTIONAL DOORS

(1) Roller Doors - requires the eaves height of an Apex or Monarch garage to be increased by 13" (0.33m) for insulated, 17" (0.43m) for single skin to accommodate the door. Add 15% to the basic garage price plus the cost of the door. Does not apply to the Pent range.
(2) Sectional Doors - Requires the eaves height of an Apex or Monarch garage to be increased by 10" (0.25m) to accommodate the door. Add 15% to the basic price of the garage plus the cost of the door. Does not apply to the Pent range.

UP AND OVER DOOR EXTRAS



£760
Electric Operator & Delatching Kit with 2 Remotes
(Customer must provide electric)



£115
Manual Release
(For electronic main doors where building has no other access)



£545
Throughway Garage




£105
4 Point Locking (7'-9' Wide Doors Only)

Hanson Garage Spares
Visit our Hanson Garages spares website for other building options available online




Scan QR Code


EXTRAS / NON STANDARD CHARGES



£9 ft. run
Guttering
in White, Black and Brown




£120 Single / £155 Double
Cement Fillet




£35 ft. run
Dividing Walls



2ft / 4ft / 6ft £115 / £132 / £154
Shelving Stacks




£24 for 12
Lining Clips
(Supply Only)



Garage Price + 15%
Lean-To / Tapered



£192
Non Standard Delivery Charge*
(*Subject to Survey)



£100
Hardwood Timber Weatherbar
(Supply Only)

PENT	APEX										
<ul style="list-style-type: none"> • Interlocking Concrete Panels with multispar finish • Maintenance Free PVCu Fascias* • Box Profile Steel Roof Sheets with felt underlay • 4' (1.22m) wide PVCu fully glazed French doors* • 2'0" (0.61m) wide Full height PVC windows x 2* • PVCu Guttering • Foam Filler to eaves • Internal Cement Fillet • Wide range of Cladding Options (See Page 14-15) • Wide range of Optional Extras (See Page 14-15) • Can be customised to individual requirements <p><small>*See colour options below</small></p>	<ul style="list-style-type: none"> • Interlocking Concrete Panels with multispar finish • Maintenance Free PVCu Fascias* • Coloured Cement Fibre Roof Sheets with close fitting ridge tile • 4' (1.22m) wide PVCu fully glazed French doors* • 2'0" (0.61m) wide Full height PVC windows x 2* • PVCu Guttering • Foam Filler to eaves • Internal Cement Fillet • Wide range of Cladding Options (See Page 14-15) • Wide range of Optional Extras (See Page 14-15) • Can be customised to individual requirements <p><small>*See colour options below</small></p>										
<p>Colour Options Fascias, French Doors, and Windows</p> <table border="0"> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>White <small>(Standard)</small></td> <td>Anthracite <small>(Extra £390)</small></td> <td>Agate Grey <small>(Extra £390)</small></td> <td>Golden Oak <small>(Extra £390)</small></td> <td>Rosewood <small>(Extra £390)</small></td> </tr> </table>							White <small>(Standard)</small>	Anthracite <small>(Extra £390)</small>	Agate Grey <small>(Extra £390)</small>	Golden Oak <small>(Extra £390)</small>	Rosewood <small>(Extra £390)</small>
White <small>(Standard)</small>	Anthracite <small>(Extra £390)</small>	Agate Grey <small>(Extra £390)</small>	Golden Oak <small>(Extra £390)</small>	Rosewood <small>(Extra £390)</small>							

Type ▶	PENT CONCRETE GARDEN ROOM							APEX CONCRETE GARDEN ROOM							
	Width ▶	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)
Length ▶	4'1" (1.24m)	5055	5100	5155	5440	5630	5960	6485	5285	5365	5430	5895	6100	6490	6835
	6'1" (1.85m)	5100	5185	5355	5565	5740	6090	6615	5375	5430	5565	6050	6250	6580	7035
	8'1" (2.46m)	5200	5265	5455	5740	5870	6190	6745	5505	5565	5650	6250	6390	6730	7205
	10'1" (3.07m)	5275	5320	5530	5870	6040	6390	6995	5630	5675	5750	6390	6580	6970	7385
	12'1" (3.68m)	5365	5410	5605	6040	6290	6690	7335	5750	5805	5850	6580	6850	7260	7685
	14'1" (4.29m)	5440	5485	5695	6345	6650	7110	7885	5850	5895	5925	6840	7095	7560	8160
	16'1" (4.90m)	5630	5695	5895	6445	7050	7490	8400	6060	6100	6150	7060	7535	7920	8590
Additional 2'	175	185	195	205	215	255	300	185	195	205	245	270	290	345	

THE NEWBURY	
<ul style="list-style-type: none"> • 355mm roof canopy • Extra Height 2.13m eaves (stays under 2.5m Height) • 40mm composite panel insulation in the roof • Timber effect plank cladding to the front elevation (side elevations can be clad at extra cost) • Anthracite fascias, doors and windows • Anthracite French doors and 2 full height windows as standard • Internal Cement Fillet • Lining clips to aid internal fitting out • Guttering to the rear 	

Type ▶	THE NEWBURY				
	Width ▶	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)
Length ▶	5'11" (1.81m)	8580	9190	9790	10230
	7'11" (2.41m)	8820	9430	10035	10475
	9'11" (3.02m)	8915	9520	10120	10560
	11'11" (3.63m)	9150	9650	10255	10685
	13'11" (4.24m)	9285	9870	10500	10925
	15'11" (4.85m)	9420	10020	10640	11060
	Additional 2'	265	265	265	265

Find the Perfect Pent or Apex Garden Room for me; 5 easy steps:

1. Select the roof required, Pent or Apex
2. Measure up and agree size- Length (depth) and Width (frontage)
3. Choose your Door and Window options
4. Decide on the colours of Doors, Windows and Fascias
5. Confirm wall finish. Spa chippings as standard but you can upgrade to Brick, Plank or Stone effect cladding on one or more elevations

Cladding Options

Brick Cladding (£80 per foot)




Stone Cladding (£80 per foot)



Plank Cladding (£80 per foot)




Quattro Cladding (£90 per foot)



Shadow Cladding (£90 per foot)



Premium Timber Effect Cladding (£90 per foot)



Inspiration for your Garden Room



16 *If you add cladding to a side elevation the building will increase by 2" (50mm) per side.

APEX STEEL GARAGE

NEW TO THE MARKET

- White PVCu Fascias
- 40mm insulated walls
- 40mm insulated composite panel plastisol coated steel roof sheets
- Standard eaves height 6'8" (2.03m)
- Brick or plank effect finish externally (Options below)
- Various Door Styles available (See options)
- Secure White 3' (915mm) wide Multi Pont Point Locking Steel Personnel Door
- White 4'0" (1.22m) wide fixed PVCu window
- Guttering and downpipes
- Other options available see brochure for full list



INSULATED APEX STEEL GARAGE (Pitched Roof)											
Width ▶	8'5" (2.56m)	9'5" (2.87m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)	16'5" (5.00m)	18'5" (5.61m)	20'5" (6.22m)	22'5" (6.83m)	24'5" (7.44m)	26'5" (8.05m)
Door Width ▶	7' (2.13m)		8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)	
13'11" (4.24m)	9430	10440	10920	12350	14270	15010	16635	17700	19805	20410	24245
15'11" (4.85m)	9775	10885	11360	12775	14745	15515	17420	18360	20390	21180	25100
17'11" (5.46m)	10220	11320	11905	13375	15190	16240	18035	19035	21115	21885	25905
19'11" (6.07m)	10700	11790	12270	13760	15655	16730	18660	19625	21845	22475	26670
21'11" (6.68m)	11190	12255	12775	14125	16175	17595	19410	20270	22540	23105	27495
23'11" (7.29m)	11540	12655	13200	14585	16685	18360	20040	20880	23105	23775	28305
25'11" (7.90m)	12035	13200	13830	15075	17160	18995	20880	21525	23815	24565	29105
Additional 2'	370	420	475	525	580	630	685	735	790	840	895

PENT STEEL GARAGE

NEW TO THE MARKET

- White PVCu Fascias
- 40mm insulated walls
- 40mm insulated composite panel plastisol coated steel roof sheets
- Standard eaves height 6'8" (2.03m)
- Brick or plank effect finish externally (Options below)
- Various Door Styles available (See options)
- Secure White 3' (915mm) wide Multi Pont Point Locking Steel Personnel Door
- White 4'0" (1.22m) wide fixed PVCu window
- Guttering and downpipes
- Other options available see brochure for full list



INSULATED PENT STEEL GARAGE (Rearward Sloping Roof)											
Width ▶	8'5" (2.56m)	9'5" (2.87m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)	16'5" (5.00m)	18'5" (5.61m)	20'5" (5.92m)	22'5" (6.83m)	24'5" (7.44m)	26'5" (8.05m)
Door Width ▶	7' (2.13m)		8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)	
13'11" (4.24m)	9010	10240	10920	11950	14180	14110	15565	16885	n/a	n/a	n/a
15'11" (4.85m)	9345	10555	11240	12350	14525	14205	15960	17320	n/a	n/a	n/a
17'11" (5.46m)	9690	10935	11650	12675	15050	15010	16390	17700	n/a	n/a	n/a
19'11" (6.07m)	10060	11320	12010	13060	15395	15390	16870	18100	n/a	n/a	n/a
21'11" (6.68m)	10460	11665	12350	13445	15860	15745	17320	18540	n/a	n/a	n/a
23'11" (7.29m)	10755	12050	12715	13760	16300	16195	17700	18970	n/a	n/a	n/a
25'11" (7.90m)	11085	12430	13135	14230	16830	16800	18340	19700	n/a	n/a	n/a
Additional 2'	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

*Maximum Length of 30'1" (9.17m)

INSULATED GARDEN ROOMS

NEW TO THE MARKET

- White PVCu Fascias
- 40mm insulated walls
- 40mm insulated composite panel plastisol coated steel roof sheets
- Standard eaves height 6'8" (2.03m)
- Brick or plank effect finish externally (Options below)
- White 4'0" (1.22m) wide fully glazed French Doors
- Two White 2'0" (0.60m) wide full height PVCu Windows
- Guttering and downpipes
- Other options available see brochure for full list



Type ▶	INSULATED PENT STEEL GARDEN ROOM							INSULATED APEX STEEL GARDEN ROOM						
	Width ▶	4'5" (1.34m)	6'5" (1.95m)	8'5" (2.56m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)	16'5" (5.00m)	4'5" (1.34m)	6'5" (1.95m)	8'5" (2.56m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)
3'11" (1.27m)	9615	9655	9720	10020	10225	10585	11135	9860	9945	10010	10515	10735	11150	11505
5'11" (1.80m)	9655	9755	9935	10160	10345	10725	11270	9955	10010	10160	10680	10895	11245	11990
7'11" (2.41m)	9765	9840	10040	10345	10485	10830	11415	10095	10160	10250	10895	11045	11415	12175
9'11" (3.02m)	9850	9890	10115	10485	10670	11045	11670	10225	10280	10360	11045	11245	11670	12370
11'11" (3.71m)	9945	9990	10205	10670	10935	11365	12030	10360	10415	10465	11245	11540	11980	12695
13'11" (4.24m)	10020	10075	10300	11000	11330	11820	12605	10465	10515	10545	11530	11800	12305	13200
15'11" (4.85m)	10225	10300	10515	11110	11755	12235	13145	10690	10735	10785	11765	12275	12695	13665
Additional 2'	150	200	250	300	350	400	450	150	200	250	300	350	400	450

Cladding Options


Brick Cladding (£80 per foot)



Plank Cladding (£80 per foot)




Quattro Cladding (£90 per foot)



Shadow Cladding (£90 per foot)



Premium Timber Effect Cladding (£90 per foot)



Optional Extras

Steel Garages

Insulated roller door electrically operated *	1065
Insulated sectional door *	900
Upgrade personnel door to PVC door (White)	355
Upgrade personnel door to PVC door (Coloured)	525
Upgrade personnel door to French Doors (White)	780
Upgrade personnel door to French doors (coloured)	1015
Insulated tile effect roof sheets (Anthracite/Terracotta)	£5 per square ft
Electric operator for up and over / sectional door	760
Extra height 7'2" (2.20m) eaves	+10%
Extra Height 7'7" (2.32m) eaves	+15%

Steel Garden Rooms


Insulated tile effect roof sheets (Anthracite/Terracotta)	£5 per square ft
Extra height 7'2" (2.20m) eaves	+10%
Extra Height 7'7" (2.32m) eaves	+15%
Other door and window options – as per the options on pages 14-15.	

*If upgrading to a roller or sectional door you must increase the eaves height to 7'7" (2.31m) to accommodate the door mechanisms - applies to Apex roof only. The roller and sectional door will fit into a Pent garage standard height.

Superior Quality Steel Framework



The unique design offers a cold rolled 75mm thick steel framed garage, finished externally in a brick or plank finish, and internally in a smooth white steel sheet. The walls and roof will be supplied in a 40mm insulation to ensure that the building will be fit for purpose.



All of our steel frames have three holes pre-formed to allow easy fitting of cables and any other services required

INSULATED APEX STEEL GARAGE

NEW TO THE MARKET

- Anthracite PVCu Fascias
- 40mm insulated walls
- 40mm insulated composite panel plastisol coated steel roof sheets
- Standard eaves height 6'8" (2.03m)
- Brick or plank effect finish externally (Options below)
- Black Vertical Up and Over door (Other options available)
- Secure Black 3' (915mm) wide Multi Pont Point Locking Steel Personnel Door
- Anthracite 4'0" (1.22m) wide fixed PVC uwindow
- Guttering and downpipes
- Other options available see price list for options (pages 14-15)



INSULATED APEX STEEL GARAGE (Pitched Roof)											
Width ▶	8'5" (2.56m)	9'5" (2.87m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)	16'5" (5.00m)	18'5" (5.61m)	20'5" (6.22m)	22'5" (6.83m)	24'5" (7.44m)	26'5" (8.05m)
Door Width ▶	7' (2.13m)		8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)	
13'11" (4.24m)	10060	11140	11675	13225	15280	16085	17825	19000	21285	21925	26080
15'11" (4.85m)	10455	11620	12135	13635	15795	16625	18695	19705	21905	22755	26970
17'11" (5.46m)	10905	12110	12725	14310	16310	17400	19330	20435	22695	23525	27860
19'11" (6.07m)	11425	12610	13120	14745	16800	17925	20050	21075	23450	24145	28705
21'11" (6.68m)	11940	13085	13635	15120	17335	18885	20820	21745	24210	24840	29580
23'11" (7.29m)	12350	13520	14110	15620	17875	19705	21500	22425	24840	25555	30450
25'11" (7.90m)	12825	14110	14805	16155	18430	20395	22405	23120	25595	26430	31315
Additional 2'	370	420	475	525	580	630	685	735	790	840	895

INSULATED PENT STEEL GARAGE

NEW TO THE MARKET

- Anthracite PVCu Fascias
- 40mm insulated walls
- 40mm insulated composite panel plastisol coated steel roof sheets
- Standard eaves height 6'8" (2.03m)
- Brick or plank effect finish externally (Options below)
- Black Vertical Up and Over door (Other options available)
- Secure Black 3' (915mm) wide Multi Pont Point Locking Steel Personnel Door
- Anthracite 4'0" (1.22m) wide fixed PVCu window
- Guttering and downpipes
- Other options available see price list for options (pages 14-15)



INSULATED PENT STEEL GARAGE (Rearward Sloping Roof)											
Width ▶	8'5" (2.56m)	9'5" (2.87m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)	16'5" (5.00m)	18'5" (5.61m)	20'5" (6.22m)	22'5" (6.83m)	24'5" (7.44m)	26'5" (8.05m)
Door Width ▶	7' (2.13m)		8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)	
13'11" (4.24m)	9600	10940	11640	12790	15185	15115	16665	18095	n/a	n/a	n/a
15'11" (4.85m)	9955	11280	11990	13225	15535	15215	17090	18580	n/a	n/a	n/a
17'11" (5.46m)	10355	11675	12425	13575	16110	16065	17570	18985	n/a	n/a	n/a
19'11" (6.07m)	10730	12095	12825	13975	16505	16490	18075	19445	n/a	n/a	n/a
21'11" (6.68m)	11140	12450	13225	14370	17020	16915	18580	19890	n/a	n/a	n/a
23'11" (7.29m)	11460	12845	13600	14745	17475	17385	18985	20375	n/a	n/a	n/a
25'11" (7.90m)	11835	13275	14055	15220	18050	18060	19705	21150	n/a	n/a	n/a
Additional 2'	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

*Maximum Length of 30'1" (9.17m)

INSULATED GARDEN ROOMS

NEW TO THE MARKET

- Anthracite PVCu Fascias
- 40mm insulated walls
- 40mm insulated composite panel plastisol coated steel roof sheets
- Standard eaves height 6'8" (2.03m)
- Brick or plank effect finish externally (Options below)
- Anthracite 4'0" (1.22m) wide fully glazed French Doors
- Two Anthracite 2'0" (0.60m) wide full height PVCu Windows
- Black Guttering and downpipes
- Other options available see price list for options (pages 14-15)



PENT



APEX

Type ▶	INSULATED PENT STEEL GARDEN ROOM							INSULATED APEX STEEL GARDEN ROOM						
	Width ▶	4'5" (1.34m)	6'5" (1.95m)	8'5" (2.56m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)	16'5" (5.00m)	4'5" (1.34m)	6'5" (1.95m)	8'5" (2.56m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)
3'11" (1.27m)	9945	10000	10040	10395	10605	11020	11530	10215	10290	10405	10915	11090	11530	11935
5'11" (1.80m)	10000	10250	10300	10535	10750	11160	11680	10320	10405	10535	11010	11245	11640	12325
7'11" (2.41m)	10135	10380	10415	10750	10905	11295	11840	10475	10535	10640	11245	11425	11830	12530
9'11" (3.02m)	10215	10440	10515	10905	11120	11435	12105	10615	10680	10750	11425	11630	12090	12735
11'11" (3.71m)	10330	10560	10605	11120	11305	11780	12365	10775	10810	10885	11630	11980	12315	13085
13'11" (4.24m)	10585	10660	10700	11365	11725	12265	12990	10895	10935	10990	11960	12145	12645	13610
15'11" (4.85m)	10700	10885	10925	11485	12185	12585	13555	11020	11090	11130	12205	12630	13085	14100
Additional 2'	150	200	250	300	350	400	450	150	200	250	300	350	400	450

Cladding Options


Brick Cladding (£80 per foot)



Plank Cladding (£80 per foot)




Quattro Cladding (£90 per foot)



Shadow Cladding (£90 per foot)



Premium Timber Effect Cladding (£90 per foot)



Optional Extras

Steel Garages

Insulated roller door electrically operated *	1065
Insulated sectional door *	900
Upgrade personnel door to PVC door (White)	355
Upgrade personnel door to PVC door (Coloured)	525
Upgrade personnel door to French Doors (White)	780
Upgrade personnel door to French doors (coloured)	1015
Insulated tile effect roof sheets (Anthracite/Terracotta)	£5 per square ft
Electric operator for up and over / sectional door	760
Extra height 7'2" (2.20m) eaves	+10%
Extra Height 7'7" (2.32m) eaves	+15%

Steel Garden Rooms


Insulated tile effect roof sheets (Anthracite/Terracotta)	£5 per square ft
Extra height 7'2" (2.20m) eaves	+10%
Extra Height 7'7" (2.32m) eaves	+15%
Other door and window options – as per the options on pages 14-15.	

*If upgrading to a roller or sectional door you must increase the eaves height to 7'7" (2.31m) to accommodate the door mechanisms - applies to Apex roof only. The roller and sectional door will fit into a Pent garage standard height.

Superior Quality Steel Framework



The unique design offers a cold rolled 75mm thick steel framed garage, finished externally in a brick or plank finish, and internally in a smooth white steel sheet. The walls and roof will be supplied in a 40mm insulation to ensure that the building will be fit for purpose.





All of our steel frames have three holes pre-formed to allow easy fitting of cables and any other services required

INSULATED APEX STEEL GARAGE

NEW TO THE MARKET

- Woodgrain PVCu Fascias
- 40mm insulated walls
- 40mm insulated composite panel plastisol coated steel roof sheets
- Standard eaves height 6'8" (2.03m)
- Brick or plank effect finish externally (Options below)
- Woodgrain Vertical Up and Over door
- Secure Woodgrain 3' (915mm) wide PVCu Multi Pont Point Locking Personnel Door
- Woodgrain 4'0" (1.22m) wide fixed PVCu window
- Guttering and downpipes
- Other options available see price list for options (pages 14-15)

AVAILABLE IN:
 GOLDEN OAK
 ROSEWOOD





INSULATED APEX STEEL GARAGE (Pitched Roof)												
Width ▶	8'5" (2.56m)	9'5" (2.87m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)	16'5" (5.00m)	18'5" (5.61m)	20'5" (6.22m)	22'5" (6.83m)	24'5" (7.44m)	26'5" (8.05m)	
Door Width ▶	7' (2.13m)					8' Door (2.44m)		2 x 7' (2.13m)		2 x 8' Doors (2.44m)		
13'11" (4.24m)	10060	11140	11675	13225	15280	16085	17825	19000	21285	21925	26080	
15'11" (4.85m)	10455	11620	12135	13635	15795	16625	18695	19705	21905	22755	26970	
17'11" (5.46m)	10905	12110	12725	14310	16310	17400	19330	20435	22695	23525	27860	
19'11" (6.07m)	11425	12610	13120	14745	16800	17925	20050	21075	23450	24145	28705	
21'11" (6.68m)	11940	13085	13635	15120	17335	18885	20820	21745	24210	24840	29580	
23'11" (7.29m)	12350	13520	14110	15620	17875	19705	21500	22425	24840	25555	30450	
25'11" (7.90m)	12825	14110	14805	16155	18430	20395	22405	23120	25595	26430	31315	
Additional 2'	370	420	475	525	580	630	685	735	790	840	895	

INSULATED PENT STEEL GARAGE

NEW TO THE MARKET

- Woodgrain PVCu Fascias
- 40mm insulated walls
- 40mm insulated composite panel plastisol coated steel roof sheets
- Standard eaves height 6'8" (2.03m)
- Brick or plank effect finish externally (Options below)
- Woodgrain Vertical Up and Over door
- Secure Woodgrain 3' (915mm) wide PVCu Multi Pont Point Locking Personnel Door
- Woodgrain 4'0" (1.22m) wide fixed PVCu window
- Guttering and downpipes
- Other options available see price list for options (pages 14-15)

AVAILABLE IN:
 GOLDEN OAK
 ROSEWOOD





INSULATED PENT STEEL GARAGE (Rearward Sloping Roof)												
Width ▶	8'5" (2.56m)	9'5" (2.87m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)	16'5" (5.00m)	18'5" (5.61m)	20'5" (6.22m)	22'5" (6.83m)	24'5" (7.44m)	26'5" (8.05m)	
Door Width ▶	7' (2.13m)					8' Door (2.44m)		2 x 7' (2.13m)		2 x 8' Doors (2.44m)		
13'11" (4.24m)	9600	10940	11640	12790	15185	15115	16665	18095	n/a	n/a	n/a	
15'11" (4.85m)	9955	11280	11990	13225	15535	15215	17090	18580	n/a	n/a	n/a	
17'11" (5.46m)	10355	11675	12425	13575	16110	16065	17570	18985	n/a	n/a	n/a	
19'11" (6.07m)	10730	12095	12825	13975	16505	16490	18075	19445	n/a	n/a	n/a	
21'11" (6.68m)	11140	12450	13225	14370	17020	16915	18580	19890	n/a	n/a	n/a	
23'11" (7.29m)	11460	12845	13600	14745	17475	17385	18985	20375	n/a	n/a	n/a	
25'11" (7.90m)	11835	13275	14055	15220	18050	18060	19705	21150	n/a	n/a	n/a	
Additional 2'	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	

*Maximum Length of 30'1" (9.17m)

INSULATED GARDEN ROOMS

NEW TO THE MARKET

- Woodgrain PVCu Fascias
- 40mm insulated walls
- 40mm insulated composite panel plastisol coated steel roof sheets
- Standard eaves height 6'8" (2.03m)
- Brick or plank effect finish externally (Options below)
- Woodgrain 4'0" (1.22m) wide fully glazed PVCu French Doors
- Two Woodgrain 2'0" (0.60m) wide full height PVCu Windows
- Guttering and downpipes
- Other options available see price list for options (pages 14-15)


AVAILABLE IN:
 GOLDEN OAK
 ROSEWOOD



Type ▶	INSULATED PENT STEEL GARDEN ROOM							INSULATED APEX STEEL GARDEN ROOM						
	Width ▶	4'5" (1.34m)	6'5" (1.95m)	8'5" (2.56m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)	16'5" (5.00m)	4'5" (1.34m)	6'5" (1.95m)	8'5" (2.56m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)
3'11" (1.27m)	9945	10000	10040	10395	10605	11020	11530	10215	10290	10405	10915	11090	11530	11935
5'11" (1.80m)	10000	10250	10300	10535	10750	11160	11680	10320	10405	10535	11010	11245	11640	12325
7'11" (2.41m)	10135	10380	10415	10750	10905	11295	11840	10475	10535	10640	11245	11425	11830	12530
9'11" (3.02m)	10215	10440	10515	10905	11120	11435	12105	10615	10680	10750	11425	11630	12090	12735
11'11" (3.71m)	10330	10560	10605	11120	11305	11780	12365	10775	10810	10885	11630	11980	12315	13085
13'11" (4.24m)	10585	10660	10700	11365	11725	12265	12990	10895	10935	10990	11960	12145	12645	13610
15'11" (4.85m)	10700	10885	10925	11485	12185	12585	13555	11020	11090	11130	12205	12630	13085	14100
Additional 2'	150	200	250	300	350	400	450	150	200	250	300	350	400	450

Cladding Options


Brick Cladding (£80 per foot)



Plank Cladding (£80 per foot)



Quattro Cladding (£90 per foot)



Shadow Cladding (£90 per foot)



Premium Timber Effect Cladding (£90 per foot)



Optional Extras

Steel Garages

- Insulated roller door electrically operated * 1065
- Insulated sectional door * 900
- Upgrade personnel door to PVC door (White) 355
- Upgrade personnel door to PVC door (Coloured) 525
- Upgrade personnel door to French Doors (White) 780
- Upgrade personnel door to French doors (coloured) 1015
- Insulated tile effect roof sheets (Anthracite/Terracotta) £5 per square ft
- Electric operator for up and over / sectional door 760
- Extra height 7'2" (2.20m) eaves +10%
- Extra Height 7'7" (2.32m) eaves +15%

Steel Garden Rooms


- Insulated tile effect roof sheets (Anthracite/Terracotta) £5 per square ft
- Extra height 7'2" (2.20m) eaves +10%
- Extra Height 7'7" (2.32m) eaves +15%
- Other door and window options – as per the options on pages 14-15.

*If upgrading to a roller or sectional door you must increase the eaves height to 7'7" (2.31m) to accommodate the door mechanisms - applies to Apex roof only. The roller and sectional door will fit into a Pent garage standard height.

Superior Quality Steel Framework



The unique design offers a cold rolled 75mm thick steel framed garage, finished externally in a brick or plank finish, and internally in a smooth white steel sheet. The walls and roof will be supplied in a 40mm insulation to ensure that the building will be fit for purpose.



All of our steel frames have three holes pre-formed to allow easy fitting of cables and any other services required

WHY CHOOSE A HANSON CONCRETE GARAGE?

 <p>UNIQUE INTERLOCKING REINFORCED CONCRETE PANELS</p>	 	<p>COMPETITORS</p> 
 <p>HORMANN GARAGE UP & OVER DOORS RETRACTABLE FRAMED</p>	 	<p>COMPETITORS</p> 
 <p>STEEL PERSONNEL DOORS WITH ADDITIONAL SECURITY</p>	 	<p>COMPETITORS</p> 
 <p>PRESSURE TREATED INTERNAL TIMBERWORK</p>	 	<p>COMPETITORS</p> 
 <p>GALVANISED STEEL C-SECTION TRUSSES ON PENT ROOFS</p>	 	<p>COMPETITORS</p> 

 <p>PLASTIC COATED GALVANISED STEEL ROOF SHEETS FOR PENT ROOFS* <small>* WITH A FELT ANTI-CONDENSATION LINING</small></p>	 	<p>COMPETITORS</p> 
 <p>SAND AND CEMENT FILLET</p>	 	<p>COMPETITORS</p> 
 <p>CEMENT FIBRE ROOF SHEETS WITH MATCHING CLOSE FITTING RIDGES</p>	 	<p>COMPETITORS</p> 
 <p>INSULATED STEEL FRAMED BUILDINGS WITH 40MM THICK INSULATION* <small>*INSULATION TO THE WALLS AND ROOF</small></p>	 	<p>COMPETITORS</p> 
 <p>BRICK OR PLANK EFFECT CLADDING OPTION TO THE WALLS</p>	 	<p>COMPETITORS</p> 

NO OTHER MANUFACTURER OFFERS ALL OF THE ABOVE

Hanson Buildings Limited
 Warren Road, Green Lane Industrial Park,
 Featherstone, WF7 6EL

Tel: 01977 695111
Email: sales@hansonbuildings.co.uk

