

PRICE BOOKLET APRIL 2026



GARAGES, SHEDS & GARDEN BUILDINGS

All Prices include VAT, Delivery, Installation and 10 Year structural Guarantee

UK Leading Supplier of Concrete Sectional Buildings



Why Choose a Hanson Garage?

- Free Site Survey**
No obligation quotes & advice
- Expertly Designed**
Unrivalled choice of buildings
- Concrete Base Service**
Full concrete base service for your building
- Garage Dismantle Service**
Let us dismantle your old building
- 10 Year Structural Warranty**
Peace of mind on your new building
- Fast & Efficient Build**
Quick Installation by professional fitters
- Over 40 Years Experience**
Leading UK supplier of concrete buildings



Garages & Sheds

Pages 2-15



Garden Rooms

Pages 16-17



Insulated Buildings

Pages 18-23

Unique Interlocking Concrete Panels

Featuring overlapped and bolted joints designed for superior weatherproofing and structural integrity.

Get A Quote Online



Scan QR Code

Download Our Brochure



Scan QR Code



www.hansongarages.co.uk

01977 695111

APEX ROYALE

OUR BEST SELLING GARAGE (APEX ROOF)

- Hormann White Georgian design Up and Over door with 4 point locking
- Other Door Styles available (See options)
- Interlocking Concrete Panels with multispar finish
- 'True' Brick Front Posts (Choice of 6 colours)
- White PVCu Fascias
- Coloured Cement Fibre Roof Sheets with close fitting ridge tile
- Heavy Duty White 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu double glazed Window in White
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



APEX ROYALE (Pitched Roof)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)
14'1" (4.29m)	4700	5240	5515	6295	7335	7950	8840	9450	10625	10975	13120
16'1" (4.90m)	4885	5480	5755	6525	7605	8215	9280	9810	10955	11400	13590
18'1" (5.51m)	5130	5725	6055	6845	7850	8630	9625	10200	11365	11795	14045
20'1" (6.12m)	5380	5975	6255	7065	8105	8900	9990	10530	11765	12130	14475
22'1" (6.73m)	5655	6240	6525	7265	8390	9380	10395	10885	12150	12480	14925
24'1" (7.34m)	5855	6450	6745	7520	8670	9810	10750	11225	12480	12855	15395
26'1" (7.95m)	6105	6745	7090	7775	8930	10175	11225	11595	12880	13300	15845
Additional 2'	245	270	295	315	330	395	405	415	425	465	505

PENT ROYALE

OUR BEST SELLING GARAGE (PENT ROOF)

- Hormann White Georgian design Up and Over door with 4 point locking
- Other Door Styles available (See options)
- Interlocking Concrete Panels with multispar finish
- 'True' Brick Front Posts (Choice of 6 colours)
- White PVCu Fascias
- Box Profile Steel Roof Sheets with felt underlay (full length up to 20' long)
- Heavy Duty White 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in White
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Galvanised 'C' Section steel trusses (up to 18' wide)
- Internal Cement Fillet



PENT ROYALE (Rearward Sloping Roof)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)				
14'1" (4.29m)	4440	5115	5490	6055	7265	7420	8235	8970	n/a	n/a	n/a
16'1" (4.90m)	4630	5290	5665	6275	7465	7475	8460	9220	n/a	n/a	n/a
18'1" (5.51m)	4820	5500	5885	6450	7740	7915	8700	9415	n/a	n/a	n/a
20'1" (6.12m)	5020	5710	6085	6655	7940	8125	8960	9660	n/a	n/a	n/a
22'1" (6.73m)	5240	5910	6275	6865	8190	8335	9220	9900	n/a	n/a	n/a
24'1" (7.34m)	5400	6105	6475	7045	8420	8590	9415	10155	n/a	n/a	n/a
26'1" (7.95m)	5580	6315	6705	7300	8720	8930	9790	10555	n/a	n/a	n/a
Additional 2'	210	235	245	255	305	340	355	390	n/a	n/a	n/a

*Maximum Length of 30'1" (9.17m)

DUCHESS/DUKE ROYALE

REARWARD SLOPING GARAGE WITH TILE EFFECT ROOF

- Hormann White Georgian design Up and Over door with 4 point locking
- Other Door Styles available (See options)
- Interlocking Concrete Panels with multispar finish
- 'True' Brick Front Posts (Choice of 6 colours)
- White PVCu Fascias
- Forward sloping Metrotile Roof and Rearward sloping Box Profile Steel Roof with felt underlay (full length roof sheet up to 20' long)*
- Heavy Duty White 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in White
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



DUCHESS ROYALE (For Duke just add 5%)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)				
14'1" (4.29m)	5545	6095	6240	7005	7695	8410	8590	9020	n/a	n/a	n/a
16'1" (4.90m)	5710	6305	6475	7265	8015	8830	9050	9470	n/a	n/a	n/a
18'1" (5.51m)	5885	6515	6695	7565	8325	9260	9490	9925	n/a	n/a	n/a
20'1" (6.12m)	6030	6725	6915	7830	8630	9690	9955	10385	n/a	n/a	n/a
22'1" (6.73m)	6315	7015	7255	8190	9020	10155	10465	10895	n/a	n/a	n/a
24'1" (7.34m)	6585	7310	7595	8560	9415	10605	10945	11400	n/a	n/a	n/a
26'1" (7.95m)	6865	7630	7915	8930	9800	11065	11455	11895	n/a	n/a	n/a
Additional 2'	290	305	330	355	375	430	460	465	n/a	n/a	n/a

*Maximum Length of 30'1" (9.17m)

MONARCH ROYALE

HIGHER PITCHED ROOF WITH TILE EFFECT ROOF SHEETS

- Hormann White Georgian design Up and Over door with 4 point locking
- Other Door Styles available (See options)
- Interlocking Concrete Panels with multispar finish
- 'True' Brick Front Posts (Choice of 6 colours)
- White PVCu Fascias
- Higher 17.5° Roof Pitch on single garages, 15° Roof Pitch on doubles
- Tile Effect, Plastisol Coated Roof Sheets with Felt Underlay (Choice of Colours)
- Heavy Duty White 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in White
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet




MONARCH ROYALE (Higher Pitched Roof)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)
14'1" (4.29m)	6030	6765	7100	8115	9480	10265	11445	12225	13770	14200	17000
16'1" (4.90m)	6295	7075	7420	8410	9825	10625	12015	12700	14190	14765	17630
18'1" (5.51m)	6605	7385	7805	8840	10155	11155	12470	13210	14740	15270	18210
20'1" (6.12m)	6925	7720	8060	9130	10475	11510	12940	13630	15235	15715	18775
22'1" (6.73m)	7285	8040	8410	9380	10825	12150	13470	14080	15745	16175	19375
24'1" (7.34m)	7555	8325	8720	9715	11205	12700	13915	14545	16175	16650	19955
26'1" (7.95m)	7885	8720	9150	10055	11555	13180	14530	15015	16680	17240	20540
Additional 2'	300	325	345	375	405	480	485	500	515	565	615

SHEDS / WORKSHOPS ROYALE

- White PVCu Fascias
- Interlocking Concrete Panels with multispar finish
- Coloured Cement Fibre Roof Sheets with close fitting ridge tile (Apex)
- Box Profile Steel Roof Sheets with felt underlay (Pent)
- Heavy Duty White 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in White
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



PENT ROYALE CONCRETE SHEDS & WORKSHOPS **APEX ROYALE CONCRETE SHEDS & WORKSHOPS**

Type ▶	PENT ROYALE CONCRETE SHEDS & WORKSHOPS							APEX ROYALE CONCRETE SHEDS & WORKSHOPS						
Width ▶	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)
4'1" (1.24m)	3365	3405	3450	3750	3925	4270	5030	3615	3680	3760	4210	4430	4820	5400
6'1" (1.85m)	3570	3615	3660	3870	4050	4410	5160	3705	3760	3890	4370	4580	4895	5600
8'1" (2.46m)	3680	3740	3770	4050	4180	4500	5290	3825	3890	3970	4580	4710	5060	5765
10'1" (3.07m)	3750	3790	3840	4180	4340	4700	5535	3960	4000	4070	4710	4895	5305	5955
12'1" (3.68m)	3840	3880	3915	4340	4600	4995	5875	4070	4120	4170	4895	5180	5580	6255
14'1" (4.29m)	3915	3960	4000	4650	4950	5415	6415	4170	4210	4260	5170	5425	5875	6725
16'1" (4.90m)	4100	4160	4200	4740	5360	5800	6945	4390	4430	4470	5380	5865	6255	7145
Additional 2'	175	185	195	205	215	255	300	185	195	205	245	270	290	345

PENT SHED

APEX SHED

APEX GRAPHITE

ULTRA MODERN DESIGN OF GARAGE (APEX ROOF)

- Hormann Black Vertical design Up and Over door with 4 point locking**
- Interlocking Concrete Panels with multispar finish
- Graphite Rustic 'True' Brick Front Posts (Other colours available)
- Anthracite PVCu Fascias
- Coloured Cement Fibre Roof Sheets with close fitting ridge tile
- Heavy Duty Black 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in Anthracite
- Black PVCu guttering
- Foam Filler to eaves
- Internal Cement Fillet



** Alternative Door Manufacturer used for Doors 9' and above

APEX GRAPHITE (Pitched Roof)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)			10' (3.05m)	2 x 7' (2.13m)	2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)	
Length ▶	14'1" (4.29m)	5140	5745	6045	6895	8050	8700	9700	10375	11665	12040	14400
	16'1" (4.90m)	5350	6010	6295	7135	8335	9020	10200	10775	12030	12515	14915
	18'1" (5.51m)	5610	6285	6625	7510	8620	9460	10565	11175	12480	12955	15415
	20'1" (6.12m)	5900	6545	6835	7750	8890	9760	10975	11555	12910	13310	15895
	22'1" (6.73m)	6185	6825	7135	7960	9180	10295	11415	11940	13340	13705	16395
	24'1" (7.34m)	6405	7065	7395	8235	9480	10775	11795	12325	13705	14100	16900
	26'1" (7.95m)	6685	7395	7775	8530	9800	11165	12305	12720	14135	14610	17400
	Additional 2'	245	270	295	315	330	395	405	415	425	465	505

PENT GRAPHITE

ULTRA MODERN DESIGN OF GARAGE (PENT ROOF)

- Hormann Black Vertical design Up and Over door with 4 point locking**
- Interlocking concrete panels with multispar finish
- Graphite Rustic 'True' Brick Front Posts (Other colours available)
- Anthracite PVCu Fascias
- Box Profile Steel Roof Sheets with felt underlay (full length up to 20' long)
- Heavy Duty Black 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in Anthracite
- Black PVCu guttering
- Foam filler to eaves
- Galvanised 'C' section steel trusses (upto 18' wide)
- Internal Cement Fillet



** Alternative Door Manufacturer used for Doors 9' and above

PENT GRAPHITE (Rearward Sloping Roof)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)			10' (3.05m)	2 x 7' (2.13m)	2 x 8' Doors (2.44m)				
Length ▶	14'1" (4.29m)	4860	5600	5995	6625	7970	8125	9020	9835	n/a	n/a
	16'1" (4.90m)	5060	5800	6195	6880	8170	8190	9260	10110	n/a	n/a
	18'1" (5.51m)	5280	6020	6435	7075	8490	8680	9540	10345	n/a	n/a
	20'1" (6.12m)	5490	6240	6655	7300	8710	8920	9825	10605	n/a	n/a
	22'1" (6.73m)	5725	6450	6880	7520	8990	9150	10110	10860	n/a	n/a
	24'1" (7.34m)	5910	6675	7090	7730	9240	9415	10345	11125	n/a	n/a
	26'1" (7.95m)	6105	6915	7345	7995	9570	9800	10735	11575	n/a	n/a
	Additional 2'*	210	235	245	255	305	340	355	390	n/a	n/a

*Maximum Length of 30'1" (9.17m)

DUCHESS/DUKE GRAPHITE

REARWARD SLOPING GARAGE WITH TILE EFFECT ROOF

- Hormann Black Vertical design Up and Over door with 4 point locking**
- Interlocking Concrete Panels with multispar finish
- Graphite Rustic 'True' Brick Front Posts (Other colours available)
- Anthracite PVCu Fascias
- Forward sloping Metrotile Roof and Rearward sloping Box Profile Steel Roof with felt underlay (full length roof sheet up to 20' long)*
- Heavy Duty Black 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in Anthracite
- Black PVCu guttering
- Foam Filler to eaves
- Internal Cement Fillet



* Duke includes a Slate Effect Roof

** Alternative Door Manufacturer used for Doors 9' and above

DUCHESS GRAPHITE (For Duke just add 5%)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)			10' (3.05m)	2 x 7' (2.13m)	2 x 8' Doors (2.44m)				
Length ▶	14'1" (4.29m)	6085	6675	6835	7675	8445	9230	9415	9880	n/a	n/a
	16'1" (4.90m)	6240	6905	7075	7970	8790	9690	9925	10385	n/a	n/a
	18'1" (5.51m)	6435	7135	7335	8290	9130	10165	10420	10895	n/a	n/a
	20'1" (6.12m)	6615	7355	7585	8580	9470	10625	10915	11375	n/a	n/a
	22'1" (6.73m)	6915	7685	7940	8990	9900	11125	11485	11940	n/a	n/a
	24'1" (7.34m)	7225	8025	8310	9390	10330	11655	12030	12515	n/a	n/a
	26'1" (7.95m)	7530	8360	8680	9770	10765	12150	12580	13080	n/a	n/a
	Additional 2'*	290	305	330	355	375	430	460	465	n/a	n/a

*Maximum Length of 30'1" (9.17m)

MONARCH GRAPHITE

HIGHER PITCHED ROOF WITH TILE EFFECT ROOF SHEETS

- Hormann Black Vertical design Up and Over door with 4 point locking**
- Interlocking Concrete Panels with multispar finish
- Graphite Rustic 'True' Brick Front Posts (Other colours available)
- Anthracite PVCu Fascias
- Higher 17.5° Roof Pitch on single garages, 15° Roof Pitch on doubles
- Tile Effect, Plastisol Coated Roof Sheets with felt underlay (Choice of Colours)
- Heavy Duty Black 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in Anthracite
- Black PVCu guttering
- Foam Filler to eaves
- Internal Cement Fillet



** Alternative Door Manufacturer used for Doors 9' and above

MONARCH GRAPHITE (Higher Pitched Roof)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)			10' (3.05m)	2 x 7' (2.13m)	2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)
Length ▶	14'1" (4.29m)	6615	7395	7795	8900	10395	11265	12560	13430	15105	15605
	16'1" (4.90m)	6880	7740	8125	9230	10775	11665	13190	13935	15565	16205
	18'1" (5.51m)	7245	8105	8545	9700	11125	12240	13680	14500	16175	16770
	20'1" (6.12m)	7595	8460	8830	10010	11500	12625	14200	14965	16725	17255
	22'1" (6.73m)	7980	8810	9230	10295	11885	13340	14785	15465	17290	17760
	24'1" (7.34m)	8280	9130	9560	10650	12280	13935	15285	15965	17760	18280
	26'1" (7.95m)	8630	9560	10045	11025	12690	14455	15955	16485	18310	18940
	Additional 2'	300	325	345	375	405	480	485	500	515	565

SHEDS / WORKSHOPS GRAPHITE

- Interlocking Concrete Panels with multispar finish
- Anthracite PVCu Fascias
- Coloured Cement Fibre Roof Sheets with close fitting ridge tile (Apex)
- Box Profile Steel Roof Sheets with felt underlay (Pent)
- Black Heavy Duty 3' (915mm) wide Multi Point Locking Steel Personnel Door
- Black PVCu guttering
- 4' (1.22m) wide PVCu Double Glazed Window in Anthracite
- Foam Filler to eaves
- Internal Cement Fillet



Type ▶	PENT GRAPHITE CONCRETE SHEDS & WORKSHOPS						APEX GRAPHITE CONCRETE SHEDS & WORKSHOPS							
Width ▶	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)
Length ▶	4'1" (1.24m)	3680	3715	3770	4090	4290	4675	3950	4010	4110	4600	4750	5170	5810
	6'1" (1.85m)	3900	3960	4000	4220	4420	4810	4050	4110	4245	4690	4895	5270	5910
	8'1" (2.46m)	4010	4080	4100	4420	4560	4930	4180	4245	4340	4895	5070	5435	6095
	10'1" (3.07m)	4090	4135	4200	4560	4760	5060	4310	4370	4440	5070	5260	5680	6295
	12'1" (3.68m)	4200	4245	4290	4760	4940	5380	4450	4500	4550	5260	5580	5900	6605
	14'1" (4.29m)	4270	4330	4380	4995	5325	5835	4580	4610	4650	5570	5745	6205	7090
	16'1" (4.90m)	4480	4530	4590	5105	5755	6130	4700	4750	4800	5800	6195	6605	7565
	Additional 2'	175	185	195	205	215	255	185	195	205	245	270	290	345

APEX EARL

OUR LATEST LUXURY GARAGE (APEX ROOF)

- Agate Grey Vertical design Up and Over door with 4 point locking
- Interlocking Concrete Panels with multispar finish
- True Brick Front Posts in Stone Grey (Other colours available)
- Agate Grey PVCu Fascias
- Coloured Cement Fibre Roof Sheets with close fitting ridge tile
- Heavy Duty Agate Grey 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu double glazed Window in Agate Grey
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



APEX EARL (Pitched Roof)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)	2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)		
Length ▶	14'1" (4.29m)	5400	6030	6340	7235	8445	9140	10185	10895	12250	12635	15125
	16'1" (4.90m)	5625	6305	6605	7495	8750	9470	10705	11315	12625	13130	15665
	18'1" (5.51m)	5885	6595	6955	7885	9050	9935	11085	11745	13100	13590	16185
	20'1" (6.12m)	6185	6880	7175	8140	9340	10245	11525	12130	13550	13970	16690
	22'1" (6.73m)	6495	7165	7495	8360	9650	10815	11985	12535	14000	14390	17220
	24'1" (7.34m)	6725	7420	7760	8640	9955	11315	12380	12940	14390	14805	17740
	26'1" (7.95m)	7015	7760	8160	8960	10285	11730	12920	13360	14840	15335	18270
Additional 2'	255	285	305	330	345	410	420	430	445	495	525	

PENT EARL

OUR LATEST LUXURY GARAGE (PENT ROOF)

- Agate Grey Vertical design Up and Over door with 4 point locking
- Interlocking Concrete Panels with multispar finish
- True Brick Front Posts in Stone Grey (Other colours available)
- Agate Grey PVCu Fascias
- Box Profile Steel Roof Sheets with felt underlay (full length up to 20' long)
- Heavy Duty Agate Grey 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu double glazed Window in Agate Grey
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Galvanised 'C' Section steel trusses (up to 18' wide)
- Internal Cement Fillet



PENT EARL (Rearward Sloping Roof)


Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)	2 x 8' Doors (2.44m)						
Length ▶	14'1" (4.29m)	5105	5885	6295	6955	8370	8530	9470	10330	n/a	n/a	n/a
	16'1" (4.90m)	5315	6085	6515	7225	8590	8600	9725	10605	n/a	n/a	n/a
	18'1" (5.51m)	5545	6325	6755	7430	8910	9120	10020	10860	n/a	n/a	n/a
	20'1" (6.12m)	5765	6565	6990	7665	9140	9360	10310	11135	n/a	n/a	n/a
	22'1" (6.73m)	6010	6785	7225	7895	9440	9615	10605	11400	n/a	n/a	n/a
	24'1" (7.34m)	6195	7015	7445	8115	9700	9890	10860	11685	n/a	n/a	n/a
	26'1" (7.95m)	6415	7255	7705	8400	10045	10295	11275	12150	n/a	n/a	n/a
Additional 2'	220	245	255	275	315	355	375	405	n/a	n/a	n/a	

*Maximum Length of 30'1" (9.17m)

DUCHESS/DUKE EARL

REARWARD SLOPING GARAGE WITH TILE EFFECT ROOF

- Agate Grey Vertical design Up and Over door with 4 point locking
- Interlocking Concrete Panels with multispar finish
- True Brick Front Posts in Stone Grey (Other colours available)
- Agate Grey PVCu Fascias
- Forward sloping Metrotile Roof and Rearward sloping Box Profile Steel Roof with felt underlay (full length roof sheet up to 20' long)*
- Heavy Duty Agate Grey 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu double glazed Window in Agate Grey
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



DUCHESS EARL (For Duke just add 5%)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)	2 x 8' Doors (2.44m)						
Length ▶	14'1" (4.29m)	6385	7015	7175	8050	8860	9690	9890	10375	n/a	n/a	n/a
	16'1" (4.90m)	6565	7245	7430	8370	9220	10175	10420	10905	n/a	n/a	n/a
	18'1" (5.51m)	6755	7495	7695	8710	9580	10675	10935	11435	n/a	n/a	n/a
	20'1" (6.12m)	6945	7730	7960	9010	9945	11155	11465	11950	n/a	n/a	n/a
	22'1" (6.73m)	7255	8070	8335	9440	10385	11685	12060	12550	n/a	n/a	n/a
	24'1" (7.34m)	7585	8420	8720	9870	10845	12225	12635	13130	n/a	n/a	n/a
	26'1" (7.95m)	7915	8770	9120	10255	11290	12760	13210	13730	n/a	n/a	n/a
Additional 2'	300	315	345	375	395	450	485	495	n/a	n/a	n/a	

*Maximum Length of 30'1" (9.17m)

MONARCH EARL

HIGHER PITCHED ROOF WITH TILE EFFECT ROOF SHEETS

- Agate Grey Vertical design Up and Over door with 4 point locking
- Interlocking Concrete Panels with multispar finish
- True Brick Front Posts in Stone Grey (Other colours available)
- Agate Grey PVCu Fascias
- Higher 17.5° Roof Pitch on single garages, 15° Roof Pitch on doubles
- Tile Effect, Plastisol Coated Roof Sheets with Felt Underlay (Choice of Colours)
- Heavy Duty Agate Grey 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu double glazed Window in Agate Grey
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



MONARCH EARL (Higher Pitched Roof)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)	2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)		
Length ▶	14'1" (4.29m)	6945	7775	8180	9350	10925	11830	13190	14100	15865	16375	19615
	16'1" (4.90m)	7225	8125	8530	9690	11315	12250	13850	14630	16350	17010	20320
	18'1" (5.51m)	7595	8500	8970	10185	11685	12855	14365	15225	16980	17610	21005
	20'1" (6.12m)	7970	8880	9270	10515	12075	13260	14905	15715	17560	18125	21665
	22'1" (6.73m)	8380	9250	9690	10815	12480	14000	15525	16240	18150	18655	22330
	24'1" (7.34m)	8690	9580	10035	11195	12900	14630	16055	16770	18655	19195	23020
	26'1" (7.95m)	9060	10035	10555	11575	13320	15185	16750	17310	19225	19875	23705
Additional 2'	310	340	360	395	420	505	510	520	535	595	640	

SHEDS / WORKSHOPS EARL

- Agate Grey PVCu Fascias
- Interlocking Concrete Panels with multispar finish
- Coloured Cement Fibre Roof Sheets with close fitting ridge tile (Apex)
- Box Profile Steel Roof Sheets with felt underlay (Pent)
- Heavy Duty Agate Grey 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu double glazed Window in Agate Grey
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



Type ▶	PENT EARL CONCRETE SHEDS & WORKSHOPS						APEX EARL CONCRETE SHEDS & WORKSHOPS								
Width ▶	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	
Length ▶	4'1" (1.24m)	3860	3900	3960	4300	4500	4910	5665	4135	4210	4320	4830	4995	5425	6095
	6'1" (1.85m)	4090	4160	4200	4440	4640	5050	5820	4245	4320	4450	4920	5140	5535	6205
	8'1" (2.46m)	4220	4280	4310	4640	4800	5170	5975	4390	4450	4560	5140	5325	5710	6395
	10'1" (3.07m)	4300	4340	4410	4800	4995	5315	6240	4530	4590	4660	5325	5515	5965	6605
	12'1" (3.68m)	4410	4450	4500	4995	5180	5655	6515	4675	4730	4785	5515	5865	6185	6935
	14'1" (4.29m)	4490	4540	4600	5250	5590	6120	7135	4800	4840	4885	5845	6030	6515	7445
	16'1" (4.90m)	4710	4760	4810	5360	6045	6425	7695	4930	4995	5040	6085	6505	6935	7940
Additional 2'	175	185	195	205	215	255	300		185	195	205	245	270	290	345



PENT SHED

APEX SHED

APEX WOODTHORPE

STYLISH GREAT LOOKING GARAGE (APEX ROOF)

- Hormann Woodgrain Vertical design Up and Over door with 4 point locking**
- Interlocking Concrete Panels with multispar finish
- Rustic Brown 'True' Brick Front Posts (Other colours available)
- Woodgrain PVCu Fascias
- Coloured Cement Fibre Roof Sheets with close fitting ridge tile
- 3' (915mm) wide PVC double Glazed Personnel door, Half Glazed, Fully Glazed or Fully Panelled
- 4' (1.22m) wide PVCu Double Glazed Window in Woodgrain
- Brown PVCu Guttering
- Foam Filler to eaves
- Internal Cement Fillet

AVAILABLE IN:
 GOLDEN OAK
 ROSEWOOD





Pictured in Rosewood

** Woodgrain Up and Over doors only available up to 8' (2.44m) wide

PENT WOODTHORPE

STYLISH GREAT LOOKING GARAGE (PENT ROOF)

- Hormann Woodgrain Vertical design Up and Over door with 4 point locking**
- Interlocking Concrete Panels with multispar finish
- Rustic Brown 'True' Brick Front Posts (Other colours available)
- Woodgrain PVCu Fascias
- Box Profile Steel Roof Sheets with felt underlay (full length up to 20' long)
- 3' (915mm) wide PVC double Glazed Personnel door, Half Glazed, Fully Glazed or Fully Panelled
- 4' (1.22m) wide PVCu Double Glazed Window in Woodgrain
- Brown PVCu Guttering
- Foam filler to eaves
- Galvanised 'C' section steel trusses (upto 18' wide)
- Internal Cement Fillet

AVAILABLE IN:
 GOLDEN OAK
 ROSEWOOD



Pictured in Golden Oak

** Woodgrain Up and Over doors only available up to 8' (2.44m) wide

DUCHESS/DUKE WOODTHORPE

REARWARD SLOPING GARAGE WITH TILE EFFECT ROOF

- Hormann Woodgrain Vertical design Up and Over door with 4 point locking**
- Interlocking Concrete Panels with multispar finish
- Rustic Brown 'True' Brick Front Posts (Other colours available)
- Woodgrain PVCu Fascias
- Forward sloping Metrotile Roof and Rearward sloping Box Profile Steel Roof with felt underlay (full length roof sheet up to 20' long)*
- 3' (915mm) wide PVC double Glazed Personnel door, Half Glazed, Fully Glazed or Fully Panelled
- 4' (1.22m) wide PVCu Double Glazed Window in Woodgrain
- Brown PVCu Guttering
- Foam Filler to eaves
- Internal Cement Fillet

* Duke includes a Slate Effect Roof

AVAILABLE IN:
 GOLDEN OAK
 ROSEWOOD



DUCHESS

Pictured in Golden Oak



DUKE

** Woodgrain Up and Over doors only available up to 8' (2.44m) wide

MONARCH WOODTHORPE

HIGHER PITCHED ROOF WITH TILE EFFECT ROOF SHEETS

- Hormann Woodgrain Vertical design Up and Over door with 4 point locking**
- Interlocking Concrete Panels with multispar finish
- Rustic Brown 'True' Brick Front Posts (Other colours available)
- Woodgrain PVCu Fascias
- Higher 17.5° Roof Pitch on single garages, 15° Roof Pitch on doubles
- Tile effect, plastisol coated roof sheets with felt underlay (Choice of Colours)
- 3' (915mm) wide PVC double Glazed Personnel door, Half Glazed, Fully Glazed or Fully Panelled
- 4' (1.22m) wide PVCu Double Glazed Window in Woodgrain
- Brown PVCu Guttering
- Foam Filler to eaves
- Internal Cement Fillet

AVAILABLE IN:
 GOLDEN OAK
 ROSEWOOD





Pictured in Rosewood

** Woodgrain Up and Over doors only available up to 8' (2.44m) wide

SHEDS / WORKSHOPS WOODTHORPE

- Interlocking Concrete Panels with multispar finish
- Woodgrain PVCu Fascias
- Coloured Cement Fibre Roof Sheets with close fitting ridge tile (Apex)
- Box Profile Steel Roof Sheets with felt underlay (Pent)
- 3' (915mm) wide PVC double Glazed Personnel door, Half Glazed, Fully Glazed or Fully Panelled
- 4' (1.22m) wide PVCu Double Glazed Window in Woodgrain
- Brown PVCu Guttering
- Foam Filler to eaves
- Internal Cement Fillet

AVAILABLE IN:
 GOLDEN OAK
 ROSEWOOD



PENT SHED



APEX SHED

APEX WOODTHORPE (Pitched Roof)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3"*** (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3"*** (7.39m)	26'3"*** (8.00m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)				2 x 7' (2.13m)	2 x 8' Doors (2.44m)					
Length ▶	14'1" (4.29m)	5140	5745	6045	6895	8050	8700	9700	10375	11665	12040	14400
	16'1" (4.90m)	5350	6010	6295	7135	8335	9020	10200	10775	12030	12515	14915
	18'1" (5.51m)	5610	6285	6625	7510	8620	9460	10565	11175	12480	12955	15415
	20'1" (6.12m)	5900	6545	6835	7750	8890	9760	10975	11555	12910	13310	15895
	22'1" (6.73m)	6185	6825	7135	7960	9180	10295	11415	11940	13340	13705	16395
	24'1" (7.34m)	6405	7065	7395	8235	9480	10775	11795	12325	13705	14100	16900
	26'1" (7.95m)	6685	7395	7775	8530	9800	11165	12305	12720	14135	14610	17400
	Additional 2'	245	270	295	315	330	395	405	415	425	465	505

**Brick Fronts will be Cladded for this size Building

PENT WOODTHORPE (Rearward Sloping Roof)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3"*** (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)				2 x 7' (2.13m)	2 x 8' Doors (2.44m)					
Length ▶	14'1" (4.29m)	4860	5600	5995	6625	7970	8125	9020	9835	n/a	n/a	n/a
	16'1" (4.90m)	5060	5800	6195	6880	8170	8190	9260	10110	n/a	n/a	n/a
	18'1" (5.51m)	5280	6020	6435	7075	8490	8680	9540	10345	n/a	n/a	n/a
	20'1" (6.12m)	5490	6240	6655	7300	8710	8920	9825	10605	n/a	n/a	n/a
	22'1" (6.73m)	5725	6450	6880	7520	8990	9150	10110	10860	n/a	n/a	n/a
	24'1" (7.34m)	5910	6675	7090	7730	9240	9415	10345	11125	n/a	n/a	n/a
	26'1" (7.95m)	6105	6915	7345	7995	9570	9800	10735	11575	n/a	n/a	n/a
	Additional 2'	210	235	245	255	305	340	355	390	n/a	n/a	n/a

*Maximum Length of 30'1" (9.17m)

DUCHESS WOODTHORPE (For Duke just add 5%)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3"*** (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)				2 x 7' (2.13m)	2 x 8' Doors (2.44m)					
Length ▶	14'1" (4.29m)	6085	6675	6835	7675	8445	9230	9415	9880	n/a	n/a	n/a
	16'1" (4.90m)	6240	6905	7075	7970	8790	9690	9925	10385	n/a	n/a	n/a
	18'1" (5.51m)	6435	7135	7335	8290	9130	10165	10420	10895	n/a	n/a	n/a
	20'1" (6.12m)	6615	7355	7585	8580	9470	10625	10915	11375	n/a	n/a	n/a
	22'1" (6.73m)	6915	7685	7940	8990	9900	11125	11485	11940	n/a	n/a	n/a
	24'1" (7.34m)	7225	8025	8310	9390	10330	11655	12030	12515	n/a	n/a	n/a
	26'1" (7.95m)	7530	8360	8680	9770	10765	12150	12580	13080	n/a	n/a	n/a
	Additional 2'	290	305	330	355	375	430	460	465	n/a	n/a	n/a

*Maximum Length of 30'1" (9.17m)

MONARCH WOODTHORPE (Higher Pitched Roof)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3"*** (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3"*** (7.39m)	26'3"*** (8.00m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)				2 x 7' (2.13m)	2 x 8' Doors (2.44m)					
Length ▶	14'1" (4.29m)	6615	7395	7795	8900	10395	11265	12560	13430	15105	15605	18690
	16'1" (4.90m)	6880	7740	8125	9230	10775	11665	13190	13935	15565	16205	19350
	18'1" (5.51m)	7245	8105	8545	9700	11125	12240	13680	14500	16175	16770	19995
	20'1" (6.12m)	7595	8460	8830	10010	11500	12625	14200	14965	16725	17255	20625
	22'1" (6.73m)	7980	8810	9230	10295	11885	13340	14785	15465	17290	17760	21270
	24'1" (7.34m)	8280	9130	9560	10650	12280	13935	15285	15965	17760	18280	21920
	26'1" (7.95m)	8630	9560	10045	11025	12690	14455	15955	16485	18310	18940	22580
	Additional 2'	300	325	345	375	405	480	485	500	515	565	615

**Brick Fronts will be Cladded for this size Building

Type ▶	PENT WOODTHORPE CONCRETE SHEDS & WORKSHOPS							APEX WOODTHORPE CONCRETE SHEDS & WORKSHOPS						
Width ▶	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)
Length ▶	4'1" (1.24m)	3680	3715	3770	4090	4290	4675	5400	3950	4010	4110	4600	4750	5170
	6'1" (1.85m)	3900	3960	4000	4220	4420	4810	5545	4050	4110	4245	4690	4895	5270
	8'1" (2.46m)	4010	4080	4100	4420	4560	4930	5700	4180	4245	4340	4895	5070	5435
	10'1" (3.07m)	4090	4135	4200	4560	4760	5060	5945	4310	4370	4440	5070	5260	5680
	12'1" (3.68m)	4200	4245	4290	4760	4940	5380	6195	4450	4500	4550	5260	5580	5900
	14'1" (4.29m)	4270	4330	4380	4995	5325	5835	6795	4580	4610	4650	5570	5745	6205
	16'1" (4.90m)	4480	4530	4590	5105	5755	6130	7335	4700	4750	4800	5800	6195	6605
	Additional 2'	175	185	195	205	215	255	300	185	195	205	245	270	290

APEX **PRESSURE TREATED TIMBER**

- Hormann framed fully retractable Vertical design Up and Over door in White
- Interlocking Concrete Panels with multispar finish
- 'Pressure Treated' timber fascias
- Robust Grey Cement Fibre Roof Sheets with close fitting ridge tile
- 4' (1.22m) wide timber Window (Optional 1 on a single, 2 on a double)
- Foam Filler to eaves
- Unlimited Length
- Wide Range of Optional Extras (See Page 14-15)



TIMBER APEX (Pitched Roof)												
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)					8' Door (2.44m)		2 x 7' (2.13m)	2 x 8' Doors (2.44m)		2 x 9' (2.74m)	2 x 10' (3.05m)
14'1" (4.29m)	3275	3825	3990	4610	4800	6045	6565	7090	7940	8250	10310	
16'1" (4.90m)	3485	4010	4200	4820	5060	6395	6945	7455	8300	8670	10725	
18'1" (5.51m)	3670	4200	4400	4995	5315	6725	7335	7815	8680	9060	11155	
20'1" (6.12m)	3870	4390	4610	5190	5570	7065	7720	8190	9040	9450	11595	
22'1" (6.73m)	4060	4580	4830	5400	5810	7395	8105	8560	9415	9855	12005	
24'1" (7.34m)	4260	4740	5030	5600	6065	7740	8480	8930	9790	10245	12435	
26'1" (7.95m)	4470	4940	5240	5775	6325	8080	8880	9280	10145	10640	12870	
Additional 2'	220	245	250	295	315	340	360	405	410	415	425	

PENT **PRESSURE TREATED TIMBER**

- Hormann framed fully retractable Vertical design Up and Over door in White
- Interlocking Concrete Panels with multispar finish
- 'Pressure Treated' timber fascias
- Box Profile Steel Roof Sheets with felt underlay (full length up to 20' long)
- Galvanised 'C' Section steel trusses (up to 18' wide)
- 4' (1.22m) wide timber Window (Optional 1 on a single, 2 on a double)
- Foam Filler to eaves
- Maximum Length of 30' (9.15m)
- Wide Range of Optional Extras (See Page 14-15)




TIMBER PENT (Rearward Sloping Roof)											
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)					8' Door (2.44m)		2 x 7' (2.13m)	2 x 8' Doors (2.44m)		
14'1" (4.29m)	3255	3780	3970	4450	4675	6020	6615	7115	n/a	n/a	n/a
16'1" (4.90m)	3450	3970	4160	4640	4930	6305	6925	7420	n/a	n/a	n/a
18'1" (5.51m)	3640	4160	4340	4830	5180	6585	7255	7705	n/a	n/a	n/a
20'1" (6.12m)	3825	4340	4540	4995	5445	6865	7595	8005	n/a	n/a	n/a
22'1" (6.73m)	4000	4510	4730	5190	5690	7145	7895	8300	n/a	n/a	n/a
24'1" (7.34m)	4190	4700	4920	5370	5945	7420	8235	8580	n/a	n/a	n/a
26'1" (7.95m)	4360	4910	5140	5600	6195	7775	8590	8950	n/a	n/a	n/a
Additional 2'*	195	215	220	230	285	315	330	330	n/a	n/a	n/a

*Maximum Length of 30'1" (9.17m)

SHEDS / WORKSHOPS

- 'Pressure Treated' timber fascias
- Interlocking Concrete Panels with multispar finish
- Robust Grey Cement Fibre Roof Sheets with close fitting ridge tile (Apex)
- Box Profile Steel Roof Sheets with felt underlay (Pent)
- Heavy Duty White 3' (915mm) wide 3 Point Locking Steel Personnel Door
- 4' (1.22m) wide timber Window (Optional)
- Foam Filler to eaves
- Wide Range of Optional Extras (See Page 14-15)



Type ▶	PENT CONCRETE SHEDS & WORKSHOPS							APEX CONCRETE SHEDS & WORKSHOPS						
Width ▶	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)
4'1" (1.24m)	2595	2645	2680	2865	3065	3420	3870	2680	2745	2825	3065	3285	3670	4070
6'1" (1.85m)	2815	2865	2890	3000	3175	3550	4035	2755	2825	2935	3230	3430	3780	4270
8'1" (2.46m)	2925	2965	3000	3175	3330	3660	4170	2890	2935	3035	3430	3570	3940	4420
10'1" (3.07m)	2985	3055	3100	3330	3495	3860	4420	3020	3065	3145	3570	3760	4170	4630
12'1" (3.68m)	3075	3130	3175	3495	3770	4190	4770	3145	3185	3240	3760	4070	4480	4940
14'1" (4.29m)	3155	3210	3255	3815	4135	4620	5350	3240	3285	3330	4060	4310	4760	5400
16'1" (4.90m)	3365	3405	3450	3925	4540	5020	5885	3450	3495	3540	4270	4750	5150	5845
Additional 2'	125	135	145	180	190	235	270	150	170	180	210	245	270	300

THE FORTRESS **HIGH SECURITY GARAGE**

- Highly secure manual Single Skin Roller Shutter Door in White
- Interlocking Concrete Panels with multispar finish
- Maintenance Free white UPVC Fascias
- Box Profile Steel Roof Sheets with felt underlay (full length up to 20' long)
- Foam Filler to eaves
- Maximum Length of 30' (9.15m)
- Internal Cement Fillet
- Guttering and downpipes
- Wide Range of Optional Extras (See Page 14-15)



THE FORTRESS (Rearward Sloping Roof)												
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)					8' Door (2.44m)		2 x 7' (2.13m)	2 x 8' Doors (2.44m)		2 x 9' (2.74m)	2 x 10' (3.05m)
14'1" (4.29m)	3755	4300	4495	4995	5220	6895	7510	8020	n/a	n/a	n/a	
16'1" (4.90m)	3955	4495	4690	5185	5485	7185	7830	8340	n/a	n/a	n/a	
18'1" (5.51m)	4155	4690	4875	5380	5745	7470	8170	8630	n/a	n/a	n/a	
20'1" (6.12m)	4340	4875	5085	5550	6020	7765	8520	8940	n/a	n/a	n/a	
22'1" (6.73m)	4530	5050	5280	5755	6275	8055	8830	9250	n/a	n/a	n/a	
24'1" (7.34m)	4725	5245	5475	5945	6530	8340	9180	9540	n/a	n/a	n/a	
26'1" (7.95m)	4885	5465	5700	6180	6800	8705	9550	9925	n/a	n/a	n/a	
Additional 2'	205	225	230	240	295	325	340	340	n/a	n/a	n/a	

BRICK CLADDING (£80 PER FOOT)



RUSTIC RED BRICK CLADDING



SAND BRICK CLADDING

STANDARD PLANK CLADDING (£80 PER FOOT)



ANTHRACITE PLANK CLADDING



WHITE PLANK CLADDING

STONE CLADDING (£80 PER FOOT)



SLATE GREY STONE CLADDING

IMPORTANT SIZE INFORMATION

- When you add cladding to any elevation on your building it will add 2" (50mm) to the external size.
- For instance, if you have a 16'1" x 8'3" building, and you clad the front and one side, the external size will become 16'3" x 8'5".
- It's important to then ensure the concrete base is laid allowing for the extra size.

QUATTRO PLANK CLADDING (£90 PER FOOT)



Quattro Plank Clad Vertically (Extra £10 per /ft)

SHADOW PLANK CLADDING (£90 PER FOOT)



Shadow Plank Clad Vertically (Extra £10 per /ft)

PREMIUM TIMBER EFFECT CLADDING (£90 PER FOOT)



SHEFFIELD OAK PREMIUM TIMBER EFFECT CLADDING


HOW TO PRICE THE BUILDING

- Step 1 - Decide which sides are to be cladded
- Step 2 - Use Guide below to calculate the cost

How to Calculate the Cost of the Cladding of your buildings

Example (4 sided Garage Cladding): Length1 + Length2 + Width1 + F1 (Front - use 1) x £80
 For a 16'1" long x 8'3" wide garage with a 7' up & over door (round to the nearest ft)
 = 16 + 16 + 8 + 1 = 41 x £80 = £3,280

* Please note: Hanson's require a 1m area to work around the building in order to clad



Latest Offers

Visit our Hanson Garages website to see our latest offers on our range of garages, sheds, workshops and garden rooms.



Scan QR Code



ROOF UPGRADE OPTIONS



£1.99 per square ft.
Apex Only
Cement Fibre Roof Sheets
in Spanish Red, Mocca Brown, Green or Blue/Black



£1.99 per square ft.
Apex Only
Coloured Box Profile Upgrade
Plastisol Coated with Felt Underlay



£8.00 per square ft.
Apex Only
Insulated Box Steel Roof Sheets
Box Profile, 40mm Thick Composite Sheets



£92 Each
Apex Only
Translucent Roof Sheets
Only available on Cement Fibre Roofs



£7.45 per square ft.
Apex Only
Tile Effect Steel Roof Sheets
Plastisol Coated with anti-condensation Felt Underlay in Anthracite, Terracotta, Black, Van Dyke Brown



£10.35 per square ft.
Apex Only
Insulated Tile Steel Roof Sheets
Plastisol Coated Steel Sheets with Felt Underlay and 25mm Insulation Board in Anthracite, Terracotta, Black, Van Dyke Brown



£11.90 per square ft.
Apex Only
Metro Tile Roof
in Titanium, Bramble, Rustic Brown, Terracotta, Tartan Green



£15.60 per square ft.
Apex Only
Tapco Slate Roof
in Pewter Grey, Chesnut Brown, Moss Green, Stone Black, Brick Red, Wheat, Sand, Plum

BRICK FRONTS



Red Wirecut



Golden Russett



Rustic Brown



Cedar Buff



Graphite Rustic



Stone Grey

REAL BRICK FRONT POSTS - Your choice of 6 different bricks

7' Door (2.13m)		8' Door (2.44m)		10' (3.05m)	2 x 7' Doors (2.13m)		2 x 8' Doors (2.44m)		2x9' (2.74m)		
8'3" (2.51m)	9'3" (2.83m)	9'3" (2.83m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)
275	330	275	330	490	490	430	660	440	660	755	755


WINDOWS

Timber	Fixed	Opening
EXTRA 4' (1.22m) TIMBER WINDOW	100	N/A
PVCu	White	Coloured
2' (610mm) FIXED	185	255
2' (610mm) OPENING	235	315
4' (1.22m) FIXED	225	305
4' (1.22m) OPENING	290	370
2' (610mm) FULL HEIGHT	280	305
2' (610mm) FULL HEIGHT OPENING	310	350


£40 extra for frosted glass




4'0" Timber Window (Fixed)



2'0" PVCu Window (Fixed or Opening)



4'0" PVCu Window (Fixed or Opening)



2'0" PVCu Full Height Window (Fixed)

UP AND OVER DOOR EXTRAS



£760
Electric Operator & Delatching Kit with 2 Remotes
(Customer must provide electric)



£115
Manual Release
(For electronic main doors where building has no other access)



£545
Throughway Garage



£105
4 Point Locking (7'-9' Wide Doors Only)

Hanson Garage Spares
Visit our Hanson Garages spares website for other building options available online



Scan QR Code


EXTRAS / NON STANDARD CHARGES



£9 ft. run
Guttering
in White, Black and Brown



£120 Single / £155 Double
Cement Fillet



£35 ft. run
Dividing Walls




2ft / 4ft / 6ft £115 / £132 / £154
Shelving Stacks



£24 for 12
Lining Clips
(Supply Only)



Garage Price + 15%
Lean-To / Tapered



£192
Non Standard Delivery Charge*
(*Subject to Survey)



£100
Hardwood Timber Weatherbar
(Supply Only)

EXTRA HEIGHT

EXTRA HEIGHT	
7'2" (2.18m) TO EAVES (7' HIGH DOOR)	15% of Garage Price
7'6" (2.28m) TO EAVES (7'6" HIGH DOOR)	25% of Garage Price
8' (2.44m) TO EAVES (7' HIGH DOOR)	30% of Garage Price
8' (2.44m) TO EAVES (7'6" HIGH DOOR)*	35% of Garage Price
9' (2.74m) TO EAVES AND OVER	POA

*8' To Eaves Door Maximum Door Height is 7'6"



FASCIAS

PVCu FASCIAS & VERGEBOARDS		
Available as an upgrade to Pent and Apex Garages, Sheds and Workshops		
Size	White	Coloured*
FASCIAS 8'-9' (2.43m-2.74m) WIDE	435	580
FASCIAS 10'-14' (3.00m-4.27m) WIDE	505	680
FASCIAS 16'-24' (4.88m-7.31m) WIDE	695	845


*Anthracite, Agate Grey, Golden Oak, Rosewood



White (Apex)



White (Pent)



Anthracite (Apex or Pent)



Agate Grey (Apex or Pent)



Golden Oak (Apex or Pent)



Rosewood (Apex or Pent)

PERSONNEL DOOR

PERSONNEL DOOR				
STEEL / PVCu DOORS (4pt LOCKING AS STANDARD ON STEEL DOORS)	White	Black	Anthracite/Woodgrain	Coloured*
3' (915mm) STEEL DOOR	495	595	-	595
4' (1.22m) STEEL DOOR	780	880	-	880
3' (915mm) HALF/FULL GLAZED PVCu	850	-	1020	-
4' (1.22m) PVCu FRENCH DOORS	1275	-	1510	-

*Anthracite, Goosewing Grey, Olive Green, Juniper Green



Vertical Steel



Verical Steel (Black / Coloured)



Half / Full Glazed PVCu



French Doors PVCu

MAIN DOOR OPTIONS



Door Size ▶	MAIN DOOR OPTIONS								
	Vertical (Up and Over)	Horizontal (Up and Over)	Georgian (Up and Over)	Elegance (Up and Over)	Finesse (Up and Over)	Steel Side Hung	Roller ⁽¹⁾ (Single Skin)	Roller ⁽¹⁾ (Insulated Electric Operated with Box)	Sectional ⁽²⁾ (Insulated 40mm Non Electric)
6' (1.83m) x 6'6" (1.98m)	605	N/A	N/A	N/A	N/A	1140	315	1300	N/A
7' (2.13m) x 6'6" (1.98m)	As standard	75	255	255	255	1195	355	1395	1235
8' (2.44m) x 6'6" (1.98m)	As standard	125	395	395	395	1255	455	1460	1305
9' (2.74m) x 6'6" (1.98m)	195	275	425	N/A	N/A	N/A	550	1530	1390
10' (3.05m) x 6'6" (1.98m)	1005	N/A	1285	N/A	N/A	N/A	720	1830	1535
12' (3.65m) x 6'6" (1.98m)	1520	N/A	1680	N/A	N/A	N/A	900	2050	1820
14' (4.26m) x 6'6" (1.98m)	1660	1380	2330	N/A	N/A	N/A	1000	2090	2000

*Electric Operator is an additional £550

UPGRADE:
VERTICAL / HORIZONTAL / SECTIONAL / GEORGIAN / FINESSE / ELEGANCE

White Provided as Standard
 Coloured / Woodgrain Doors 7' - 14' ADD £350

ROLLER / SIDE HUNG DOORS

White Provided as Standard
 Coloured / Woodgrain Doors 7', 8' ADD £215 (See Colours Below)
 Coloured / Woodgrain Doors 9', 10', 12', 14' ADD £325 (See Colours Below)

DOOR COLOURS AVAILABLE

■ Terra Brown ■ Steel Blue ■ Signal Blue ■ Moss Green ■ Ruby Red
■ Jet Black ■ Anthracite ■ Golden Oak ■ Rosewood

(Allow extended delivery time on coloured doors)

ROLLER / SECTIONAL DOORS

(1) **Roller Doors** - requires the eaves height of an Apex or Monarch garage to be increased by 13" (0.33m) for insulated, 17" (0.43m) for single skin to accommodate the door. Add 15% to the basic garage price plus the cost of the door. Does not apply to the Pent range.

(2) **Sectional Doors** - Requires the eaves height of an Apex or Monarch garage to be increased by 10" (0.25m) to accommodate the door. Add 15% to the basic price of the garage plus the cost of the door. Does not apply to the Pent range.

PENT	APEX
<ul style="list-style-type: none"> • Interlocking Concrete Panels with multispar finish • Maintenance Free PVCu Fascias* • Box Profile Steel Roof Sheets with felt underlay • 4' (1.22m) wide PVCu fully glazed French doors* • 2'0" (0.61m) wide Full height PVC windows x 2* • PVCu Guttering • Foam Filler to eaves • Internal Cement Fillet • Wide range of Cladding Options (See Page 14-15) • Wide range of Optional Extras (See Page 14-15) • Can be customised to individual requirements <p><small>*See colour options below</small></p>	<ul style="list-style-type: none"> • Interlocking Concrete Panels with multispar finish • Maintenance Free PVCu Fascias* • Coloured Cement Fibre Roof Sheets with close fitting ridge tile • 4' (1.22m) wide PVCu fully glazed French doors* • 2'0" (0.61m) wide Full height PVC windows x 2* • PVCu Guttering • Foam Filler to eaves • Internal Cement Fillet • Wide range of Cladding Options (See Page 14-15) • Wide range of Optional Extras (See Page 14-15) • Can be customised to individual requirements <p><small>*See colour options below</small></p>
<p>Colour Options Fascias, French Doors, and Windows</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"> White <small>(Standard)</small> </div> <div style="text-align: center;"> Anthracite <small>(Extra £390)</small> </div> <div style="text-align: center;"> Agate Grey <small>(Extra £390)</small> </div> <div style="text-align: center;"> Golden Oak <small>(Extra £390)</small> </div> <div style="text-align: center;"> Rosewood <small>(Extra £390)</small> </div> </div>	

Type ▶	PENT CONCRETE GARDEN ROOM							APEX CONCRETE GARDEN ROOM							
	Width ▶	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)
Length ▶	4'1" (1.24m)	4575	4615	4655	4955	5135	5475	6000	4825	4890	4965	5420	5640	6025	6375
	6'1" (1.85m)	4780	4825	4865	5075	5255	5620	6130	4915	4965	5100	5575	5785	6100	6575
	8'1" (2.46m)	4890	4945	4975	5255	5385	5705	6265	5035	5100	5175	5785	5915	6270	6735
	10'1" (3.07m)	4955	5000	5045	5385	5550	5905	6505	5165	5210	5275	5915	6100	6510	6925
	12'1" (3.68m)	5045	5085	5125	5550	5805	6200	6845	5275	5330	5375	6100	6390	6790	7225
	14'1" (4.29m)	5125	5165	5210	5860	6160	6620	7385	5375	5420	5465	6380	6630	7080	7695
	16'1" (4.90m)	5310	5365	5410	5950	6570	7010	7915	5595	5640	5675	6590	7070	7460	8115
Additional 2'	175	185	195	205	215	255	300	185	195	205	245	270	290	345	

THE NEWBURY	
<ul style="list-style-type: none"> • 355mm roof canopy • Extra Height 2.13m eaves (stays under 2.5m Height) • 40mm composite panel insulation in the roof • Timber effect plank cladding to the front elevation (side elevations can be clad at extra cost) • Anthracite fascias, doors and windows • Anthracite French doors and 2 full height windows as standard • Internal Cement Fillet • Lining clips to aid internal fitting out • Guttering to the rear 	

Type ▶	THE NEWBURY				
	Width ▶	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)
Length ▶	5'11" (1.81m)	7415	8050	8990	9400
	7'11" (2.41m)	7520	8255	9100	9590
	9'11" (3.02m)	7720	8380	9320	9730
	11'11" (3.63m)	7885	8515	9455	9860
	13'11" (4.24m)	8105	8755	9690	10105
	15'11" (4.85m)	8255	8890	9810	10230
	Additional 2'	265	265	265	265

Find the Perfect Pent or Apex Garden Room for me; 5 easy steps:

1. Select the roof required, Pent or Apex
2. Measure up and agree size- Length (depth) and Width (frontage)
3. Choose your Door and Window options
4. Decide on the colours of Doors, Windows and Fascias
5. Confirm wall finish. Spa chippings as standard but you can upgrade to Brick, Plank or Stone effect cladding on one or more elevations

Cladding Options

Brick Cladding (£80 per foot)




Stone Cladding (£80 per foot)



Plank Cladding (£80 per foot)




Quattro Cladding (£90 per foot)



Shadow Cladding (£90 per foot)



Premium Timber Effect Cladding (£90 per foot)



Inspiration for your Garden Room



16 *If you add cladding to a side elevation the building will increase by 2" (50mm) per side.

APEX STEEL GARAGE

NEW TO THE MARKET

- White PVCu Fascias
- 40mm insulated walls
- 40mm insulated composite panel plastisol coated steel roof sheets
- Standard eaves height 6'8" (2.03m)
- Brick or plank effect finish externally (Options below)
- Various Door Styles available (See options)
- Secure White 3' (915mm) wide Multi Pont Point Locking Steel Personnel Door
- White 4'0" (1.22m) wide fixed PVCu window
- Guttering and downpipes
- Other options available see brochure for full list



INSULATED APEX STEEL GARAGE (Pitched Roof)											
Width ▶	8'5" (2.56m)	9'5" (2.87m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)	16'5" (5.00m)	18'5" (5.61m)	20'5" (6.22m)	22'5" (6.83m)	24'5" (7.44m)	26'5" (8.05m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)
Length ▶	13'11" (4.24m)	8590	9575	10075	11505	13405	14190	15780	16870	18970	23415
Length ▶	15'11" (4.85m)	8925	10015	10515	11925	13900	14670	16570	17515	19555	24260
Length ▶	17'11" (5.46m)	9375	10460	11060	12510	14350	15410	17180	18205	20290	25070
Length ▶	19'11" (6.07m)	9840	10920	11430	12915	14815	15885	17835	18800	21005	25835
Length ▶	21'11" (6.68m)	10330	11410	11925	13275	15335	16750	18555	19425	21690	26645
Length ▶	23'11" (7.29m)	10700	11790	12330	13740	15845	17515	19195	20040	22275	27475
Length ▶	25'11" (7.90m)	11155	12330	12950	14210	16320	18165	20040	20700	22990	28285
Additional 2'	370	420	475	525	580	630	685	735	790	840	895

PENT STEEL GARAGE

NEW TO THE MARKET

- White PVCu Fascias
- 40mm insulated walls
- 40mm insulated composite panel plastisol coated steel roof sheets
- Standard eaves height 6'8" (2.03m)
- Brick or plank effect finish externally (Options below)
- Various Door Styles available (See options)
- Secure White 3' (915mm) wide Multi Pont Point Locking Steel Personnel Door
- White 4'0" (1.22m) wide fixed PVCu window
- Guttering and downpipes
- Other options available see brochure for full list



INSULATED PENT STEEL GARAGE (Rearward Sloping Roof)											
Width ▶	8'5" (2.56m)	9'5" (2.87m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)	16'5" (5.00m)	18'5" (5.61m)	20'5" (5.92m)	22'5" (6.83m)	24'5" (7.44m)	26'5" (8.05m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)
Length ▶	13'11" (4.24m)	8115	9345	10035	11060	13275	13240	14700	16015	n/a	n/a
Length ▶	15'11" (4.85m)	8460	9675	10355	11465	13640	13345	15100	16455	n/a	n/a
Length ▶	17'11" (5.46m)	8810	10060	10755	11790	14145	14135	15530	16800	n/a	n/a
Length ▶	19'11" (6.07m)	9170	10440	11120	12170	14505	14510	15995	17240	n/a	n/a
Length ▶	21'11" (6.68m)	9575	10805	11465	12555	14970	14885	16455	17670	n/a	n/a
Length ▶	23'11" (7.29m)	9870	11155	11830	12875	15395	15330	16800	18125	n/a	n/a
Length ▶	25'11" (7.90m)	10200	11540	12255	13335	15940	15945	17485	18835	n/a	n/a
Additional 2'	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

*Maximum Length of 30'1" (9.17m)

INSULATED GARDEN ROOMS

NEW TO THE MARKET

- White PVCu Fascias
- 40mm insulated walls
- 40mm insulated composite panel plastisol coated steel roof sheets
- Standard eaves height 6'8" (2.03m)
- Brick or plank effect finish externally (Options below)
- White 4'0" (1.22m) wide fully glazed French Doors
- Two White 2'0" (0.60m) wide full height PVCu Windows
- Guttering and downpipes
- Other options available see brochure for full list



Type ▶	INSULATED PENT STEEL GARDEN ROOM							INSULATED APEX STEEL GARDEN ROOM							
	Width ▶	4'5" (1.34m)	6'5" (1.95m)	8'5" (2.56m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)	16'5" (5.00m)	4'5" (1.34m)	6'5" (1.95m)	8'5" (2.56m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)	16'5" (5.00m)
Length ▶	3'11" (1.27m)	9095	9135	9180	9505	9695	10065	10625	9360	9430	9515	10000	10240	10660	11020
Length ▶	5'11" (1.80m)	9315	9360	9410	9635	9830	10215	10770	9460	9515	9655	10170	10395	10735	11500
Length ▶	7'11" (2.41m)	9430	9490	9530	9830	9965	10310	10905	9585	9655	9740	10395	10535	10915	11670
Length ▶	9'11" (3.02m)	9505	9550	9600	9965	10145	10525	11155	9730	9775	9850	10535	10735	11175	11875
Length ▶	11'11" (3.71m)	9600	9645	9685	10145	10415	10840	11515	9850	9905	9955	10735	11045	11470	12195
Length ▶	13'11" (4.24m)	9685	9730	9775	10475	10795	11295	12085	9955	10000	10055	11035	11305	11790	12705
Length ▶	15'11" (4.85m)	9880	9945	9990	10570	11235	11715	12640	10190	10240	10280	11260	11780	12195	13155
Additional 2'	150	200	250	300	350	400	450	150	200	250	300	350	400	450	

Cladding Options


Brick Cladding (£80 per foot)



Plank Cladding (£80 per foot)




Quattro Cladding (£90 per foot)



Shadow Cladding (£90 per foot)



Premium Timber Effect Cladding (£90 per foot)



Optional Extras

Steel Garages

Insulated roller door electrically operated *	1065
Insulated sectional door *	900
Upgrade personnel door to PVC door (White)	355
Upgrade personnel door to PVC door (Coloured)	525
Upgrade personnel door to French Doors (White)	780
Upgrade personnel door to French doors (coloured)	1015
Insulated tile effect roof sheets (Anthracite/Terracotta)	£5 per square ft
Electric operator for up and over / sectional door	760
Extra height 7'2" (2.20m) eaves	+10%
Extra Height 7'7" (2.32m) eaves	+15%

Steel Garden Rooms


Insulated tile effect roof sheets (Anthracite/Terracotta)	£5 per square ft
Extra height 7'2" (2.20m) eaves	+10%
Extra Height 7'7" (2.32m) eaves	+15%
Other door and window options – as per the options on pages 14-15.	

*If upgrading to a roller or sectional door you must increase the eaves height to 7'7" (2.31m) to accommodate the door mechanisms - applies to Apex roof only. The roller and sectional door will fit into a Pent garage standard height.

Superior Quality Steel Framework



The unique design offers a cold rolled 75mm thick steel framed garage, finished externally in a brick or plank finish, and internally in a smooth white steel sheet. The walls and roof will be supplied in a 40mm insulation to ensure that the building will be fit for purpose.



All of our steel frames have three holes pre-formed to allow easy fitting of cables and any other services required

INSULATED APEX STEEL GARAGE

NEW TO THE MARKET

- Anthracite PVCu Fascias
- 40mm insulated walls
- 40mm insulated composite panel plastisol coated steel roof sheets
- Standard eaves height 6'8" (2.03m)
- Brick or plank effect finish externally (Options below)
- Black Vertical Up and Over door (Other options available)
- Secure Black 3' (915mm) wide Multi Pont Point Locking Steel Personnel Door
- Anthracite 4'0" (1.22m) wide fixed PVC uwindow
- Guttering and downpipes
- Other options available see price list for options (pages 14-15)



INSULATED APEX STEEL GARAGE (Pitched Roof)												
Width ▶	8'5" (2.56m)	9'5" (2.87m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)	16'5" (5.00m)	18'5" (5.61m)	20'5" (6.22m)	22'5" (6.83m)	24'5" (7.44m)	26'5" (8.05m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)	
Length ▶	13'11" (4.24m)	9225	10310	10845	12370	14450	15250	17010	18190	20455	21115	25245
	15'11" (4.85m)	9600	10785	11300	12805	14965	15815	17880	18885	21090	21940	26155
	17'11" (5.46m)	10075	11280	11895	13475	15475	16585	18520	19605	21885	22715	27025
	19'11" (6.07m)	10590	11755	12270	13915	15955	17110	19230	20260	22640	23335	27880
	21'11" (6.68m)	11105	12255	12805	14290	16485	18060	20015	20935	23390	24030	28750
	23'11" (7.29m)	11505	12690	13275	14790	17020	18885	20685	21615	24030	24720	29635
	25'11" (7.90m)	11990	13275	13950	15320	17600	19590	21580	22305	24785	25615	30510
	Additional 2'	370	420	475	525	580	630	685	735	790	840	895

INSULATED PENT STEEL GARAGE

NEW TO THE MARKET

- Anthracite PVCu Fascias
- 40mm insulated walls
- 40mm insulated composite panel plastisol coated steel roof sheets
- Standard eaves height 6'8" (2.03m)
- Brick or plank effect finish externally (Options below)
- Black Vertical Up and Over door (Other options available)
- Secure Black 3' (915mm) wide Multi Pont Point Locking Steel Personnel Door
- Anthracite 4'0" (1.22m) wide fixed PVCu window
- Guttering and downpipes
- Other options available see price list for options (pages 14-15)



INSULATED PENT STEEL GARAGE (Rearward Sloping Roof)												
Width ▶	8'5" (2.56m)	9'5" (2.87m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)	16'5" (5.00m)	18'5" (5.61m)	20'5" (6.22m)	22'5" (6.83m)	24'5" (7.44m)	26'5" (8.05m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)	
Length ▶	13'11" (4.24m)	8730	10060	10770	11895	14310	14250	15815	17240	n/a	n/a	n/a
	15'11" (4.85m)	9090	10410	11125	12350	14670	14365	16240	17730	n/a	n/a	n/a
	17'11" (5.46m)	9480	10810	11560	12705	15240	15215	16725	18140	n/a	n/a	n/a
	19'11" (6.07m)	9855	11205	11955	13105	15640	15640	17225	18600	n/a	n/a	n/a
	21'11" (6.68m)	10275	11580	12350	13500	16130	16050	17730	19040	n/a	n/a	n/a
	23'11" (7.29m)	10610	11975	12725	13870	16585	16510	18140	19510	n/a	n/a	n/a
	25'11" (7.90m)	10965	12410	13185	14355	17180	17190	18830	20295	n/a	n/a	n/a
	Additional 2'	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

*Maximum Length of 30'1" (9.17m)

INSULATED GARDEN ROOMS

NEW TO THE MARKET

- Anthracite PVCu Fascias
- 40mm insulated walls
- 40mm insulated composite panel plastisol coated steel roof sheets
- Standard eaves height 6'8" (2.03m)
- Brick or plank effect finish externally (Options below)
- Anthracite 4'0" (1.22m) wide fully glazed French Doors
- Two Anthracite 2'0" (0.60m) wide full height PVCu Windows
- Black Guttering and downpipes
- Other options available see price list for options (pages 14-15)



PENT



APEX

Type ▶	INSULATED PENT STEEL GARDEN ROOM							INSULATED APEX STEEL GARDEN ROOM							
	Width ▶	4'5" (1.34m)	6'5" (1.95m)	8'5" (2.56m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)	16'5" (5.00m)	4'5" (1.34m)	6'5" (1.95m)	8'5" (2.56m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)	16'5" (5.00m)
Length ▶	3'11" (1.27m)	9430	9470	9530	9870	10085	10500	11020	9720	9785	9890	10415	10585	11035	11450
	5'11" (1.80m)	9665	9730	9775	10010	10225	10640	11165	9830	9890	10040	10515	10735	11140	11830
	7'11" (2.41m)	9785	9860	9880	10225	10380	10775	11335	9965	10040	10145	10735	10925	11315	12030
	9'11" (3.02m)	9870	9925	9990	10380	10595	10915	11585	10105	10170	10250	10925	11130	11580	12245
	11'11" (3.71m)	9990	10040	10085	10595	10785	11260	11855	10260	10310	10370	11130	11470	11820	12575
	13'11" (4.24m)	10065	10135	10180	10840	11200	11745	12480	10395	10430	10475	11460	11650	12145	13095
	15'11" (4.85m)	10290	10345	10405	10960	11660	12065	13045	10525	10585	10630	11715	12135	12575	13610
	Additional 2'	150	200	250	300	350	400	450	150	200	250	300	350	400	450

Cladding Options

Brick Cladding (£80 per foot)



Plank Cladding (£80 per foot)




Quattro Cladding (£90 per foot)



Shadow Cladding (£90 per foot)



Premium Timber Effect Cladding (£90 per foot)



Optional Extras

Steel Garages

Insulated roller door electrically operated *	1065
Insulated sectional door *	900
Upgrade personnel door to PVC door (White)	355
Upgrade personnel door to PVC door (Coloured)	525
Upgrade personnel door to French Doors (White)	780
Upgrade personnel door to French doors (coloured)	1015
Insulated tile effect roof sheets (Anthracite/Terracotta)	£5 per square ft
Electric operator for up and over / sectional door	760
Extra height 7'2" (2.20m) eaves	+10%
Extra Height 7'7" (2.32m) eaves	+15%

Steel Garden Rooms

Insulated tile effect roof sheets (Anthracite/Terracotta)	£5 per square ft
Extra height 7'2" (2.20m) eaves	+10%
Extra Height 7'7" (2.32m) eaves	+15%
Other door and window options – as per the options on pages 14-15.	


*If upgrading to a roller or sectional door you must increase the eaves height to 7'7" (2.31m) to accommodate the door mechanisms - applies to Apex roof only. The roller and sectional door will fit into a Pent garage standard height.

Superior Quality Steel Framework



NEW TO THE MARKET

The unique design offers a cold rolled 75mm thick steel framed garage, finished externally in a brick or plank finish, and internally in a smooth white steel sheet. The walls and roof will be supplied in a 40mm insulation to ensure that the building will be fit for purpose.



NEW TO THE MARKET

All of our steel frames have three holes pre-formed to allow easy fitting of cables and any other services required

INSULATED APEX STEEL GARAGE

NEW TO THE MARKET

- Woodgrain PVCu Fascias
- 40mm insulated walls
- 40mm insulated composite panel plastisol coated steel roof sheets
- Standard eaves height 6'8" (2.03m)
- Brick or plank effect finish externally (Options below)
- Woodgrain Vertical Up and Over door
- Secure Woodgrain 3' (915mm) wide PVCu Multi Pont Point Locking Personnel Door
- Woodgrain 4'0" (1.22m) wide fixed PVCu window
- Guttering and downpipes
- Other options available see price list for options (pages 14-15)

AVAILABLE IN:
GOLDEN OAK ROSEWOOD



INSULATED APEX STEEL GARAGE (Pitched Roof)

Width ▶	8'5" (2.56m)	9'5" (2.87m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)	16'5" (5.00m)	18'5" (5.61m)	20'5" (6.22m)	22'5" (6.83m)	24'5" (7.44m)	26'5" (8.05m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)				2 x 7' (2.13m)	2 x 8' Doors (2.44m)					
Length ▶	13'11" (4.24m)	9225	10310	10845	12370	14450	15250	17010	18190	20455	21115	25245
	15'11" (4.85m)	9600	10785	11300	12805	14965	15815	17880	18885	21090	21940	26155
	17'11" (5.46m)	10075	11280	11895	13475	15475	16585	18520	19605	21885	22715	27025
	19'11" (6.07m)	10590	11755	12270	13915	15955	17110	19230	20260	22640	23335	27880
	21'11" (6.68m)	11105	12255	12805	14290	16485	18060	20015	20935	23390	24030	28750
	23'11" (7.29m)	11505	12690	13275	14790	17020	18885	20685	21615	24030	24720	29635
	25'11" (7.90m)	11990	13275	13950	15320	17600	19590	21580	22305	24785	25615	30510
Additional 2'	370	420	475	525	580	630	685	735	790	840	895	

INSULATED PENT STEEL GARAGE

NEW TO THE MARKET

- Woodgrain PVCu Fascias
- 40mm insulated walls
- 40mm insulated composite panel plastisol coated steel roof sheets
- Standard eaves height 6'8" (2.03m)
- Brick or plank effect finish externally (Options below)
- Woodgrain Vertical Up and Over door
- Secure Woodgrain 3' (915mm) wide PVCu Multi Pont Point Locking Personnel Door
- Woodgrain 4'0" (1.22m) wide fixed PVCu window
- Guttering and downpipes
- Other options available see price list for options (pages 14-15)

AVAILABLE IN:
GOLDEN OAK ROSEWOOD



INSULATED PENT STEEL GARAGE (Rearward Sloping Roof)

Width ▶	8'5" (2.56m)	9'5" (2.87m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)	16'5" (5.00m)	18'5" (5.61m)	20'5" (6.22m)	22'5" (6.83m)	24'5" (7.44m)	26'5" (8.05m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)				2 x 7' (2.13m)	2 x 8' Doors (2.44m)					
Length ▶	13'11" (4.24m)	8730	10060	10770	11895	14310	14250	15815	17240	n/a	n/a	n/a
	15'11" (4.85m)	9090	10410	11125	12350	14670	14365	16240	17730	n/a	n/a	n/a
	17'11" (5.46m)	9480	10810	11560	12705	15240	15215	16725	18140	n/a	n/a	n/a
	19'11" (6.07m)	9855	11205	11955	13105	15640	15640	17225	18600	n/a	n/a	n/a
	21'11" (6.68m)	10275	11580	12350	13500	16130	16050	17730	19040	n/a	n/a	n/a
	23'11" (7.29m)	10610	11975	12725	13870	16585	16510	18140	19510	n/a	n/a	n/a
	25'11" (7.90m)	10965	12410	13185	14355	17180	17190	18830	20295	n/a	n/a	n/a
Additional 2"	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

*Maximum Length of 30'1" (9.17m)

INSULATED GARDEN ROOMS

NEW TO THE MARKET

- Woodgrain PVCu Fascias
- 40mm insulated walls
- 40mm insulated composite panel plastisol coated steel roof sheets
- Standard eaves height 6'8" (2.03m)
- Brick or plank effect finish externally (Options below)
- Woodgrain 4'0" (1.22m) wide fully glazed PVCu French Doors
- Two Woodgrain 2'0" (0.60m) wide full height PVCu Windows
- Guttering and downpipes
- Other options available see price list for options (pages 14-15)

AVAILABLE IN:
GOLDEN OAK ROSEWOOD



PENT



APEX

INSULATED PENT STEEL GARDEN ROOM

Type ▶	INSULATED PENT STEEL GARDEN ROOM							INSULATED APEX STEEL GARDEN ROOM							
Width ▶	4'5" (1.34m)	6'5" (1.95m)	8'5" (2.56m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)	16'5" (5.00m)	4'5" (1.34m)	6'5" (1.95m)	8'5" (2.56m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)	16'5" (5.00m)	
Length ▶	3'11" (1.27m)	9430	9470	9530	9870	10085	10500	11020	9720	9785	9890	10415	10585	11035	11450
	5'11" (1.80m)	9665	9730	9775	10010	10225	10640	11165	9830	9890	10040	10515	10735	11140	11830
	7'11" (2.41m)	9785	9860	9880	10225	10380	10775	11335	9965	10040	10145	10735	10925	11315	12030
	9'11" (3.02m)	9870	9925	9990	10380	10595	10915	11585	10105	10170	10250	10925	11130	11580	12245
	11'11" (3.71m)	9990	10040	10085	10595	10785	11260	11855	10260	10310	10370	11130	11470	11820	12575
	13'11" (4.24m)	10065	10135	10180	10840	11200	11745	12480	10395	10430	10475	11460	11650	12145	13095
	15'11" (4.85m)	10290	10345	10405	10960	11660	12065	13045	10525	10585	10630	11715	12135	12575	13610
Additional 2'	150	200	250	300	350	400	450	150	200	250	300	350	400	450	

Cladding Options


Brick Cladding (£80 per foot)



Plank Cladding (£80 per foot)




Quattro Cladding (£90 per foot)



Shadow Cladding (£90 per foot)



Premium Timber Effect Cladding (£90 per foot)



Optional Extras

Steel Garages

- Insulated roller door electrically operated * 1065
- Insulated sectional door * 900
- Upgrade personnel door to PVC door (White) 355
- Upgrade personnel door to PVC door (Coloured) 525
- Upgrade personnel door to French Doors (White) 780
- Upgrade personnel door to French doors (coloured) 1015
- Insulated tile effect roof sheets (Anthracite/Terracotta) £5 per square ft
- Electric operator for up and over / sectional door 760
- Extra height 7'2" (2.20m) eaves +10%
- Extra Height 7'7" (2.32m) eaves +15%

Steel Garden Rooms


- Insulated tile effect roof sheets (Anthracite/Terracotta) £5 per square ft
- Extra height 7'2" (2.20m) eaves +10%
- Extra Height 7'7" (2.32m) eaves +15%
- Other door and window options – as per the options on pages 14-15.

*If upgrading to a roller or sectional door you must increase the eaves height to 7'7" (2.31m) to accommodate the door mechanisms - applies to Apex roof only. The roller and sectional door will fit into a Pent garage standard height.

Superior Quality Steel Framework



The unique design offers a cold rolled 75mm thick steel framed garage, finished externally in a brick or plank finish, and internally in a smooth white steel sheet. The walls and roof will be supplied in a 40mm insulation to ensure that the building will be fit for purpose.



All of our steel frames have three holes pre-formed to allow easy fitting of cables and any other services required

WHY CHOOSE A HANSON CONCRETE GARAGE?

 <p>UNIQUE INTERLOCKING REINFORCED CONCRETE PANELS</p>	 	<p>COMPETITORS</p> 
 <p>HORMANN GARAGE UP & OVER DOORS RETRACTABLE FRAMED</p>	 	<p>COMPETITORS</p> 
 <p>STEEL PERSONNEL DOORS WITH ADDITIONAL SECURITY</p>	 	<p>COMPETITORS</p> 
 <p>PRESSURE TREATED INTERNAL TIMBERWORK</p>	 	<p>COMPETITORS</p> 
 <p>GALVANISED STEEL C-SECTION TRUSSES ON PENT ROOFS</p>	 	<p>COMPETITORS</p> 

 <p>PLASTIC COATED GALVANISED STEEL ROOF SHEETS FOR PENT ROOFS* * WITH A FELT ANTI-CONDENSATION LINING</p>	 	<p>COMPETITORS</p> 
 <p>SAND AND CEMENT FILLET</p>	 	<p>COMPETITORS</p> 
 <p>CEMENT FIBRE ROOF SHEETS WITH MATCHING CLOSE FITTING RIDGES</p>	 	<p>COMPETITORS</p> 
 <p>INSULATED STEEL FRAMED BUILDINGS WITH 40MM THICK INSULATION* *INSULATION TO THE WALLS AND ROOF</p>	 	<p>COMPETITORS</p> 
 <p>BRICK OR PLANK EFFECT CLADDING OPTION TO THE WALLS</p>	 	<p>COMPETITORS</p> 

NO OTHER MANUFACTURER OFFERS ALL OF THE ABOVE

Hanson Buildings Limited
 Warren Road, Green Lane Industrial Park,
 Featherstone, WF7 6EL

Tel: 01977 695111
Email: sales@hansonbuildings.co.uk

