

PRICE BOOKLET APRIL 2026



GARAGES, SHEDS & GARDEN BUILDINGS

All Prices include VAT, Delivery, Installation and 10 Year structural Guarantee

UK Leading Supplier of Concrete Sectional Buildings



Why Choose a Hanson Garage?

- Free Site Survey**
No obligation quotes & advice
- Expertly Designed**
Unrivalled choice of buildings
- Concrete Base Service**
Full concrete base service for your building
- Garage Dismantle Service**
Let us dismantle your old building
- 10 Year Structural Warranty**
Peace of mind on your new building
- Fast & Efficient Build**
Quick Installation by professional fitters
- Over 40 Years Experience**
Leading UK supplier of concrete buildings



Garages & Sheds

Pages 2-15



Garden Rooms

Pages 16-17



Insulated Buildings

Pages 18-23

Unique Interlocking Concrete Panels

Featuring overlapped and bolted joints designed for superior weatherproofing and structural integrity.

Get A Quote Online



Scan QR Code

Download Our Brochure



Scan QR Code



www.hansongarages.co.uk

01977 695111

APEX ROYALE

OUR BEST SELLING GARAGE (APEX ROOF)

- Hormann White Georgian design Up and Over door with 4 point locking
- Other Door Styles available (See options)
- Interlocking Concrete Panels with multispar finish
- 'True' Brick Front Posts (Choice of 6 colours)
- White PVCu Fascias
- Coloured Cement Fibre Roof Sheets with close fitting ridge tile
- Heavy Duty White 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu double glazed Window in White
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



APEX ROYALE (Pitched Roof)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)
Length ▶	14'1" (4.29m)	5855	6265	6535	7365	9020	9725	10975	11875	13470	13980
	16'1" (4.90m)	6265	6715	6965	7905	9570	10230	11400	12470	13970	14365
	18'1" (5.51m)	6605	7075	7410	8325	9790	10675	11885	13000	14575	14975
	20'1" (6.12m)	6915	7510	7885	8655	10440	11215	12500	13370	15385	15775
	22'1" (6.73m)	7455	7885	8290	9070	10875	11775	13110	13970	15920	16635
	24'1" (7.34m)	7905	8170	8860	9515	11275	12315	13670	14455	16360	17130
	26'1" (7.95m)	8350	8750	9320	9980	11775	12870	14135	14950	16790	17590
Additional 2'	245	270	295	315	330	395	405	415	425	465	505

PENT ROYALE

OUR BEST SELLING GARAGE (PENT ROOF)

- Hormann White Georgian design Up and Over door with 4 point locking
- Other Door Styles available (See options)
- Interlocking Concrete Panels with multispar finish
- 'True' Brick Front Posts (Choice of 6 colours)
- White PVCu Fascias
- Box Profile Steel Roof Sheets with felt underlay (full length up to 20' long)
- Heavy Duty White 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in White
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Galvanised 'C' Section steel trusses (up to 18' wide)
- Internal Cement Fillet



PENT ROYALE (Rearward Sloping Roof)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)				
Length ▶	14'1" (4.29m)	5260	5700	6240	7075	8090	8655	9650	10345	n/a	n/a
	16'1" (4.90m)	5570	5995	6525	7335	8435	8950	10065	10725	n/a	n/a
	18'1" (5.51m)	5865	6275	6815	7595	8740	9270	10405	11065	n/a	n/a
	20'1" (6.12m)	6175	6585	7075	7895	9040	9570	10750	11400	n/a	n/a
	22'1" (6.73m)	6435	6805	7420	8225	9260	9910	11175	11685	n/a	n/a
	24'1" (7.34m)	6755	7065	7720	8435	9570	10295	11525	12075	n/a	n/a
	26'1" (7.95m)	7075	7455	8105	8830	9990	10895	12115	12735	n/a	n/a
Additional 2'	210	235	245	255	305	340	355	390	n/a	n/a	n/a

*Maximum Length of 30'1" (9.17m)

DUCHESS/DUKE ROYALE

REARWARD SLOPING GARAGE WITH TILE EFFECT ROOF

- Hormann White Georgian design Up and Over door with 4 point locking
- Other Door Styles available (See options)
- Interlocking Concrete Panels with multispar finish
- 'True' Brick Front Posts (Choice of 6 colours)
- White PVCu Fascias
- Forward sloping Metrotile Roof and Rearward sloping Box Profile Steel Roof with felt underlay (full length roof sheet up to 20' long)*
- Heavy Duty White 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in White
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



DUCHESS ROYALE (For Duke just add 5%)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)				
Length ▶	14'1" (4.29m)	6415	6505	7445	8325	10440	10765	11755	12690	n/a	n/a
	16'1" (4.90m)	6685	7365	7740	8610	10805	11195	12130	12980	n/a	n/a
	18'1" (5.51m)	6990	7675	7970	8920	11005	11585	12515	13630	n/a	n/a
	20'1" (6.12m)	7345	8025	8310	9305	11445	11995	13080	14345	n/a	n/a
	22'1" (6.73m)	7675	8390	8690	9700	11840	12415	13510	14795	n/a	n/a
	24'1" (7.34m)	8060	8800	9150	10185	12370	12940	14090	15395	n/a	n/a
	26'1" (7.95m)	8460	9240	9600	10675	12870	13470	14655	15985	n/a	n/a
Additional 2'	290	305	330	355	375	430	460	465	n/a	n/a	n/a

*Maximum Length of 30'1" (9.17m)

MONARCH ROYALE

HIGHER PITCHED ROOF WITH TILE EFFECT ROOF SHEETS

- Hormann White Georgian design Up and Over door with 4 point locking
- Other Door Styles available (See options)
- Interlocking Concrete Panels with multispar finish
- 'True' Brick Front Posts (Choice of 6 colours)
- White PVCu Fascias
- Higher 17.5° Roof Pitch on single garages, 15° Roof Pitch on doubles
- Tile Effect, Plastisol Coated Roof Sheets with Felt Underlay (Choice of Colours)
- Heavy Duty White 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in White
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet




MONARCH ROYALE (Higher Pitched Roof)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)
Length ▶	14'1" (4.29m)	7620	8150	8500	9590	11745	12645	14280	15465	17540	19445
	16'1" (4.90m)	8140	8730	9070	10285	12435	13320	14840	16230	18180	20095
	18'1" (5.51m)	8580	9220	9650	10835	12760	13890	15465	16925	18975	21035
	20'1" (6.12m)	9000	9780	10255	11255	13620	14595	16285	17400	20015	21690
	22'1" (6.73m)	9690	10275	10805	11820	14155	15325	17070	18180	20740	22965
	24'1" (7.34m)	10285	10640	11535	12390	14685	16030	17780	18820	21300	23605
	26'1" (7.95m)	10885	11400	12130	12990	15335	16750	18410	19460	21850	24245
Additional 2'	300	325	345	375	405	480	485	500	515	565	615

SHEDS / WORKSHOPS ROYALE

- White PVCu Fascias
- Interlocking Concrete Panels with multispar finish
- Coloured Cement Fibre Roof Sheets with close fitting ridge tile (Apex)
- Box Profile Steel Roof Sheets with felt underlay (Pent)
- Heavy Duty White 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in White
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



PENT ROYALE CONCRETE SHEDS & WORKSHOPS **APEX ROYALE CONCRETE SHEDS & WORKSHOPS**

Type ▶	PENT ROYALE CONCRETE SHEDS & WORKSHOPS						APEX ROYALE CONCRETE SHEDS & WORKSHOPS							
Width ▶	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)
Length ▶	4'1" (1.24m)	3890	4035	4190	4270	4540	4830	5995	4100	4245	4410	5115	5445	6075
	6'1" (1.85m)	3960	4110	4270	4540	4760	5105	6325	4330	4480	4620	5390	5735	6515
	8'1" (2.46m)	4035	4190	4330	4810	5140	5400	6735	4560	4710	4850	5680	5995	6955
	10'1" (3.07m)	4110	4270	4410	5095	5515	5865	7145	4785	4930	5070	5945	6285	7395
	12'1" (3.68m)	4190	4330	4490	5360	5875	6340	7530	5020	5160	5305	6230	6565	7850
	14'1" (4.29m)	4270	4410	4550	5610	6295	6815	7940	5250	5390	5535	6515	6845	8290
	16'1" (4.90m)	4500	4650	4960	5945	6645	7445	8350	5515	5680	5775	6765	7365	8750
Additional 2'	175	185	195	205	215	255	300	185	195	205	245	270	290	345

PENT SHED

APEX SHED

APEX GRAPHITE

ULTRA MODERN DESIGN OF GARAGE (APEX ROOF)

- Hormann Black Vertical design Up and Over door with 4 point locking**
- Interlocking Concrete Panels with multispar finish
- Graphite Rustic 'True' Brick Front Posts (Other colours available)
- Anthracite PVCu Fascias
- Coloured Cement Fibre Roof Sheets with close fitting ridge tile
- Heavy Duty Black 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in Anthracite
- Black PVCu guttering
- Foam Filler to eaves
- Internal Cement Fillet



** Alternative Door Manufacturer used for Doors 9' and above

APEX GRAPHITE (Pitched Roof)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)			10' (3.05m)	2 x 7' (2.13m)	2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)
Length ▶	14'1" (4.29m)	16'1" (4.90m)	18'1" (5.51m)	20'1" (6.12m)	22'1" (6.73m)	24'1" (7.34m)	26'1" (7.95m)	Additional 2'			
Price	6715	7455	8370	9415	10935	12625	14420	16105	17460	18260	20165
Price	7750	8730	9970	11535	13350	15465	17640	19570			
Price	8730	10210	11930	13960	16050	18420	21050	23950	27100	30500	34200
Price	11195	12450	14355	16350	18555	21060	23865	26970	30385	34110	38145
Price	12450	13940	15915	18060	20465	23220	26335	29800	33625	37810	42355
Price	13940	15915	18060	20465	23220	26335	29800	33625	37810	42355	47300
Price	15915	18060	20465	23220	26335	29800	33625	37810	42355	47300	52745
Price	18060	20465	23220	26335	29800	33625	37810	42355	47300	52745	58690
Price	20465	23220	26335	29800	33625	37810	42355	47300	52745	58690	65135
Price	23220	26335	29800	33625	37810	42355	47300	52745	58690	65135	72180
Price	26335	29800	33625	37810	42355	47300	52745	58690	65135	72180	79830
Price	29800	33625	37810	42355	47300	52745	58690	65135	72180	79830	87775
Price	33625	37810	42355	47300	52745	58690	65135	72180	79830	87775	96020
Price	37810	42355	47300	52745	58690	65135	72180	79830	87775	96020	104765
Price	42355	47300	52745	58690	65135	72180	79830	87775	96020	104765	113910
Price	47300	52745	58690	65135	72180	79830	87775	96020	104765	113910	123555
Price	52745	58690	65135	72180	79830	87775	96020	104765	113910	123555	133350
Price	58690	65135	72180	79830	87775	96020	104765	113910	123555	133350	143745
Price	65135	72180	79830	87775	96020	104765	113910	123555	133350	143745	154740
Price	72180	79830	87775	96020	104765	113910	123555	133350	143745	154740	166335
Price	79830	87775	96020	104765	113910	123555	133350	143745	154740	166335	178530
Price	87775	96020	104765	113910	123555	133350	143745	154740	166335	178530	191425
Price	96020	104765	113910	123555	133350	143745	154740	166335	178530	191425	204920
Price	104765	113910	123555	133350	143745	154740	166335	178530	191425	204920	219915
Price	113910	123555	133350	143745	154740	166335	178530	191425	204920	219915	235910
Price	123555	133350	143745	154740	166335	178530	191425	204920	219915	235910	252905
Price	133350	143745	154740	166335	178530	191425	204920	219915	235910	252905	270900
Price	143745	154740	166335	178530	191425	204920	219915	235910	252905	270900	289895
Price	154740	166335	178530	191425	204920	219915	235910	252905	270900	289895	309890
Price	166335	178530	191425	204920	219915	235910	252905	270900	289895	309890	330885
Price	178530	191425	204920	219915	235910	252905	270900	289895	309890	330885	352880
Price	191425	204920	219915	235910	252905	270900	289895	309890	330885	352880	375875
Price	204920	219915	235910	252905	270900	289895	309890	330885	352880	375875	399870
Price	219915	235910	252905	270900	289895	309890	330885	352880	375875	399870	424865
Price	235910	252905	270900	289895	309890	330885	352880	375875	399870	424865	450860
Price	252905	270900	289895	309890	330885	352880	375875	399870	424865	450860	477855
Price	270900	289895	309890	330885	352880	375875	399870	424865	450860	477855	504850
Price	289895	309890	330885	352880	375875	399870	424865	450860	477855	504850	532845
Price	309890	330885	352880	375875	399870	424865	450860	477855	504850	532845	561840
Price	330885	352880	375875	399870	424865	450860	477855	504850	532845	561840	591835
Price	352880	375875	399870	424865	450860	477855	504850	532845	561840	591835	621830
Price	375875	399870	424865	450860	477855	504850	532845	561840	591835	621830	651825
Price	399870	424865	450860	477855	504850	532845	561840	591835	621830	651825	681820
Price	424865	450860	477855	504850	532845	561840	591835	621830	651825	681820	711815
Price	450860	477855	504850	532845	561840	591835	621830	651825	681820	711815	741810
Price	477855	504850	532845	561840	591835	621830	651825	681820	711815	741810	771805
Price	504850	532845	561840	591835	621830	651825	681820	711815	741810	771805	801800
Price	532845	561840	591835	621830	651825	681820	711815	741810	771805	801800	831795
Price	561840	591835	621830	651825	681820	711815	741810	771805	801800	831795	861790
Price	591835	621830	651825	681820	711815	741810	771805	801800	831795	861790	891785
Price	621830	651825	681820	711815	741810	771805	801800	831795	861790	891785	921780
Price	651825	681820	711815	741810	771805	801800	831795	861790	891785	921780	951775
Price	681820	711815	741810	771805	801800	831795	861790	891785	921780	951775	981770
Price	711815	741810	771805	801800	831795	861790	891785	921780	951775	981770	1011765
Price	741810	771805	801800	831795	861790	891785	921780	951775	981770	1011765	1041760
Price	771805	801800	831795	861790	891785	921780	951775	981770	1011765	1041760	1071755
Price	801800	831795	861790	891785	921780	951775	981770	1011765	1041760	1071755	1101750
Price	831795	861790	891785	921780	951775	981770	1011765	1041760	1071755	1101750	1131745
Price	861790	891785	921780	951775	981770	1011765	1041760	1071755	1101750	1131745	1161740
Price	891785	921780	951775	981770	1011765	1041760	1071755	1101750	1131745	1161740	1191735
Price	921780	951775	981770	1011765	1041760	1071755	1101750	1131745	1161740	1191735	1221730
Price	951775	981770	1011765	1041760	1071755	1101750	1131745	1161740	1191735	1221730	1251725
Price	981770	1011765	1041760	1071755	1101750	1131745	1161740	1191735	1221730	1251725	1281720
Price	1011765	1041760	1071755	1101750	1131745	1161740	1191735	1221730	1251725	1281720	1311715
Price	1041760	1071755	1101750	1131745	1161740	1191735	1221730	1251725	1281720	1311715	1341710
Price	1071755	1101750	1131745	1161740	1191735	1221730	1251725	1281720	1311715	1341710	1371705
Price	1101750	1131745	1161740	1191735	1221730	1251725	1281720	1311715	1341710	1371705	1401700
Price	1131745	1161740	1191735	1221730	1251725	1281720	1311715	1341710	1371705	1401700	1431695
Price	1161740	1191735	1221730	1251725	1281720	1311715	1341710	1371705	1401700	1431695	1461690
Price	1191735	1221730	1251725	1281720	1311715	1341710	1371705	1401700	1431695	1461690	1491685
Price	1221730	1251725	1281720	1311715	1341710	1371705	1401700	1431695	1461690	1491685	1521680
Price	1251725	1281720	1311715	1341710	1371705	1401700	1431695	1461690	1491685	1521680	1551675
Price	1281720	1311715	1341710	1371705	1401700	1431695	1461690	1491685	1521680	1551675	1581670
Price	1311715	1341710	1371705	1401700	1431695	1461690	1491685	1521680	1551675	1581670	1611665
Price	1341710	1371705	1401700	1431695	1461690	1491685	1521680	1551675	1581670	1611665	1641660
Price	1371705	1401700	1431695	1461690	1491685	1521680	1551675	1581670	1611665	1641660	1671655
Price	1401700	1431695	1461690	1491685	1521680	1551675	1581670	1611665	1641660	1671655	1701650
Price	1431695	1461690	1491685	1521680	1551675	1581670	1611665	1641660</			

APEX EARL

OUR LATEST LUXURY GARAGE (APEX ROOF)

- Agate Grey Vertical design Up and Over door with 4 point locking
- Interlocking Concrete Panels with multispar finish
- True Brick Front Posts in Stone Grey (Other colours available)
- Agate Grey PVCu Fascias
- Coloured Cement Fibre Roof Sheets with close fitting ridge tile
- Heavy Duty Agate Grey 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu double glazed Window in Agate Grey
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



APEX EARL (Pitched Roof)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)	
Length ▶	14'1" (4.29m)	7045	7830	8150	9170	10715	11755	13065	13740	15075	15585	17475
	16'1" (4.90m)	7335	8150	8490	9525	11235	12225	13580	14280	15625	15955	18100
	18'1" (5.51m)	7665	8445	8790	9890	11475	12800	14125	14795	16205	16625	18745
	20'1" (6.12m)	7950	8720	9140	10275	12105	13260	14655	15315	16705	17120	19315
	22'1" (6.73m)	8370	9120	9525	10605	12525	14025	15145	15795	17290	18050	19935
	24'1" (7.34m)	8770	9415	9845	10915	12900	14365	15655	16305	17720	18520	20550
	26'1" (7.95m)	9260	9925	10355	11435	13470	14950	16240	16910	18335	19175	21180
	Additional 2'	255	285	305	330	345	410	420	430	445	495	525

PENT EARL

OUR LATEST LUXURY GARAGE (PENT ROOF)

- Agate Grey Vertical design Up and Over door with 4 point locking
- Interlocking Concrete Panels with multispar finish
- True Brick Front Posts in Stone Grey (Other colours available)
- Agate Grey PVCu Fascias
- Box Profile Steel Roof Sheets with felt underlay (full length up to 20' long)
- Heavy Duty Agate Grey 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu double glazed Window in Agate Grey
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Galvanised 'C' Section steel trusses (up to 18' wide)
- Internal Cement Fillet



PENT EARL (Rearward Sloping Roof)


Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)				
Length ▶	14'1" (4.29m)	6065	6595	7200	8180	9350	9990	11145	11940	n/a	n/a
	16'1" (4.90m)	6435	6925	7540	8470	9745	10330	11635	12390	n/a	n/a
	18'1" (5.51m)	6765	7245	7870	8780	10100	10725	12015	12800	n/a	n/a
	20'1" (6.12m)	7125	7605	8180	9120	10440	11045	12425	13180	n/a	n/a
	22'1" (6.73m)	7455	7850	8580	9490	10695	11455	12910	13480	n/a	n/a
	24'1" (7.34m)	7805	8170	8920	9745	11045	11905	13300	13935	n/a	n/a
	26'1" (7.95m)	8180	8600	9350	10210	11535	12590	13980	14720	n/a	n/a
	Additional 2'	210	235	245	260	300	340	355	385	n/a	n/a

*Maximum Length of 30'1" (9.17m)

DUCHESS/DUKE EARL

REARWARD SLOPING GARAGE WITH TILE EFFECT ROOF

- Agate Grey Vertical design Up and Over door with 4 point locking
- Interlocking Concrete Panels with multispar finish
- True Brick Front Posts in Stone Grey (Other colours available)
- Agate Grey PVCu Fascias
- Forward sloping Metrotile Roof and Rearward sloping Box Profile Steel Roof with felt underlay (full length roof sheet up to 20' long)*
- Heavy Duty Agate Grey 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu double glazed Window in Agate Grey
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



DUCHESS EARL (For Duke just add 5%)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)				
Length ▶	14'1" (4.29m)	7355	7980	8545	9570	12005	12390	13530	14610	n/a	n/a
	16'1" (4.90m)	7675	8445	8890	9900	12435	12890	13970	14925	n/a	n/a
	18'1" (5.51m)	8025	8810	9160	10255	12660	13340	14420	15700	n/a	n/a
	20'1" (6.12m)	8435	9230	9560	10705	13180	13815	15060	16525	n/a	n/a
	22'1" (6.73m)	8890	9725	10090	11265	13760	14420	15715	17210	n/a	n/a
	24'1" (7.34m)	9340	10210	10615	11830	14355	15035	16385	17890	n/a	n/a
	26'1" (7.95m)	9790	10705	11145	12390	14950	15645	17035	18580	n/a	n/a
	Additional 2'	300	315	345	375	395	450	485	495	n/a	n/a

*Maximum Length of 30'1" (9.17m)

MONARCH EARL

HIGHER PITCHED ROOF WITH TILE EFFECT ROOF SHEETS

- Agate Grey Vertical design Up and Over door with 4 point locking
- Interlocking Concrete Panels with multispar finish
- True Brick Front Posts in Stone Grey (Other colours available)
- Agate Grey PVCu Fascias
- Higher 17.5° Roof Pitch on single garages, 15° Roof Pitch on doubles
- Tile Effect, Plastisol Coated Roof Sheets with Felt Underlay (Choice of Colours)
- Heavy Duty Agate Grey 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu double glazed Window in Agate Grey
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



MONARCH EARL (Higher Pitched Roof)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)
Length ▶	14'1" (4.29m)	8810	9415	9835	11065	13560	14610	16495	17860	20265	22460
	16'1" (4.90m)	9405	10090	10475	11895	14365	15385	17145	18755	20990	23220
	18'1" (5.51m)	9910	10650	11145	12515	14730	16045	17860	19545	21920	24285
	20'1" (6.12m)	10385	11305	11855	13000	15715	16870	18800	20085	23120	25050
	22'1" (6.73m)	11215	11865	12480	13640	16360	17700	19715	20990	23945	26530
	24'1" (7.34m)	11895	12280	13330	14310	16960	18520	20540	21740	24595	27265
	26'1" (7.95m)	12560	13180	14010	15005	17710	19335	21255	22480	25235	28015
	Additional 2'	310	340	360	395	420	505	510	520	535	595

SHEDS / WORKSHOPS EARL

- Agate Grey PVCu Fascias
- Interlocking Concrete Panels with multispar finish
- Coloured Cement Fibre Roof Sheets with close fitting ridge tile (Apex)
- Box Profile Steel Roof Sheets with felt underlay (Pent)
- Heavy Duty Agate Grey 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu double glazed Window in Agate Grey
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



Type ▶	PENT EARL CONCRETE SHEDS & WORKSHOPS							APEX EARL CONCRETE SHEDS & WORKSHOPS						
Width ▶	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)
Length ▶	4'1" (1.24m)	4490	4660	4740	4830	5140	5470	6605	4650	4820	4980	5690	6065	6295
	6'1" (1.85m)	4560	4740	4830	5140	5415	5800	6975	4910	5070	5240	5995	6315	6745
	8'1" (2.46m)	4660	4920	4960	5460	5835	6020	7420	5160	5325	5490	6315	6615	7200
	10'1" (3.07m)	4740	4980	5140	5765	6145	6525	7870	5435	5580	5645	6565	6935	7650
	12'1" (3.68m)	4895	5080	5460	5965	6545	7005	8310	5580	5735	5900	6865	7235	8090
	14'1" (4.29m)	5050	5305	5765	6240	6935	7510	8740	5835	5985	6155	7185	7540	8545
	16'1" (4.90m)	5205	5390	5965	6605	7335	8200	9195	6130	6315	6365	7465	8125	9020
	Additional 2'	175	185	195	205	215	255	300	185	195	205	245	270	290



PENT SHED

APEX SHED

APEX WOODTHORPE

STYLISH GREAT LOOKING GARAGE (APEX ROOF)

- Hormann Woodgrain Vertical design Up and Over door with 4 point locking**
- Interlocking Concrete Panels with multispar finish
- Rustic Brown 'True' Brick Front Posts (Other colours available)
- Woodgrain PVCu Fascias
- Coloured Cement Fibre Roof Sheets with close fitting ridge tile
- 3' (915mm) wide PVC double Glazed Personnel door, Half Glazed, Fully Glazed or Fully Panelled
- 4' (1.22m) wide PVCu Double Glazed Window in Woodgrain
- Brown PVCu Guttering
- Foam Filler to eaves
- Internal Cement Fillet

AVAILABLE IN:
 GOLDEN OAK
 ROSEWOOD



Pictured in Rosewood

** Woodgrain Up and Over doors only available up to 8' (2.44m) wide

APEX WOODTHORPE (Pitched Roof)



Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3"*** (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3"*** (7.39m)	26'3"*** (8.00m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)				2 x 7' (2.13m)	2 x 8' Doors (2.44m)					
Length ▶	14'1" (4.29m)	6715	7455	7750	8730	10210	11195	12450	13090	14355	14850	16650
	16'1" (4.90m)	6975	7750	8080	9070	10705	11645	12940	13590	14885	15195	17240
	18'1" (5.51m)	7300	8040	8370	9415	10935	12185	13450	14090	15435	15835	17850
	20'1" (6.12m)	7565	8310	8710	9790	11535	12625	13960	14575	15910	16305	18400
	22'1" (6.73m)	7970	8680	9070	10110	11930	13350	14420	15050	16460	17190	18985
	24'1" (7.34m)	8350	8960	9380	10395	12280	13680	14905	15535	16880	17640	19570
	26'1" (7.95m)	8820	9450	9855	10895	12830	14235	15465	16105	17460	18260	20165
	Additional 2'	245	270	295	315	330	395	405	415	425	465	505

**Brick Fronts will be Cladded for this size Building

PENT WOODTHORPE

STYLISH GREAT LOOKING GARAGE (PENT ROOF)

- Hormann Woodgrain Vertical design Up and Over door with 4 point locking**
- Interlocking Concrete Panels with multispar finish
- Rustic Brown 'True' Brick Front Posts (Other colours available)
- Woodgrain PVCu Fascias
- Box Profile Steel Roof Sheets with felt underlay (full length up to 20' long)
- 3' (915mm) wide PVC double Glazed Personnel door, Half Glazed, Fully Glazed or Fully Panelled
- 4' (1.22m) wide PVCu Double Glazed Window in Woodgrain
- Brown PVCu Guttering
- Foam filler to eaves
- Galvanised 'C' section steel trusses (upto 18' wide)
- Internal Cement Fillet

AVAILABLE IN:
 GOLDEN OAK
 ROSEWOOD



Pictured in Golden Oak

** Woodgrain Up and Over doors only available up to 8' (2.44m) wide

PENT WOODTHORPE (Rearward Sloping Roof)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3"*** (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)				2 x 7' (2.13m)	2 x 8' Doors (2.44m)				
Length ▶	14'1" (4.29m)	5775	6275	6855	7795	8910	9515	10615	11365	n/a	n/a
	16'1" (4.90m)	6130	6595	7185	8060	9270	9845	11065	11795	n/a	n/a
	18'1" (5.51m)	6435	6905	7495	8360	9615	10210	11445	12185	n/a	n/a
	20'1" (6.12m)	6785	7245	7795	8690	9945	10530	11830	12550	n/a	n/a
	22'1" (6.73m)	7100	7485	8170	9040	10185	10915	12295	12845	n/a	n/a
	24'1" (7.34m)	7445	7775	8490	9270	10530	11345	12660	13270	n/a	n/a
	26'1" (7.95m)	7795	8190	8910	9725	10985	11995	13320	14010	n/a	n/a
	Additional 2'	210	235	245	255	305	340	355	390	n/a	n/a

*Maximum Length of 30'1" (9.17m)

DUCHESS/DUKE WOODTHORPE

REARWARD SLOPING GARAGE WITH TILE EFFECT ROOF

- Hormann Woodgrain Vertical design Up and Over door with 4 point locking**
- Interlocking Concrete Panels with multispar finish
- Rustic Brown 'True' Brick Front Posts (Other colours available)
- Woodgrain PVCu Fascias
- Forward sloping Metrotile Roof and Rearward sloping Box Profile Steel Roof with felt underlay (full length roof sheet up to 20' long)*
- 3' (915mm) wide PVC double Glazed Personnel door, Half Glazed, Fully Glazed or Fully Panelled
- 4' (1.22m) wide PVCu Double Glazed Window in Woodgrain
- Brown PVCu Guttering
- Foam Filler to eaves
- Internal Cement Fillet

* Duke includes a Slate Effect Roof

AVAILABLE IN:
 GOLDEN OAK
 ROSEWOOD



Pictured in Golden Oak

** Woodgrain Up and Over doors only available up to 8' (2.44m) wide

DUCHESS WOODTHORPE (For Duke just add 5%)



Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3"*** (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)				2 x 7' (2.13m)	2 x 8' Doors (2.44m)				
Length ▶	14'1" (4.29m)	7015	7595	8140	9120	11435	11795	12890	13915	n/a	n/a
	16'1" (4.90m)	7300	8050	8460	9430	11840	12280	13300	14220	n/a	n/a
	18'1" (5.51m)	7640	8390	8730	9770	12050	12710	13730	14950	n/a	n/a
	20'1" (6.12m)	8025	8790	9100	10200	12550	13150	14345	15735	n/a	n/a
	22'1" (6.73m)	8460	9260	9600	10725	13110	13730	14965	16385	n/a	n/a
	24'1" (7.34m)	8900	9725	10110	11265	13670	14320	15605	17045	n/a	n/a
	26'1" (7.95m)	9330	10200	10615	11795	14235	14905	16230	17700	n/a	n/a
	Additional 2'	290	305	330	355	375	430	460	465	n/a	n/a

*Maximum Length of 30'1" (9.17m)

MONARCH WOODTHORPE

HIGHER PITCHED ROOF WITH TILE EFFECT ROOF SHEETS

- Hormann Woodgrain Vertical design Up and Over door with 4 point locking**
- Interlocking Concrete Panels with multispar finish
- Rustic Brown 'True' Brick Front Posts (Other colours available)
- Woodgrain PVCu Fascias
- Higher 17.5° Roof Pitch on single garages, 15° Roof Pitch on doubles
- Tile effect, plastisol coated roof sheets with felt underlay (Choice of Colours)
- 3' (915mm) wide PVC double Glazed Personnel door, Half Glazed, Fully Glazed or Fully Panelled
- 4' (1.22m) wide PVCu Double Glazed Window in Woodgrain
- Brown PVCu Guttering
- Foam Filler to eaves
- Internal Cement Fillet

AVAILABLE IN:
 GOLDEN OAK
 ROSEWOOD



Pictured in Rosewood

** Woodgrain Up and Over doors only available up to 8' (2.44m) wide



MONARCH WOODTHORPE (Higher Pitched Roof)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3"*** (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3"*** (7.39m)	26'3"*** (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)				2 x 7' (2.13m)	2 x 8' Doors (2.44m)				
Length ▶	14'1" (4.29m)	8390	8960	9370	10540	12910	13915	15715	17010	19295	21390
	16'1" (4.90m)	8950	9600	9980	11325	13680	14655	16330	17860	19995	22120
	18'1" (5.51m)	9440	10145	10615	11920	14025	15270	17010	18610	20870	23130
	20'1" (6.12m)	9890	10765	11275	12380	14965	16065	17905	19140	22020	23855
	22'1" (6.73m)	10675	11305	11885	12990	15585	16845	18775	19995	22800	25270
	24'1" (7.34m)	11325	11695	12690	13630	16155	17640	19570	20705	23430	25965
	26'1" (7.95m)	11965	12550	13350	14300	16860	18420	20245	21410	24035	26680
	Additional 2'	300	325	345	375	405	480	485	500	515	565

**Brick Fronts will be Cladded for this size Building

SHEDS / WORKSHOPS WOODTHORPE

- Interlocking Concrete Panels with multispar finish
- Woodgrain PVCu Fascias
- Coloured Cement Fibre Roof Sheets with close fitting ridge tile (Apex)
- Box Profile Steel Roof Sheets with felt underlay (Pent)
- 3' (915mm) wide PVC double Glazed Personnel door, Half Glazed, Fully Glazed or Fully Panelled
- 4' (1.22m) wide PVCu Double Glazed Window in Woodgrain
- Brown PVCu Guttering
- Foam Filler to eaves
- Internal Cement Fillet

AVAILABLE IN:
 GOLDEN OAK
 ROSEWOOD



PENT SHED



APEX SHED

Type ▶	PENT WOODTHORPE CONCRETE SHEDS & WORKSHOPS							APEX WOODTHORPE CONCRETE SHEDS & WORKSHOPS						
Width ▶	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)
Length ▶	4'1" (1.24m)	4280	4440	4510	4600	4895	5215	6295	4430	4590	4750	5415	5775	6385
	6'1" (1.85m)	4360	4510	4600	4895	5150	5525	6645	4675	4830	4995	5710	6010	6425
	8'1" (2.46m)	4440	4675	4730	5190	5555	5735	7065	4920	5070	5225	6010	6295	6855
	10'1" (3.07m)	4510	4750	5555	5490	5855	6215	7495	5170	5315	5370	6240	6605	7285
	12'1" (3.68m)	4660	4840	5190	5690	6240	6675	7915	5315	5460	5610	6535	6880	7705
	14'1" (4.29m)	4810	5050	5490	5945	6605	7155	8325	5555	5700	5855	6845	7185	8140
	16'1" (4.90m)	4960	5140	5680	6295	6975	7805	8750	5845	6010	6055	7115	7740	8590
	Additional 2'	175	185	195	205	215	255	300	185	195	205	245	270	290

APEX **PRESSURE TREATED TIMBER**

- Hormann framed fully retractable Vertical design Up and Over door in White
- Interlocking Concrete Panels with multispar finish
- 'Pressure Treated' timber fascias
- Robust Grey Cement Fibre Roof Sheets with close fitting ridge tile
- 4' (1.22m) wide timber Window (Optional 1 on a single, 2 on a double)
- Foam Filler to eaves
- Unlimited Length
- Wide Range of Optional Extras (See Page 14-15)



TIMBER APEX (Pitched Roof)												
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)		8' Door (2.44m)			2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)
14'1" (4.29m)	4580	4910	5360	5690	6125	8250	9160	10120	11635	13330	15425	
16'1" (4.90m)	4820	5335	5610	6215	6645	8750	9660	10625	12015	13840	15985	
18'1" (5.51m)	5205	5775	5875	6735	7200	9260	10165	11175	12790	14545	16760	
20'1" (6.12m)	5500	6085	6375	7200	7660	9825	10750	11545	13570	14995	17475	
22'1" (6.73m)	5810	6465	6815	7540	8010	10310	11290	12170	14180	16165	18400	
24'1" (7.34m)	6120	6805	7310	7905	8410	10860	11820	12645	14420	16450	19050	
26'1" (7.95m)	6425	7225	7795	8290	8825	11355	12305	13130	14940	16960	20095	
Additional 2'	220	245	250	295	315	340	360	405	410	415	425	

PENT **PRESSURE TREATED TIMBER**

- Hormann framed fully retractable Vertical design Up and Over door in White
- Interlocking Concrete Panels with multispar finish
- 'Pressure Treated' timber fascias
- Box Profile Steel Roof Sheets with felt underlay (full length up to 20' long)
- Galvanised 'C' Section steel trusses (up to 18' wide)
- 4' (1.22m) wide timber Window (Optional 1 on a single, 2 on a double)
- Foam Filler to eaves
- Maximum Length of 30' (9.15m)
- Wide Range of Optional Extras (See Page 14-15)




TIMBER PENT (Rearward Sloping Roof)											
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)		8' Door (2.44m)			2 x 7' (2.13m)		2 x 8' Doors (2.44m)			
14'1" (4.29m)	3860	4610	4860	5580	5765	7210	7995	8740	n/a	n/a	n/a
16'1" (4.90m)	4290	4930	5205	5955	6315	7575	8400	9120	n/a	n/a	n/a
18'1" (5.51m)	4610	5190	5500	6255	6895	7930	8790	9770	n/a	n/a	n/a
20'1" (6.12m)	4970	5580	5775	6625	7375	8335	9280	9965	n/a	n/a	n/a
22'1" (6.73m)	5350	5845	6195	6945	7750	8740	9725	10145	n/a	n/a	n/a
24'1" (7.34m)	5655	6065	6465	7310	8170	9250	10110	10530	n/a	n/a	n/a
26'1" (7.95m)	5875	6295	6715	7585	8610	9615	10495	10935	n/a	n/a	n/a
Additional 2'*	195	215	220	230	285	315	330	330	n/a	n/a	n/a

*Maximum Length of 30'1" (9.17m)

SHEDS / WORKSHOPS

- 'Pressure Treated' timber fascias
- Interlocking Concrete Panels with multispar finish
- Robust Grey Cement Fibre Roof Sheets with close fitting ridge tile (Apex)
- Box Profile Steel Roof Sheets with felt underlay (Pent)
- Heavy Duty White 3' (915mm) wide 3 Point Locking Steel Personnel Door
- 4' (1.22m) wide timber Window (Optional)
- Foam Filler to eaves
- Wide Range of Optional Extras (See Page 14-15)



Type ▶	PENT CONCRETE SHEDS & WORKSHOPS							APEX CONCRETE SHEDS & WORKSHOPS						
Width ▶	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)
4'1" (1.24m)	3165	3320	3475	3440	3740	4035	4950	3195	3340	3505	4025	4360	4630	4800
6'1" (1.85m)	3505	3395	3550	3740	3970	4330	5290	3430	3570	3730	4300	4650	5050	5250
8'1" (2.46m)	3605	3650	3750	4010	4370	4640	5735	3660	3805	3960	4590	4930	5460	5690
10'1" (3.07m)	3670	3730	3805	4310	4750	5130	6155	3890	4035	4190	4860	5215	5875	6145
12'1" (3.68m)	3770	3805	3870	4600	5140	5625	6565	4120	4270	4420	5160	5490	6285	6595
14'1" (4.29m)	3850	3880	3915	4860	5580	6120	6990	4360	4510	4650	5445	5775	6705	7035
16'1" (4.90m)	4050	3960	4290	5205	5955	6785	7420	4630	4800	4895	5710	6315	7145	7520
Additional 2'	125	135	145	180	190	235	270	150	170	180	210	245	270	300

THE FORTRESS **HIGH SECURITY GARAGE**

- Highly secure manual Single Skin Roller Shutter Door in White
- Interlocking Concrete Panels with multispar finish
- Maintenance Free white UPVC Fascias
- Box Profile Steel Roof Sheets with felt underlay (full length up to 20' long)
- Foam Filler to eaves
- Maximum Length of 30' (9.15m)
- Internal Cement Fillet
- Guttering and downpipes
- Wide Range of Optional Extras (See Page 14-15)



THE FORTRESS (Rearward Sloping Roof)												
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)		8' Door (2.44m)			2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)
14'1" (4.29m)	4380	5155	5415	6160	6360	8120	8930	9705	n/a	n/a	n/a	
16'1" (4.90m)	4825	5485	5770	6540	6925	8500	9355	10085	n/a	n/a	n/a	
18'1" (5.51m)	5155	5755	6075	6855	7520	8860	9750	10775	n/a	n/a	n/a	
20'1" (6.12m)	5525	6155	6365	7245	8020	9285	10270	10975	n/a	n/a	n/a	
22'1" (6.73m)	5915	6430	6800	7475	8405	9705	10720	11155	n/a	n/a	n/a	
24'1" (7.34m)	6235	6655	7065	7950	8830	10240	11125	11555	n/a	n/a	n/a	
26'1" (7.95m)	6470	6900	7335	8235	9300	10610	11525	11980	n/a	n/a	n/a	
Additional 2'	205	225	230	240	295	325	340	340	n/a	n/a	n/a	

BRICK CLADDING (£80 PER FOOT)



RUSTIC RED BRICK CLADDING



SAND BRICK CLADDING

STANDARD PLANK CLADDING (£80 PER FOOT)



ANTHRACITE PLANK CLADDING



WHITE PLANK CLADDING

STONE CLADDING (£80 PER FOOT)



IMPORTANT SIZE INFORMATION

- When you add cladding to any elevation on your building it will add 2" (50mm) to the external size.
- For instance, if you have a 16'1" x 8'3" building, and you clad the front and one side, the external size will become 16'3" x 8'5".
- It's important to then ensure the concrete base is laid allowing for the extra size.



SLATE GREY STONE CLADDING

QUATTRO PLANK CLADDING (£90 PER FOOT)



Quattro Plank Clad Vertically (Extra £10 per /ft)

SHADOW PLANK CLADDING (£90 PER FOOT)



Shadow Plank Clad Vertically (Extra £10 per /ft)

PREMIUM TIMBER EFFECT CLADDING (£90 PER FOOT)



SHEFFIELD OAK PREMIUM TIMBER EFFECT CLADDING


HOW TO PRICE THE BUILDING

- Step 1 - Decide which sides are to be cladded
- Step 2 - Use Guide below to calculate the cost

How to Calculate the Cost of the Cladding of your buildings

Example (4 sided Garage Cladding): Length1 + Length2 + Width1 + F1 (Front - use 1) x £80
 For a 16'1" long x 8'3" wide garage with a 7' up & over door (round to the nearest ft)
 = 16 + 16 + 8 + 1 = 41 x £80 = £3,280

* Please note: Hanson's require a 1m area to work around the building in order to clad



Latest Offers

Visit our Hanson Garages website to see our latest offers on our range of garages, sheds, workshops and garden rooms.



Scan QR Code



ROOF UPGRADE OPTIONS



£1.99 per square ft.
Apex Only
Cement Fibre Roof Sheets
in Spanish Red, Mocca Brown, Green or Blue/Black



£1.99 per square ft.
Apex Only
Coloured Box Profile Upgrade
Plastisol Coated with Felt Underlay



£8.00 per square ft.
Apex Only
Insulated Box Steel Roof Sheets
Box Profile, 40mm Thick Composite Sheets



£92 Each
Apex Only
Translucent Roof Sheets
Only available on Cement Fibre Roofs



£7.45 per square ft.
Apex Only
Tile Effect Steel Roof Sheets
Plastisol Coated with anti-condensation Felt Underlay in Anthracite, Terracotta, Black, Van Dyke Brown



£10.35 per square ft.
Apex Only
Insulated Tile Steel Roof Sheets
Plastisol Coated Steel Sheets with Felt Underlay and 25mm Insulation Board in Anthracite, Terracotta, Black, Van Dyke Brown



£11.90 per square ft.
Apex Only
Metro Tile Roof
in Titanium, Bramble, Rustic Brown, Terracotta, Tartan Green



£15.60 per square ft.
Apex Only
Tapco Slate Roof
in Pewter Grey, Chesnut Brown, Moss Green, Stone Black, Brick Red, Wheat, Sand, Plum

BRICK FRONTS



Red Wirecut



Golden Russett



Rustic Brown



Cedar Buff



Graphite Rustic



Stone Grey

REAL BRICK FRONT POSTS - Your choice of 6 different bricks

7' Door (2.13m)		8' Door (2.44m)		10' (3.05m)	2 x 7' Doors (2.13m)		2 x 8' Doors (2.44m)		2x9' (2.74m)		
8'3" (2.51m)	9'3" (2.83m)	9'3" (2.83m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)
275	330	275	330	490	490	430	660	440	660	755	755

WINDOWS

Timber	Fixed	Opening
EXTRA 4' (1.22m) TIMBER WINDOW	100	N/A
PVCu	White	Coloured
2' (610mm) FIXED	185	255
2' (610mm) OPENING	235	315
4' (1.22m) FIXED	225	305
4' (1.22m) OPENING	290	370
2' (610mm) FULL HEIGHT	280	305
2' (610mm) FULL HEIGHT OPENING	310	350


£40 extra for frosted glass




4'0" Timber Window (Fixed)



2'0" PVCu Window (Fixed or Opening)



4'0" PVCu Window (Fixed or Opening)



2'0" PVCu Full Height Window (Fixed)

EXTRA HEIGHT

EXTRA HEIGHT	
7'2" (2.18m) TO EAVES (7' HIGH DOOR)	15% of Garage Price
7'6" (2.28m) TO EAVES (7'6" HIGH DOOR)	25% of Garage Price
8' (2.44m) TO EAVES (7' HIGH DOOR)	30% of Garage Price
8' (2.44m) TO EAVES (7'6" HIGH DOOR)*	35% of Garage Price
9' (2.74m) TO EAVES AND OVER	POA

*8' To Eaves Door Maximum Door Height is 7'6"



FASCIAS

PVCU FASCIAS & VERGEBOARDS

Available as an upgrade to Pent and Apex Garages, Sheds and Workshops

Size	White	Coloured*
FASCIAS 8'-9' (2.43m-2.74m) WIDE	435	580
FASCIAS 10'-14' (3.00m-4.27m) WIDE	505	680
FASCIAS 16'-24' (4.88m-7.31m) WIDE	695	845

*Anthracite, Agate Grey, Golden Oak, Rosewood



White (Apex)



White (Pent)




Anthracite (Apex or Pent)



Agate Grey (Apex or Pent)



Golden Oak (Apex or Pent)



Rosewood (Apex or Pent)


PERSONNEL DOOR

PERSONNEL DOOR				
STEEL / PVCu DOORS (4pt LOCKING AS STANDARD ON STEEL DOORS)	White	Black	Anthracite/Woodgrain	Coloured*
3' (915mm) STEEL DOOR	495	595	-	595
4' (1.22m) STEEL DOOR	780	880	-	880
3' (915mm) HALF/FULL GLAZED PVCu	850	-	1020	-
4' (1.22m) PVCu FRENCH DOORS	1275	-	1510	-

*Anthracite, Goosewing Grey, Olive Green, Juniper Green



Vertical Steel



Verical Steel (Black / Coloured)



Half / Full Glazed PVCu



French Doors PVCu

MAIN DOOR OPTIONS



Door Size ▶	MAIN DOOR OPTIONS								
	Vertical (Up and Over)	Horizontal (Up and Over)	Georgian (Up and Over)	Elegance (Up and Over)	Finesse (Up and Over)	Steel Side Hung	Roller ⁽¹⁾ (Single Skin)	Roller ⁽¹⁾ (Insulated Electric Operated with Box)	Sectional ⁽²⁾ (Insulated 40mm Non Electric)
6' (1.83m) x 6'6" (1.98m)	605	N/A	N/A	N/A	N/A	1140	315	1300	N/A
7' (2.13m) x 6'6" (1.98m)	As standard	75	255	255	255	1195	355	1395	1235
8' (2.44m) x 6'6" (1.98m)	As standard	125	395	395	395	1255	455	1460	1305
9' (2.74m) x 6'6" (1.98m)	195	275	425	N/A	N/A	N/A	550	1530	1390
10' (3.05m) x 6'6" (1.98m)	1005	N/A	1285	N/A	N/A	N/A	720	1830	1535
12' (3.65m) x 6'6" (1.98m)	1520	N/A	1680	N/A	N/A	N/A	900	2050	1820
14' (4.26m) x 6'6" (1.98m)	1660	1380	2330	N/A	N/A	N/A	1000	2090	2000

*Electric Operator is an additional £550

UPGRADE:

VERTICAL / HORIZONTAL / SECTIONAL / GEORGIAN / FINESSE / ELEGANCE

White Provided as Standard
Coloured / Woodgrain Doors 7' - 14' ADD £350

ROLLER / SIDE HUNG DOORS

White Provided as Standard
Coloured / Woodgrain Doors 7', 8' ADD £215 (See Colours Below)
Coloured / Woodgrain Doors 9', 10', 12', 14' ADD £325 (See Colours Below)

DOOR COLOURS AVAILABLE

Terra Brown Steel Blue Signal Blue Moss Green Ruby Red
Jet Black Anthracite Golden Oak Rosewood

(Allow extended delivery time on coloured doors)

ROLLER / SECTIONAL DOORS

(1) Roller Doors - requires the eaves height of an Apex or Monarch garage to be increased by 13" (0.33m) for insulated, 17" (0.43m) for single skin to accommodate the door. Add 15% to the basic garage price plus the cost of the door. Does not apply to the Pent range.
(2) Sectional Doors - Requires the eaves height of an Apex or Monarch garage to be increased by 10" (0.25m) to accommodate the door. Add 15% to the basic price of the garage plus the cost of the door. Does not apply to the Pent range.

UP AND OVER DOOR EXTRAS



£760
Electric Operator & Delatching Kit with 2 Remotes
(Customer must provide electric)



£115
Manual Release
(For electronic main doors where building has no other access)



£545
Throughway Garage




£105
4 Point Locking (7'-9' Wide Doors Only)

Hanson Garage Spares
Visit our Hanson Garages spares website for other building options available online




Scan QR Code


EXTRAS / NON STANDARD CHARGES



£9 ft. run
Guttering
in White, Black and Brown




£120 Single / £155 Double
Cement Fillet



£35 ft. run
Dividing Walls



2ft / 4ft / 6ft £115 / £132 / £154
Shelving Stacks



£24 for 12
Lining Clips (Supply Only)



Garage Price + 15%
Lean-To / Tapered



£192
Non Standard Delivery Charge*
(*Subject to Survey)



£100
Hardwood Timber Weatherbar (Supply Only)

PENT	APEX										
<ul style="list-style-type: none"> • Interlocking Concrete Panels with multispar finish • Maintenance Free PVCu Fascias* • Box Profile Steel Roof Sheets with felt underlay • 4' (1.22m) wide PVCu fully glazed French doors* • 2'0" (0.61m) wide Full height PVC windows x 2* • PVCu Guttering • Foam Filler to eaves • Internal Cement Fillet • Wide range of Cladding Options (See Page 14-15) • Wide range of Optional Extras (See Page 14-15) • Can be customised to individual requirements <p><small>*See colour options below</small></p>	<ul style="list-style-type: none"> • Interlocking Concrete Panels with multispar finish • Maintenance Free PVCu Fascias* • Coloured Cement Fibre Roof Sheets with close fitting ridge tile • 4' (1.22m) wide PVCu fully glazed French doors* • 2'0" (0.61m) wide Full height PVC windows x 2* • PVCu Guttering • Foam Filler to eaves • Internal Cement Fillet • Wide range of Cladding Options (See Page 14-15) • Wide range of Optional Extras (See Page 14-15) • Can be customised to individual requirements <p><small>*See colour options below</small></p>										
<p>Colour Options Fascias, French Doors, and Windows</p> <table border="0"> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>White <small>(Standard)</small></td> <td>Anthracite <small>(Extra £390)</small></td> <td>Agate Grey <small>(Extra £390)</small></td> <td>Golden Oak <small>(Extra £390)</small></td> <td>Rosewood <small>(Extra £390)</small></td> </tr> </table>							White <small>(Standard)</small>	Anthracite <small>(Extra £390)</small>	Agate Grey <small>(Extra £390)</small>	Golden Oak <small>(Extra £390)</small>	Rosewood <small>(Extra £390)</small>
White <small>(Standard)</small>	Anthracite <small>(Extra £390)</small>	Agate Grey <small>(Extra £390)</small>	Golden Oak <small>(Extra £390)</small>	Rosewood <small>(Extra £390)</small>							

Type ▶	PENT CONCRETE GARDEN ROOM							APEX CONCRETE GARDEN ROOM						
Width ▶	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)
4'1" (1.24m)	5100	5245	5395	5475	5750	6040	6965	5310	5455	5620	6320	6650	6920	7045
6'1" (1.85m)	5165	5320	5475	5750	5970	6310	7300	5540	5685	5830	6600	6940	7340	7485
8'1" (2.46m)	5245	5395	5540	6015	6345	6610	7705	5770	5915	6060	6890	7205	7735	7930
10'1" (3.07m)	5320	5475	5620	6300	6720	7070	8115	5990	6135	6280	7150	7490	8155	8370
12'1" (3.68m)	5395	5540	5695	6570	7080	7550	8735	6225	6370	6510	7440	7770	8550	8820
14'1" (4.29m)	5475	5620	5760	6820	7500	8020	8910	6460	6600	6740	7725	8055	8955	9260
16'1" (4.90m)	5705	5860	6170	7150	7855	8650	9320	6720	6890	6985	7975	8575	9385	9725
Additional 2'	175	185	195	205	215	255	300	185	195	205	245	270	290	345

THE NEWBURY
<ul style="list-style-type: none"> • 355mm roof canopy • Extra Height 2.13m eaves (stays under 2.5m Height) • 40mm composite panel insulation in the roof • Timber effect plank cladding to the front elevation (side elevations can be clad at extra cost) • Anthracite fascias, doors and windows • Anthracite French doors and 2 full height windows as standard • Internal Cement Fillet • Lining clips to aid internal fitting out • Guttering to the rear

Type ▶	THE NEWBURY			
Width ▶	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)
5'11" (1.81m)	9465	10290	10530	10830
7'11" (2.41m)	9885	10485	10600	11025
9'11" (3.02m)	10010	10620	10975	11265
11'11" (3.63m)	10145	10750	11130	11515
13'11" (4.24m)	10390	10995	11160	11650
15'11" (4.85m)	10520	11005	11290	11685
Additional 2'	265	265	265	265

Find the Perfect Pent or Apex Garden Room for me; 5 easy steps:

1. Select the roof required, Pent or Apex
2. Measure up and agree size- Length (depth) and Width (frontage)
3. Choose your Door and Window options
4. Decide on the colours of Doors, Windows and Fascias
5. Confirm wall finish. Spa chippings as standard but you can upgrade to Brick, Plank or Stone effect cladding on one or more elevations

Cladding Options

Brick Cladding (£80 per foot)




Stone Cladding (£80 per foot)



Plank Cladding (£80 per foot)




Quattro Cladding (£90 per foot)



Shadow Cladding (£90 per foot)



Premium Timber Effect Cladding (£90 per foot)



Inspiration for your Garden Room



16 *If you add cladding to a side elevation the building will increase by 2" (50mm) per side.

APEX STEEL GARAGE

NEW TO THE MARKET

- White PVCu Fascias
- 40mm insulated walls
- 40mm insulated composite panel plastisol coated steel roof sheets
- Standard eaves height 6'8" (2.03m)
- Brick or plank effect finish externally (Options below)
- Various Door Styles available (See options)
- Secure White 3' (915mm) wide Multi Pont Point Locking Steel Personnel Door
- White 4'0" (1.22m) wide fixed PVCu window
- Guttering and downpipes
- Other options available see brochure for full list



INSULATED APEX STEEL GARAGE (Pitched Roof)												
Width ▶	8'5" (2.56m)	9'5" (2.87m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)	16'5" (5.00m)	18'5" (5.61m)	20'5" (6.22m)	22'5" (6.83m)	24'5" (7.44m)	26'5" (8.05m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)	
Length ▶	13'11" (4.24m)	10700	11445	11950	13460	16485	17350	19590	21195	24045	24955	28785
	15'11" (4.85m)	11445	12270	12730	14450	17490	18265	20350	22260	24940	25640	29560
	17'11" (5.46m)	12070	12935	13540	15215	17895	19050	21215	23200	26015	26725	30755
	19'11" (6.07m)	12635	13720	14405	15820	19085	20020	22315	23870	27460	28160	32345
	21'11" (6.68m)	13625	14405	15145	16580	19870	21020	23400	24940	28415	29695	32900
	23'11" (7.29m)	14450	14925	16195	17385	20610	21980	24400	25800	29200	30575	34030
	25'11" (7.90m)	15255	15995	17030	18240	21520	22970	25225	26690	29970	31395	34795
Additional 2'	370	420	475	525	580	630	685	735	790	840	895	

PENT STEEL GARAGE

NEW TO THE MARKET

- White PVCu Fascias
- 40mm insulated walls
- 40mm insulated composite panel plastisol coated steel roof sheets
- Standard eaves height 6'8" (2.03m)
- Brick or plank effect finish externally (Options below)
- Various Door Styles available (See options)
- Secure White 3' (915mm) wide Multi Pont Point Locking Steel Personnel Door
- White 4'0" (1.22m) wide fixed PVCu window
- Guttering and downpipes
- Other options available see brochure for full list



INSULATED PENT STEEL GARAGE (Rearward Sloping Roof)												
Width ▶	8'5" (2.56m)	9'5" (2.87m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)	16'5" (5.00m)	18'5" (5.61m)	20'5" (5.92m)	22'5" (6.83m)	24'5" (7.44m)	26'5" (8.05m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)	
Length ▶	13'11" (4.24m)	9615	10415	11410	12935	14790	15450	17225	18460	n/a	n/a	n/a
	15'11" (4.85m)	10180	10955	11925	13405	15420	15980	17965	19145	n/a	n/a	n/a
	17'11" (5.46m)	10715	11465	12460	13885	15975	16550	18570	19755	n/a	n/a	n/a
	19'11" (6.07m)	11280	12035	12935	14430	16520	17085	19195	20350	n/a	n/a	n/a
	21'11" (6.68m)	11760	12430	13555	15035	16925	17700	19950	20860	n/a	n/a	n/a
	23'11" (7.29m)	12350	12915	14100	15420	17490	18380	20575	21555	n/a	n/a	n/a
	25'11" (7.90m)	12935	13625	14815	16135	18260	19445	21630	22735	n/a	n/a	n/a
Additional 2'	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

*Maximum Length of 30'1" (9.17m)

INSULATED GARDEN ROOMS

NEW TO THE MARKET

- White PVCu Fascias
- 40mm insulated walls
- 40mm insulated composite panel plastisol coated steel roof sheets
- Standard eaves height 6'8" (2.03m)
- Brick or plank effect finish externally (Options below)
- White 4'0" (1.22m) wide fully glazed French Doors
- Two White 2'0" (0.60m) wide full height PVCu Windows
- Guttering and downpipes
- Other options available see brochure for full list



Type ▶	INSULATED PENT STEEL GARDEN ROOM							INSULATED APEX STEEL GARDEN ROOM							
	Width ▶	4'5" (1.34m)	6'5" (1.95m)	8'5" (2.56m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)	16'5" (5.00m)	4'5" (1.34m)	6'5" (1.95m)	8'5" (2.56m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)	16'5" (5.00m)
Length ▶	3'11" (1.27m)	9655	9810	9980	10065	10360	10670	11645	9880	10040	10215	10975	11330	11615	11725
	5'11" (1.80m)	9730	9890	10065	10360	10595	10960	11990	10135	10290	10440	11270	11640	12065	12480
	7'11" (2.41m)	9810	9980	10135	10640	11000	11280	12420	10380	10535	10690	11580	11920	12490	12950
	9'11" (3.02m)	9890	10065	10215	10950	11405	11780	12850	10615	10775	10925	11865	12235	12940	13425
	11'11" (3.71m)	9980	10135	10300	11235	11790	12290	13250	10870	11020	11175	12175	12530	13370	13915
	13'11" (4.24m)	10065	10215	10370	11510	12245	12800	13680	11120	11270	11425	12480	12835	13800	14385
	15'11" (4.85m)	10310	10475	10810	11865	12620	13475	14110	11405	11580	11680	12745	13395	14270	14885
Additional 2'	150	200	250	300	350	400	450	150	200	250	300	350	400	450	

Cladding Options


Brick Cladding (£80 per foot)



Plank Cladding (£80 per foot)




Quattro Cladding (£90 per foot)



Shadow Cladding (£90 per foot)



Premium Timber Effect Cladding (£90 per foot)



Optional Extras

Steel Garages

- Insulated roller door electrically operated * 1065
- Insulated sectional door * 900
- Upgrade personnel door to PVC door (White) 355
- Upgrade personnel door to PVC door (Coloured) 525
- Upgrade personnel door to French Doors (White) 780
- Upgrade personnel door to French doors (coloured) 1015
- Insulated tile effect roof sheets (Anthracite/Terracotta) £5 per square ft
- Electric operator for up and over / sectional door 760
- Extra height 7'2" (2.20m) eaves +10%
- Extra Height 7'7" (2.32m) eaves +15%

Steel Garden Rooms


- Insulated tile effect roof sheets (Anthracite/Terracotta) £5 per square ft
- Extra height 7'2" (2.20m) eaves +10%
- Extra Height 7'7" (2.32m) eaves +15%
- Other door and window options – as per the options on pages 14-15.

*If upgrading to a roller or sectional door you must increase the eaves height to 7'7" (2.31m) to accommodate the door mechanisms - applies to Apex roof only. The roller and sectional door will fit into a Pent garage standard height.

Superior Quality Steel Framework



The unique design offers a cold rolled 75mm thick steel framed garage, finished externally in a brick or plank finish, and internally in a smooth white steel sheet. The walls and roof will be supplied in a 40mm insulation to ensure that the building will be fit for purpose.



All of our steel frames have three holes pre-formed to allow easy fitting of cables and any other services required

INSULATED APEX STEEL GARAGE

NEW TO THE MARKET

- Anthracite PVCu Fascias
- 40mm insulated walls
- 40mm insulated composite panel plastisol coated steel roof sheets
- Standard eaves height 6'8" (2.03m)
- Brick or plank effect finish externally (Options below)
- Black Vertical Up and Over door (Other options available)
- Secure Black 3' (915mm) wide Multi Pont Point Locking Steel Personnel Door
- Anthracite 4'0" (1.22m) wide fixed PVC uwindow
- Guttering and downpipes
- Other options available see price list for options (pages 14-15)



INSULATED APEX STEEL GARAGE (Pitched Roof)												
Width ▶	8'5" (2.56m)	9'5" (2.87m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)	16'5" (5.00m)	18'5" (5.61m)	20'5" (6.22m)	22'5" (6.83m)	24'5" (7.44m)	26'5" (8.05m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)	
Length ▶	13'11" (4.24m)	12055	13380	13915	15675	18330	19625	21825	22950	25170	26040	29195
	15'11" (4.85m)	12530	13915	14510	16285	19215	20410	22695	23835	26100	26645	30235
	17'11" (5.46m)	13105	14430	15025	16905	19635	21360	23590	24705	27070	27760	31300
	19'11" (6.07m)	13575	14920	15640	17575	20700	22140	24475	25555	27900	28590	32265
	21'11" (6.68m)	14310	15575	16285	18150	21420	23410	25285	26385	28865	30135	33290
	23'11" (7.29m)	14985	16090	16840	18665	22050	23995	26135	27235	29595	30935	34315
25'11" (7.90m)	15835	16960	17695	19555	23035	24960	27120	28245	30625	32015	35360	
Additional 2'	370	420	475	525	580	630	685	735	790	840	895	

INSULATED PENT STEEL GARAGE

NEW TO THE MARKET

- Anthracite PVCu Fascias
- 40mm insulated walls
- 40mm insulated composite panel plastisol coated steel roof sheets
- Standard eaves height 6'8" (2.03m)
- Brick or plank effect finish externally (Options below)
- Black Vertical Up and Over door (Other options available)
- Secure Black 3' (915mm) wide Multi Pont Point Locking Steel Personnel Door
- Anthracite 4'0" (1.22m) wide fixed PVCu window
- Guttering and downpipes
- Other options available see price list for options (pages 14-15)



INSULATED PENT STEEL GARAGE (Rearward Sloping Roof)												
Width ▶	8'5" (2.56m)	9'5" (2.87m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)	16'5" (5.00m)	18'5" (5.61m)	20'5" (6.22m)	22'5" (6.83m)	24'5" (7.44m)	26'5" (8.05m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)	
Length ▶	13'11" (4.24m)	10375	11260	12310	13990	15995	16685	18615	19935	n/a	n/a	n/a
	15'11" (4.85m)	11005	11835	12910	14470	16645	17265	19410	20685	n/a	n/a	n/a
	17'11" (5.46m)	11560	12390	13460	15000	17255	17895	20065	21360	n/a	n/a	n/a
	19'11" (6.07m)	12175	13005	13990	15600	17850	18460	20745	22005	n/a	n/a	n/a
	21'11" (6.68m)	12745	13440	14670	16235	18285	19140	21555	22525	n/a	n/a	n/a
	23'11" (7.29m)	13360	13950	15240	16645	18900	19890	22190	23275	n/a	n/a	n/a
25'11" (7.90m)	13990	14705	15995	17455	19715	21035	23350	24570	n/a	n/a	n/a	
Additional 2'	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	

*Maximum Length of 30'1" (9.17m)

INSULATED GARDEN ROOMS

NEW TO THE MARKET

- Anthracite PVCu Fascias
- 40mm insulated walls
- 40mm insulated composite panel plastisol coated steel roof sheets
- Standard eaves height 6'8" (2.03m)
- Brick or plank effect finish externally (Options below)
- Anthracite 4'0" (1.22m) wide fully glazed French Doors
- Two Anthracite 2'0" (0.60m) wide full height PVCu Windows
- Black Guttering and downpipes
- Other options available see price list for options (pages 14-15)



PENT



APEX

Type ▶	INSULATED PENT STEEL GARDEN ROOM							INSULATED APEX STEEL GARDEN ROOM							
	Width ▶	4'5" (1.34m)	6'5" (1.95m)	8'5" (2.56m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)	16'5" (5.00m)	4'5" (1.34m)	6'5" (1.95m)	8'5" (2.56m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)	16'5" (5.00m)
Length ▶	3'11" (1.27m)	10075	10250	10320	10415	10735	11080	11955	10240	10405	10585	11295	11680	11920	12050
	5'11" (1.80m)	10160	10320	10415	10735	11010	11415	12325	10500	10670	10840	11615	11940	12385	12835
	7'11" (2.41m)	10250	10500	10560	11055	11445	11640	12770	10765	10925	11090	11940	12245	12845	13330
	9'11" (3.02m)	10320	10585	10735	11375	11765	12160	13220	11035	11190	11245	12185	12575	13310	13835
	11'11" (3.71m)	10485	10680	11055	11590	12185	12645	13660	11190	11345	11510	12500	12870	13760	14325
	13'11" (4.24m)	10640	10905	11375	11865	12575	13165	14090	11445	11605	11765	12835	13200	14220	14835
15'11" (4.85m)	10810	11000	11580	12245	12975	13865	14535	11755	11940	11980	13120	13790	14705	15265	
Additional 2'	150	200	250	300	350	400	450	150	200	250	300	350	400	450	

Cladding Options

Brick Cladding (£80 per foot)



Plank Cladding (£80 per foot)




Quattro Cladding (£90 per foot)



Shadow Cladding (£90 per foot)



Premium Timber Effect Cladding (£90 per foot)



Optional Extras

Steel Garages

Insulated roller door electrically operated *	1065
Insulated sectional door *	900
Upgrade personnel door to PVC door (White)	355
Upgrade personnel door to PVC door (Coloured)	525
Upgrade personnel door to French Doors (White)	780
Upgrade personnel door to French doors (coloured)	1015
Insulated tile effect roof sheets (Anthracite/Terracotta)	£5 per square ft
Electric operator for up and over / sectional door	760
Extra height 7'2" (2.20m) eaves	+10%
Extra Height 7'7" (2.32m) eaves	+15%

Steel Garden Rooms

Insulated tile effect roof sheets (Anthracite/Terracotta)	£5 per square ft
Extra height 7'2" (2.20m) eaves	+10%
Extra Height 7'7" (2.32m) eaves	+15%
Other door and window options – as per the options on pages 14-15.	


*If upgrading to a roller or sectional door you must increase the eaves height to 7'7" (2.31m) to accommodate the door mechanisms - applies to Apex roof only. The roller and sectional door will fit into a Pent garage standard height.

Superior Quality Steel Framework



NEW TO THE MARKET

The unique design offers a cold rolled 75mm thick steel framed garage, finished externally in a brick or plank finish, and internally in a smooth white steel sheet. The walls and roof will be supplied in a 40mm insulation to ensure that the building will be fit for purpose.



NEW TO THE MARKET

All of our steel frames have three holes pre-formed to allow easy fitting of cables and any other services required

INSULATED APEX STEEL GARAGE

NEW TO THE MARKET

- Woodgrain PVCu Fascias
- 40mm insulated walls
- 40mm insulated composite panel plastisol coated steel roof sheets
- Standard eaves height 6'8" (2.03m)
- Brick or plank effect finish externally (Options below)
- Woodgrain Vertical Up and Over door
- Secure Woodgrain 3' (915mm) wide PVCu Multi Pont Point Locking Personnel Door
- Woodgrain 4'0" (1.22m) wide fixed PVCu window
- Guttering and downpipes
- Other options available see price list for options (pages 14-15)

AVAILABLE IN:
GOLDEN OAK ROSEWOOD



INSULATED APEX STEEL GARAGE (Pitched Roof)												
Width ▶	8'5" (2.56m)	9'5" (2.87m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)	16'5" (5.00m)	18'5" (5.61m)	20'5" (6.22m)	22'5" (6.83m)	24'5" (7.44m)	26'5" (8.05m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)				2 x 7' (2.13m)		2 x 8' Doors (2.44m)				
Length ▶	13'11" (4.24m)	12055	13380	13915	15675	18330	19625	21825	22950	25170	26040	29195
	15'11" (4.85m)	12530	13915	14510	16285	19215	20410	22695	23835	26100	26645	30235
	17'11" (5.46m)	13105	14430	15025	16905	19635	21360	23590	24705	27070	27760	31300
	19'11" (6.07m)	13575	14920	15640	17575	20700	22140	24475	25555	27900	28590	32265
	21'11" (6.68m)	14310	15575	16285	18150	21420	23410	25285	26385	28865	30135	33290
	23'11" (7.29m)	14985	16090	16840	18665	22050	23995	26135	27235	29595	30935	34315
	25'11" (7.90m)	15835	16960	17695	19555	23035	24960	27120	28245	30625	32015	35360
Additional 2'	370	420	475	525	580	630	685	735	790	840	895	

INSULATED PENT STEEL GARAGE

NEW TO THE MARKET

- Woodgrain PVCu Fascias
- 40mm insulated walls
- 40mm insulated composite panel plastisol coated steel roof sheets
- Standard eaves height 6'8" (2.03m)
- Brick or plank effect finish externally (Options below)
- Woodgrain Vertical Up and Over door
- Secure Woodgrain 3' (915mm) wide PVCu Multi Pont Point Locking Personnel Door
- Woodgrain 4'0" (1.22m) wide fixed PVCu window
- Guttering and downpipes
- Other options available see price list for options (pages 14-15)

AVAILABLE IN:
GOLDEN OAK ROSEWOOD



INSULATED PENT STEEL GARAGE (Rearward Sloping Roof)												
Width ▶	8'5" (2.56m)	9'5" (2.87m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)	16'5" (5.00m)	18'5" (5.61m)	20'5" (6.22m)	22'5" (6.83m)	24'5" (7.44m)	26'5" (8.05m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)				2 x 7' (2.13m)		2 x 8' Doors (2.44m)				
Length ▶	13'11" (4.24m)	10375	11260	12310	13990	15995	16685	18615	19935	n/a	n/a	n/a
	15'11" (4.85m)	11005	11835	12910	14470	16645	17265	19410	20685	n/a	n/a	n/a
	17'11" (5.46m)	11560	12390	13460	15000	17255	17895	20065	21360	n/a	n/a	n/a
	19'11" (6.07m)	12175	13005	13990	15600	17850	18460	20745	22005	n/a	n/a	n/a
	21'11" (6.68m)	12745	13440	14670	16235	18285	19140	21555	22525	n/a	n/a	n/a
	23'11" (7.29m)	13360	13950	15240	16645	18900	19890	22190	23275	n/a	n/a	n/a
	25'11" (7.90m)	13990	14705	15995	17455	19715	21035	23350	24570	n/a	n/a	n/a
Additional 2'	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

*Maximum Length of 30'1" (9.17m)

INSULATED GARDEN ROOMS

NEW TO THE MARKET

- Woodgrain PVCu Fascias
- 40mm insulated walls
- 40mm insulated composite panel plastisol coated steel roof sheets
- Standard eaves height 6'8" (2.03m)
- Brick or plank effect finish externally (Options below)
- Woodgrain 4'0" (1.22m) wide fully glazed PVCu French Doors
- Two Woodgrain 2'0" (0.60m) wide full height PVCu Windows
- Guttering and downpipes
- Other options available see price list for options (pages 14-15)

AVAILABLE IN:
GOLDEN OAK ROSEWOOD



PENT



APEX

Type ▶	INSULATED PENT STEEL GARDEN ROOM							INSULATED APEX STEEL GARDEN ROOM							
Width ▶	4'5" (1.34m)	6'5" (1.95m)	8'5" (2.56m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)	16'5" (5.00m)	4'5" (1.34m)	6'5" (1.95m)	8'5" (2.56m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)	16'5" (5.00m)	
Length ▶	3'11" (1.27m)	10075	10250	10320	10415	10735	11080	11955	10240	10405	10585	11295	11680	11920	12050
	5'11" (1.80m)	10160	10320	10415	10735	11010	11415	12325	10500	10670	10840	11615	11940	12385	12835
	7'11" (2.41m)	10250	10500	10560	11055	11445	11640	12770	10765	10925	11090	11940	12245	12845	13330
	9'11" (3.02m)	10320	10585	10735	11375	11765	12160	13220	11035	11190	11245	12185	12575	13310	13835
	11'11" (3.71m)	10485	10680	11055	11590	12185	12645	13660	11190	11345	11510	12500	12870	13760	14325
	13'11" (4.24m)	10640	10905	11375	11865	12575	13165	14090	11445	11605	11765	12835	13200	14220	14835
	15'11" (4.85m)	10810	11000	11580	12245	12975	13865	14535	11755	11940	11980	13120	13790	14705	15265
Additional 2'	150	200	250	300	350	400	450	150	200	250	300	350	400	450	

Cladding Options


Brick Cladding (£80 per foot)



Plank Cladding (£80 per foot)




Quattro Cladding (£90 per foot)



Shadow Cladding (£90 per foot)



Premium Timber Effect Cladding (£90 per foot)



Optional Extras

Steel Garages

- Insulated roller door electrically operated * 1065
- Insulated sectional door * 900
- Upgrade personnel door to PVC door (White) 355
- Upgrade personnel door to PVC door (Coloured) 525
- Upgrade personnel door to French Doors (White) 780
- Upgrade personnel door to French doors (coloured) 1015
- Insulated tile effect roof sheets (Anthracite/Terracotta) £5 per square ft
- Electric operator for up and over / sectional door 760
- Extra height 7'2" (2.20m) eaves +10%
- Extra Height 7'7" (2.32m) eaves +15%

Steel Garden Rooms


- Insulated tile effect roof sheets (Anthracite/Terracotta) £5 per square ft
- Extra height 7'2" (2.20m) eaves +10%
- Extra Height 7'7" (2.32m) eaves +15%
- Other door and window options – as per the options on pages 14-15.

*If upgrading to a roller or sectional door you must increase the eaves height to 7'7" (2.31m) to accommodate the door mechanisms - applies to Apex roof only. The roller and sectional door will fit into a Pent garage standard height.

Superior Quality Steel Framework



The unique design offers a cold rolled 75mm thick steel framed garage, finished externally in a brick or plank finish, and internally in a smooth white steel sheet. The walls and roof will be supplied in a 40mm insulation to ensure that the building will be fit for purpose.



All of our steel frames have three holes pre-formed to allow easy fitting of cables and any other services required

WHY CHOOSE A HANSON CONCRETE GARAGE?

 <p>UNIQUE INTERLOCKING REINFORCED CONCRETE PANELS</p>	 	<p>COMPETITORS</p> 
 <p>HORMANN GARAGE UP & OVER DOORS RETRACTABLE FRAMED</p>	 	<p>COMPETITORS</p> 
 <p>STEEL PERSONNEL DOORS WITH ADDITIONAL SECURITY</p>	 	<p>COMPETITORS</p> 
 <p>PRESSURE TREATED INTERNAL TIMBERWORK</p>	 	<p>COMPETITORS</p> 
 <p>GALVANISED STEEL C-SECTION TRUSSES ON PENT ROOFS</p>	 	<p>COMPETITORS</p> 

 <p>PLASTIC COATED GALVANISED STEEL ROOF SHEETS FOR PENT ROOFS* <small>* WITH A FELT ANTI-CONDENSATION LINING</small></p>	 	<p>COMPETITORS</p> 
 <p>SAND AND CEMENT FILLET</p>	 	<p>COMPETITORS</p> 
 <p>CEMENT FIBRE ROOF SHEETS WITH MATCHING CLOSE FITTING RIDGES</p>	 	<p>COMPETITORS</p> 
 <p>INSULATED STEEL FRAMED BUILDINGS WITH 40MM THICK INSULATION* <small>*INSULATION TO THE WALLS AND ROOF</small></p>	 	<p>COMPETITORS</p> 
 <p>BRICK OR PLANK EFFECT CLADDING OPTION TO THE WALLS</p>	 	<p>COMPETITORS</p> 

NO OTHER MANUFACTURER OFFERS ALL OF THE ABOVE

Hanson Buildings Limited
 Warren Road, Green Lane Industrial Park,
 Featherstone, WF7 6EL

Tel: 01977 695111
Email: sales@hansonbuildings.co.uk

