

PRICE BOOKLET APRIL 2026








GARAGES, SHEDS & GARDEN BUILDINGS

All Prices include VAT, Delivery, Installation and 10 Year structural Guarantee

UK Leading Supplier of Concrete Sectional Buildings



Why Choose a Hanson Garage?

-  **Free Site Survey**
No obligation quotes & advice
-  **Expertly Designed**
Unrivalled choice of buildings
-  **Concrete Base Service**
Full concrete base service for your building
-  **Garage Dismantle Service**
Let us dismantle your old building
-  **10 Year Structural Warranty**
Peace of mind on your new building
-  **Fast & Efficient Build**
Quick Installation by professional fitters
-  **Over 40 Years Experience**
Leading UK supplier of concrete buildings



Garages & Sheds

Pages 2-15



Garden Rooms

Pages 16-17



Insulated Buildings

Pages 18-23

Unique Interlocking Concrete Panels

Featuring overlapped and bolted joints designed for superior weatherproofing and structural integrity.

Get A Quote Online



Scan QR Code

Download Our Brochure



Scan QR Code



www.hansongarages.co.uk

01977 695111

APEX ROYALE

OUR BEST SELLING GARAGE (APEX ROOF)

- Hormann White Georgian design Up and Over door with 4 point locking
- Other Door Styles available (See options)
- Interlocking Concrete Panels with multispar finish
- 'True' Brick Front Posts (Choice of 6 colours)
- White PVCu Fascias
- Coloured Cement Fibre Roof Sheets with close fitting ridge tile
- Heavy Duty White 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu double glazed Window in White
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



APEX ROYALE (Pitched Roof)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)	
Length ▶	14'1" (4.29m)	4410	4950	5215	5995	7045	7650	8560	9150	10330	10675	12830
	16'1" (4.90m)	4590	5190	5460	6230	7310	7930	9000	9515	10665	11105	13300
	18'1" (5.51m)	4830	5435	5755	6565	7555	8335	9340	9910	11065	11500	13750
	20'1" (6.12m)	5080	5690	5955	6765	7805	8610	9690	10230	11475	11830	14180
	22'1" (6.73m)	5360	5945	6230	6965	8090	9100	10110	10585	11865	12185	14640
	24'1" (7.34m)	5555	6155	6465	7225	8370	9515	10465	10935	12185	12560	15095
	26'1" (7.95m)	5810	6465	6805	7485	8630	9880	10935	11305	12580	13000	15545
	Additional 2'	245	270	295	315	330	395	405	415	425	465	505

PENT ROYALE

OUR BEST SELLING GARAGE (PENT ROOF)

- Hormann White Georgian design Up and Over door with 4 point locking
- Other Door Styles available (See options)
- Interlocking Concrete Panels with multispar finish
- 'True' Brick Front Posts (Choice of 6 colours)
- White PVCu Fascias
- Box Profile Steel Roof Sheets with felt underlay (full length up to 20' long)
- Heavy Duty White 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in White
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Galvanised 'C' Section steel trusses (up to 18' wide)
- Internal Cement Fillet



PENT ROYALE (Rearward Sloping Roof)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)				
Length ▶	14'1" (4.29m)	4150	4810	5180	5745	6955	7115	7930	8670	n/a	n/a
	16'1" (4.90m)	4320	4980	5360	5965	7155	7165	8150	8910	n/a	n/a
	18'1" (5.51m)	4510	5190	5580	6145	7445	7620	8390	9120	n/a	n/a
	20'1" (6.12m)	4710	5400	5775	6355	7630	7830	8655	9350	n/a	n/a
	22'1" (6.73m)	4930	5600	5965	6565	7885	8025	8910	9590	n/a	n/a
	24'1" (7.34m)	5095	5800	6165	6735	8115	8280	9120	9845	n/a	n/a
	26'1" (7.95m)	5270	6010	6395	6990	8410	8620	9480	10245	n/a	n/a
	Additional 2'	210	235	245	255	305	340	355	390	n/a	n/a

*Maximum Length of 30'1" (9.17m)

DUCHESS/DUKE ROYALE

REARWARD SLOPING GARAGE WITH TILE EFFECT ROOF

- Hormann White Georgian design Up and Over door with 4 point locking
- Other Door Styles available (See options)
- Interlocking Concrete Panels with multispar finish
- 'True' Brick Front Posts (Choice of 6 colours)
- White PVCu Fascias
- Forward sloping Metrotile Roof and Rearward sloping Box Profile Steel Roof with felt underlay (full length roof sheet up to 20' long)*
- Heavy Duty White 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in White
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



DUCHESS ROYALE (For Duke just add 5%)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)				
Length ▶	14'1" (4.29m)	5240	5790	5945	6695	7385	8105	8280	8710	n/a	n/a
	16'1" (4.90m)	5400	5995	6165	6955	7705	8520	8740	9160	n/a	n/a
	18'1" (5.51m)	5580	6205	6385	7255	8015	8950	9180	9615	n/a	n/a
	20'1" (6.12m)	5735	6415	6605	7530	8325	9380	9650	10075	n/a	n/a
	22'1" (6.73m)	6010	6705	6945	7885	8710	9845	10155	10585	n/a	n/a
	24'1" (7.34m)	6275	7015	7285	8260	9120	10295	10640	11095	n/a	n/a
	26'1" (7.95m)	6565	7320	7620	8620	9505	10765	11145	11585	n/a	n/a
	Additional 2'	290	305	330	355	375	430	460	465	n/a	n/a

*Maximum Length of 30'1" (9.17m)

MONARCH ROYALE

HIGHER PITCHED ROOF WITH TILE EFFECT ROOF SHEETS

- Hormann White Georgian design Up and Over door with 4 point locking
- Other Door Styles available (See options)
- Interlocking Concrete Panels with multispar finish
- 'True' Brick Front Posts (Choice of 6 colours)
- White PVCu Fascias
- Higher 17.5° Roof Pitch on single garages, 15° Roof Pitch on doubles
- Tile Effect, Plastisol Coated Roof Sheets with Felt Underlay (Choice of Colours)
- Heavy Duty White 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in White
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet




MONARCH ROYALE (Higher Pitched Roof)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)
Length ▶	14'1" (4.29m)	5735	6465	6805	7805	9170	9965	11135	11920	13460	13890
	16'1" (4.90m)	5985	6765	7115	8105	9515	10320	11710	12390	13880	14455
	18'1" (5.51m)	6295	7075	7495	8530	9845	10845	12160	12900	14430	14965
	20'1" (6.12m)	6615	7410	7750	8820	10165	11215	12635	13320	14940	15415
	22'1" (6.73m)	6975	7740	8105	9070	10530	11840	13160	13780	15435	15865
	24'1" (7.34m)	7245	8015	8410	9415	10895	12390	13620	14235	15865	16340
	26'1" (7.95m)	7575	8410	8840	9760	11255	12870	14220	14705	16375	16935
	Additional 2'	300	325	345	375	405	480	485	500	515	565

SHEDS / WORKSHOPS ROYALE

- White PVCu Fascias
- Interlocking Concrete Panels with multispar finish
- Coloured Cement Fibre Roof Sheets with close fitting ridge tile (Apex)
- Box Profile Steel Roof Sheets with felt underlay (Pent)
- Heavy Duty White 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in White
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



PENT ROYALE CONCRETE SHEDS & WORKSHOPS **APEX ROYALE CONCRETE SHEDS & WORKSHOPS**

Type ▶	PENT ROYALE CONCRETE SHEDS & WORKSHOPS							APEX ROYALE CONCRETE SHEDS & WORKSHOPS						
Width ▶	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)
Length ▶	4'1" (1.24m)	3055	3100	3145	3440	3630	3960	3320	3395	3460	3925	4135	4520	5105
	6'1" (1.85m)	3265	3310	3350	3560	3740	4100	3405	3460	3595	4080	4280	4610	5305
	8'1" (2.46m)	3375	3430	3460	3740	3870	4190	3540	3595	3670	4280	4420	4760	5470
	10'1" (3.07m)	3440	3485	3530	3870	4035	4390	3660	3705	3780	4420	4610	5005	5655
	12'1" (3.68m)	3530	3570	3605	4035	4290	4700	3780	3840	3880	4610	4885	5290	5955
	14'1" (4.29m)	3605	3650	3695	4360	4640	5105	3880	3925	3960	4870	5130	5590	6425
	16'1" (4.90m)	3805	3850	3890	4440	5050	5490	4090	4135	4180	5080	5570	5955	6855
	Additional 2'	175	185	195	205	215	255	185	195	205	245	270	290	345

APEX GRAPHITE

ULTRA MODERN DESIGN OF GARAGE (APEX ROOF)

- Hormann Black Vertical design Up and Over door with 4 point locking**
- Interlocking Concrete Panels with multispar finish
- Graphite Rustic 'True' Brick Front Posts (Other colours available)
- Anthracite PVCu Fascias
- Coloured Cement Fibre Roof Sheets with close fitting ridge tile
- Heavy Duty Black 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in Anthracite
- Black PVCu guttering
- Foam Filler to eaves
- Internal Cement Fillet



** Alternative Door Manufacturer used for Doors 9' and above

APEX GRAPHITE (Pitched Roof)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)			10' (3.05m)	2 x 7' (2.13m)	2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)
Length ▶	14'1" (4.29m)	16'1" (4.90m)	18'1" (5.51m)	20'1" (6.12m)	22'1" (6.73m)	24'1" (7.34m)	26'1" (7.95m)	Additional 2'			
Price	4850	5445	5745	6605	7750	8410	9405	10075	11375	11745	14110
	5060	5710	5995	6845	8040	8720	9910	10475	11730	12215	14620
	5315	5985	6325	7210	8325	9160	10265	10895	12185	12660	15125
	5600	6265	6535	7455	8590	9460	10675	11255	12610	13010	15615
	5885	6525	6845	7665	8900	10000	11115	11645	13040	13410	16105
	6120	6765	7100	7940	9195	10475	11500	12030	13410	13815	16605
	6385	7100	7485	8235	9505	10875	12015	12425	13840	14310	17100
	245	270	295	315	330	395	405	415	425	465	505

PENT GRAPHITE

ULTRA MODERN DESIGN OF GARAGE (PENT ROOF)

- Hormann Black Vertical design Up and Over door with 4 point locking**
- Interlocking concrete panels with multispar finish
- Graphite Rustic 'True' Brick Front Posts (Other colours available)
- Anthracite PVCu Fascias
- Box Profile Steel Roof Sheets with felt underlay (full length up to 20' long)
- Heavy Duty Black 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in Anthracite
- Black PVCu guttering
- Foam filler to eaves
- Galvanised 'C' section steel trusses (upto 18' wide)
- Internal Cement Fillet



** Alternative Door Manufacturer used for Doors 9' and above

PENT GRAPHITE (Rearward Sloping Roof)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)			10' (3.05m)	2 x 7' (2.13m)	2 x 8' Doors (2.44m)				
Length ▶	14'1" (4.29m)	16'1" (4.90m)	18'1" (5.51m)	20'1" (6.12m)	22'1" (6.73m)	24'1" (7.34m)	26'1" (7.95m)	Additional 2'*			
Price	4550	5305	5690	6325	7665	7830	8710	9525	n/a	n/a	n/a
	4750	5490	5885	6585	7870	7885	8950	9800	n/a	n/a	n/a
	4970	5710	6130	6765	8180	8370	9240	10035	n/a	n/a	n/a
	5180	5945	6355	6990	8400	8610	9515	10295	n/a	n/a	n/a
	5415	6145	6585	7210	8690	8840	9800	10555	n/a	n/a	n/a
	5600	6375	6785	7420	8940	9120	10035	10825	n/a	n/a	n/a
	5800	6605	7035	7685	9260	9505	10440	11265	n/a	n/a	n/a
	210	235	245	255	305	340	355	390	n/a	n/a	n/a

*Maximum Length of 30'1" (9.17m)

DUCHESS/DUKE GRAPHITE

REARWARD SLOPING GARAGE WITH TILE EFFECT ROOF

- Hormann Black Vertical design Up and Over door with 4 point locking**
- Interlocking Concrete Panels with multispar finish
- Graphite Rustic 'True' Brick Front Posts (Other colours available)
- Anthracite PVCu Fascias
- Forward sloping Metrotile Roof and Rearward sloping Box Profile Steel Roof with felt underlay (full length roof sheet up to 20' long)*
- Heavy Duty Black 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in Anthracite
- Black PVCu guttering
- Foam Filler to eaves
- Internal Cement Fillet



** Alternative Door Manufacturer used for Doors 9' and above

DUCHESS GRAPHITE (For Duke just add 5%)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)			10' (3.05m)	2 x 7' (2.13m)	2 x 8' Doors (2.44m)				
Length ▶	14'1" (4.29m)	16'1" (4.90m)	18'1" (5.51m)	20'1" (6.12m)	22'1" (6.73m)	24'1" (7.34m)	26'1" (7.95m)	Additional 2'*			
Price	5775	6375	6525	7365	8140	8920	9120	9570	n/a	n/a	n/a
	5945	6595	6765	7665	8480	9380	9615	10075	n/a	n/a	n/a
	6130	6825	7025	7980	8820	9855	10110	10585	n/a	n/a	n/a
	6305	7055	7275	8270	9160	10320	10615	11065	n/a	n/a	n/a
	6605	7375	7630	8690	9590	10825	11175	11645	n/a	n/a	n/a
	6915	7720	8005	9085	10020	11345	11730	12205	n/a	n/a	n/a
	7235	8050	8370	9460	10455	11840	12280	12770	n/a	n/a	n/a
	290	305	330	355	375	430	460	465	n/a	n/a	n/a

*Maximum Length of 30'1" (9.17m)

MONARCH GRAPHITE

HIGHER PITCHED ROOF WITH TILE EFFECT ROOF SHEETS

- Hormann Black Vertical design Up and Over door with 4 point locking**
- Interlocking Concrete Panels with multispar finish
- Graphite Rustic 'True' Brick Front Posts (Other colours available)
- Anthracite PVCu Fascias
- Higher 17.5° Roof Pitch on single garages, 15° Roof Pitch on doubles
- Tile Effect, Plastisol Coated Roof Sheets with felt underlay (Choice of Colours)
- Heavy Duty Black 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in Anthracite
- Black PVCu guttering
- Foam Filler to eaves
- Internal Cement Fillet



** Alternative Door Manufacturer used for Doors 9' and above

MONARCH GRAPHITE (Higher Pitched Roof)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)			10' (3.05m)	2 x 7' (2.13m)	2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)
Length ▶	14'1" (4.29m)	16'1" (4.90m)	18'1" (5.51m)	20'1" (6.12m)	22'1" (6.73m)	24'1" (7.34m)	26'1" (7.95m)	Additional 2'			
Price	6305	7100	7485	8590	10090	10955	12250	13120	14795	15295	18380
	6585	7445	7830	8920	10465	11355	12890	13630	15255	15895	19050
	6935	7795	8235	9390	10825	11940	13370	14190	15865	16460	19705
	7285	8150	8520	9700	11195	12325	13890	14655	16415	16960	20320
	7675	8500	8920	9990	11575	13030	14475	15160	16980	17450	20960
	7970	8820	9250	10345	11975	13630	14975	15665	17450	17980	21610
	8325	9250	9735	10715	12380	14145	15645	16185	18000	18630	22270
	300	325	345	375	405	480	485	500	515	565	615

SHEDS / WORKSHOPS GRAPHITE

- Interlocking Concrete Panels with multispar finish
- Anthracite PVCu Fascias
- Coloured Cement Fibre Roof Sheets with close fitting ridge tile (Apex)
- Box Profile Steel Roof Sheets with felt underlay (Pent)
- Black Heavy Duty 3' (915mm) wide Multi Point Locking Steel Personnel Door
- Black PVCu guttering
- 4' (1.22m) wide PVCu Double Glazed Window in Anthracite
- Foam Filler to eaves
- Internal Cement Fillet



Type ▶	PENT GRAPHITE CONCRETE SHEDS & WORKSHOPS							APEX GRAPHITE CONCRETE SHEDS & WORKSHOPS						
Width ▶	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)
Length ▶	4'1" (1.24m)	6'1" (1.85m)	8'1" (2.46m)	10'1" (3.07m)	12'1" (3.68m)	14'1" (4.29m)	16'1" (4.90m)	4'1" (1.24m)	6'1" (1.85m)	8'1" (2.46m)	10'1" (3.07m)	12'1" (3.68m)	14'1" (4.29m)	16'1" (4.90m)
Price	3375	3420	3460	3780	3980	4370	5095	3650	3715	3825	4300	4470	4870	5515
	3595	3650	3695	3915	4110	4500	5240	3750	3825	3950	4390	4610	4970	5610
	3715	3770	3805	4110	4270	4620	5390	3890	3950	4050	4610	4770	5150	5800
	3780	3825	3890	4270	4450	4750	5645	4010	4080	4150	4770	4960	5390	5995
	3890	3940	3980	4450	4630	5070	5885	4170	4200	4270	4960	5290	5600	6315
	3960	4025	4070	4700	5020	5525	6485	4280	4320	4370	5270	5445	5910	6805
	4170	4230	4280	4800	5445	5820	7025	4410	4470	4510	5500	5900	6315	7265
	175	185	195	205	215	255	300	185	195	205	245	270	290	345

APEX EARL

OUR LATEST LUXURY GARAGE (APEX ROOF)

- Agate Grey Vertical design Up and Over door with 4 point locking
- Interlocking Concrete Panels with multispar finish
- True Brick Front Posts in Stone Grey (Other colours available)
- Agate Grey PVCu Fascias
- Coloured Cement Fibre Roof Sheets with close fitting ridge tile
- Heavy Duty Agate Grey 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu double glazed Window in Agate Grey
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



APEX EARL (Pitched Roof)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)	
Length ▶	14'1" (4.29m)	5095	5725	6030	6935	8150	8830	9880	10585	11940	12325	14815
	16'1" (4.90m)	5315	5995	6295	7185	8445	9160	10395	11005	12315	12820	15355
	18'1" (5.51m)	5580	6285	6645	7575	8740	9625	10775	11435	12800	13290	15875
	20'1" (6.12m)	5875	6575	6865	7830	9020	9935	11215	11820	13240	13660	16385
	22'1" (6.73m)	6185	6855	7185	8050	9340	10505	11675	12225	13690	14080	16910
	24'1" (7.34m)	6415	7115	7455	8335	9660	11005	12075	12635	14080	14500	17430
	26'1" (7.95m)	6705	7455	7860	8655	9980	11425	12610	13050	14530	15025	17960
	Additional 2'	255	285	305	330	345	410	420	430	445	495	525

PENT EARL

OUR LATEST LUXURY GARAGE (PENT ROOF)

- Agate Grey Vertical design Up and Over door with 4 point locking
- Interlocking Concrete Panels with multispar finish
- True Brick Front Posts in Stone Grey (Other colours available)
- Agate Grey PVCu Fascias
- Box Profile Steel Roof Sheets with felt underlay (full length up to 20' long)
- Heavy Duty Agate Grey 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu double glazed Window in Agate Grey
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Galvanised 'C' Section steel trusses (up to 18' wide)
- Internal Cement Fillet



PENT EARL (Rearward Sloping Roof)


Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)				
Length ▶	14'1" (4.29m)	4785	5570	5965	6635	8040	8215	9150	10000	n/a	n/a
	16'1" (4.90m)	4980	5765	6185	6905	8260	8280	9405	10285	n/a	n/a
	18'1" (5.51m)	5225	5995	6435	7115	8590	8790	9690	10540	n/a	n/a
	20'1" (6.12m)	5435	6240	6675	7345	8820	9040	9990	10815	n/a	n/a
	22'1" (6.73m)	5690	6450	6905	7575	9120	9295	10285	11085	n/a	n/a
	24'1" (7.34m)	5875	6695	7125	7795	9380	9570	10540	11365	n/a	n/a
	26'1" (7.95m)	6095	6935	7385	8070	9725	9980	10955	11830	n/a	n/a
	Additional 2'	220	245	255	275	315	355	375	405	n/a	n/a

*Maximum Length of 30'1" (9.17m)

DUCHESS/DUKE EARL

REARWARD SLOPING GARAGE WITH TILE EFFECT ROOF

- Agate Grey Vertical design Up and Over door with 4 point locking
- Interlocking Concrete Panels with multispar finish
- True Brick Front Posts in Stone Grey (Other colours available)
- Agate Grey PVCu Fascias
- Forward sloping Metrotile Roof and Rearward sloping Box Profile Steel Roof with felt underlay (full length roof sheet up to 20' long)*
- Heavy Duty Agate Grey 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu double glazed Window in Agate Grey
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



DUCHESS EARL (For Duke just add 5%)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)				
Length ▶	14'1" (4.29m)	6065	6695	6855	7730	8545	9370	9570	10055	n/a	n/a
	16'1" (4.90m)	6240	6925	7115	8040	8900	9845	10100	10585	n/a	n/a
	18'1" (5.51m)	6435	7165	7375	8390	9260	10355	10615	11115	n/a	n/a
	20'1" (6.12m)	6625	7410	7640	8680	9615	10835	11145	11635	n/a	n/a
	22'1" (6.73m)	6935	7750	8015	9120	10065	11365	11745	12215	n/a	n/a
	24'1" (7.34m)	7265	8105	8400	9540	10515	11905	12315	12810	n/a	n/a
	26'1" (7.95m)	7595	8445	8790	9925	10975	12435	12890	13410	n/a	n/a
	Additional 2'	300	315	345	375	395	450	485	495	n/a	n/a

*Maximum Length of 30'1" (9.17m)

MONARCH EARL

HIGHER PITCHED ROOF WITH TILE EFFECT ROOF SHEETS

- Agate Grey Vertical design Up and Over door with 4 point locking
- Interlocking Concrete Panels with multispar finish
- True Brick Front Posts in Stone Grey (Other colours available)
- Agate Grey PVCu Fascias
- Higher 17.5° Roof Pitch on single garages, 15° Roof Pitch on doubles
- Tile Effect, Plastisol Coated Roof Sheets with Felt Underlay (Choice of Colours)
- Heavy Duty Agate Grey 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu double glazed Window in Agate Grey
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



MONARCH EARL (Higher Pitched Roof)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)
Length ▶	14'1" (4.29m)	6625	7455	7850	9020	10595	11500	12855	13780	15535	16055
	16'1" (4.90m)	6905	7805	8215	9370	10995	11930	13530	14310	16020	16690
	18'1" (5.51m)	7275	8180	8655	9870	11365	12535	14045	14905	16660	17290
	20'1" (6.12m)	7650	8560	8940	10185	11755	12930	14585	15385	17240	17790
	22'1" (6.73m)	8060	8930	9370	10485	12160	13680	15195	15910	17830	18335
	24'1" (7.34m)	8370	9260	9715	10860	12580	14310	15725	16450	18335	18875
	26'1" (7.95m)	8740	9715	10220	11255	13000	14850	16425	16990	18910	19555
	Additional 2'	310	340	360	395	420	505	510	520	535	595

SHEDS / WORKSHOPS EARL

- Agate Grey PVCu Fascias
- Interlocking Concrete Panels with multispar finish
- Coloured Cement Fibre Roof Sheets with close fitting ridge tile (Apex)
- Box Profile Steel Roof Sheets with felt underlay (Pent)
- Heavy Duty Agate Grey 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu double glazed Window in Agate Grey
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



Type ▶	PENT EARL CONCRETE SHEDS & WORKSHOPS							APEX EARL CONCRETE SHEDS & WORKSHOPS						
Width ▶	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)
Length ▶	4'1" (1.24m)	3540	3585	3630	3980	4180	4590	3825	3900	4010	4520	4690	5115	5790
	6'1" (1.85m)	3770	3840	3880	4110	4320	4720	3940	4010	4150	4610	4840	5225	5900
	8'1" (2.46m)	3890	3960	3990	4320	4480	4850	4090	4150	4245	4840	5020	5400	6095
	10'1" (3.07m)	3980	4025	4080	4480	4675	4980	4220	4280	4360	5020	5205	5655	6295
	12'1" (3.68m)	4080	4135	4180	4675	4860	5325	4370	4410	4480	5205	5555	5875	6625
	14'1" (4.29m)	4160	4220	4270	4930	5270	5800	4490	4530	4590	5535	5725	6205	7145
	16'1" (4.90m)	4380	4440	4490	5040	5725	6105	4630	4690	4730	5775	6195	6625	7630
	Additional 2'	175	185	195	205	215	255	185	195	205	245	270	290	345



PENT SHED

APEX SHED

APEX WOODTHORPE

STYLISH GREAT LOOKING GARAGE (APEX ROOF)

- Hormann Woodgrain Vertical design Up and Over door with 4 point locking**
- Interlocking Concrete Panels with multispar finish
- Rustic Brown 'True' Brick Front Posts (Other colours available)
- Woodgrain PVCu Fascias
- Coloured Cement Fibre Roof Sheets with close fitting ridge tile
- 3' (915mm) wide PVC double Glazed Personnel door, Half Glazed, Fully Glazed or Fully Panelled
- 4' (1.22m) wide PVCu Double Glazed Window in Woodgrain
- Brown PVCu Guttering
- Foam Filler to eaves
- Internal Cement Fillet

AVAILABLE IN:
 GOLDEN OAK
 ROSEWOOD



Pictured in Rosewood

** Woodgrain Up and Over doors only available up to 8' (2.44m) wide

APEX WOODTHORPE (Pitched Roof)



Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3"*** (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3"*** (7.39m)	26'3"*** (8.00m)
Door Width ▶	7' (2.13m)		8' Door (2.44m)			2 x 7' (2.13m)		2 x 8' Doors (2.44m)			
14'1" (4.29m)	4850	5445	5745	6605	7750	8410	9405	10075	11375	11745	14110
16'1" (4.90m)	5060	5710	5995	6845	8040	8720	9910	10475	11730	12215	14620
18'1" (5.51m)	5315	5985	6325	7210	8325	9160	10265	10895	12185	12660	15125
20'1" (6.12m)	5600	6265	6535	7455	8590	9460	10675	11255	12610	13010	15615
22'1" (6.73m)	5885	6525	6845	7665	8900	10000	11115	11645	13040	13410	16105
24'1" (7.34m)	6120	6765	7100	7940	9195	10475	11500	12030	13410	13815	16605
26'1" (7.95m)	6385	7100	7485	8235	9505	10875	12015	12425	13840	14310	17100
Additional 2'	245	270	295	315	330	395	405	415	425	465	505

**Brick Fronts will be Cladded for this size Building

PENT WOODTHORPE

STYLISH GREAT LOOKING GARAGE (PENT ROOF)

- Hormann Woodgrain Vertical design Up and Over door with 4 point locking**
- Interlocking Concrete Panels with multispar finish
- Rustic Brown 'True' Brick Front Posts (Other colours available)
- Woodgrain PVCu Fascias
- Box Profile Steel Roof Sheets with felt underlay (full length up to 20' long)
- 3' (915mm) wide PVC double Glazed Personnel door, Half Glazed, Fully Glazed or Fully Panelled
- 4' (1.22m) wide PVCu Double Glazed Window in Woodgrain
- Brown PVCu Guttering
- Foam filler to eaves
- Galvanised 'C' section steel trusses (upto 18' wide)
- Internal Cement Fillet

AVAILABLE IN:
 GOLDEN OAK
 ROSEWOOD



Pictured in Golden Oak

** Woodgrain Up and Over doors only available up to 8' (2.44m) wide

PENT WOODTHORPE (Rearward Sloping Roof)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3"*** (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)		8' Door (2.44m)			2 x 7' (2.13m)		2 x 8' Doors (2.44m)			
14'1" (4.29m)	4550	5305	5690	6325	7665	7830	8710	9525	n/a	n/a	n/a
16'1" (4.90m)	4750	5490	5885	6585	7870	7885	8950	9800	n/a	n/a	n/a
18'1" (5.51m)	4970	5710	6130	6765	8180	8370	9240	10035	n/a	n/a	n/a
20'1" (6.12m)	5180	5945	6355	6990	8400	8610	9515	10295	n/a	n/a	n/a
22'1" (6.73m)	5415	6145	6585	7210	8690	8840	9800	10555	n/a	n/a	n/a
24'1" (7.34m)	5600	6375	6785	7420	8940	9120	10035	10825	n/a	n/a	n/a
26'1" (7.95m)	5800	6605	7035	7685	9260	9505	10440	11265	n/a	n/a	n/a
Additional 2'	210	235	245	255	305	340	355	390	n/a	n/a	n/a

*Maximum Length of 30'1" (9.17m)

DUCHESS/DUKE WOODTHORPE

REARWARD SLOPING GARAGE WITH TILE EFFECT ROOF

- Hormann Woodgrain Vertical design Up and Over door with 4 point locking**
- Interlocking Concrete Panels with multispar finish
- Rustic Brown 'True' Brick Front Posts (Other colours available)
- Woodgrain PVCu Fascias
- Forward sloping Metrotile Roof and Rearward sloping Box Profile Steel Roof with felt underlay (full length roof sheet up to 20' long)*
- 3' (915mm) wide PVC double Glazed Personnel door, Half Glazed, Fully Glazed or Fully Panelled
- 4' (1.22m) wide PVCu Double Glazed Window in Woodgrain
- Brown PVCu Guttering
- Foam Filler to eaves
- Internal Cement Fillet

* Duke includes a Slate Effect Roof

AVAILABLE IN:
 GOLDEN OAK
 ROSEWOOD



Pictured in Golden Oak

** Woodgrain Up and Over doors only available up to 8' (2.44m) wide

DUCHESS WOODTHORPE (For Duke just add 5%)



Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3"*** (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)		8' Door (2.44m)			2 x 7' (2.13m)		2 x 8' Doors (2.44m)			
14'1" (4.29m)	5775	6375	6525	7365	8140	8920	9120	9570	n/a	n/a	n/a
16'1" (4.90m)	5945	6595	6765	7665	8480	9380	9615	10075	n/a	n/a	n/a
18'1" (5.51m)	6130	6825	7025	7980	8820	9855	10110	10585	n/a	n/a	n/a
20'1" (6.12m)	6305	7055	7275	8270	9160	10320	10615	11065	n/a	n/a	n/a
22'1" (6.73m)	6605	7375	7630	8690	9590	10825	11175	11645	n/a	n/a	n/a
24'1" (7.34m)	6915	7720	8005	9085	10020	11345	11730	12205	n/a	n/a	n/a
26'1" (7.95m)	7235	8050	8370	9460	10455	11840	12280	12770	n/a	n/a	n/a
Additional 2'	290	305	330	355	375	430	460	465	n/a	n/a	n/a

*Maximum Length of 30'1" (9.17m)

MONARCH WOODTHORPE

HIGHER PITCHED ROOF WITH TILE EFFECT ROOF SHEETS

- Hormann Woodgrain Vertical design Up and Over door with 4 point locking**
- Interlocking Concrete Panels with multispar finish
- Rustic Brown 'True' Brick Front Posts (Other colours available)
- Woodgrain PVCu Fascias
- Higher 17.5° Roof Pitch on single garages, 15° Roof Pitch on doubles
- Tile effect, plastisol coated roof sheets with felt underlay (Choice of Colours)
- 3' (915mm) wide PVC double Glazed Personnel door, Half Glazed, Fully Glazed or Fully Panelled
- 4' (1.22m) wide PVCu Double Glazed Window in Woodgrain
- Brown PVCu Guttering
- Foam Filler to eaves
- Internal Cement Fillet

AVAILABLE IN:
 GOLDEN OAK
 ROSEWOOD



Pictured in Rosewood

** Woodgrain Up and Over doors only available up to 8' (2.44m) wide



MONARCH WOODTHORPE (Higher Pitched Roof)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3"*** (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3"*** (7.39m)	26'3"*** (8.00m)
Door Width ▶	7' (2.13m)		8' Door (2.44m)			2 x 7' (2.13m)		2 x 8' Doors (2.44m)			
14'1" (4.29m)	6305	7100	7485	8590	10090	10955	12250	13120	14795	15295	18380
16'1" (4.90m)	6585	7445	7830	8920	10465	11355	12890	13630	15255	15895	19050
18'1" (5.51m)	6935	7795	8235	9390	10825	11940	13370	14190	15865	16460	19705
20'1" (6.12m)	7285	8150	8520	9700	11195	12325	13890	14655	16415	16960	20320
22'1" (6.73m)	7675	8500	8920	9990	11575	13030	14475	15160	16980	17450	20960
24'1" (7.34m)	7970	8820	9250	10345	11975	13630	14975	15665	17450	17980	21610
26'1" (7.95m)	8325	9250	9735	10715	12380	14145	15645	16185	18000	18630	22270
Additional 2'	300	325	345	375	405	480	485	500	515	565	615

**Brick Fronts will be Cladded for this size Building

SHEDS / WORKSHOPS WOODTHORPE

- Interlocking Concrete Panels with multispar finish
- Woodgrain PVCu Fascias
- Coloured Cement Fibre Roof Sheets with close fitting ridge tile (Apex)
- Box Profile Steel Roof Sheets with felt underlay (Pent)
- 3' (915mm) wide PVC double Glazed Personnel door, Half Glazed, Fully Glazed or Fully Panelled
- 4' (1.22m) wide PVCu Double Glazed Window in Woodgrain
- Brown PVCu Guttering
- Foam Filler to eaves
- Internal Cement Fillet

AVAILABLE IN:
 GOLDEN OAK
 ROSEWOOD



PENT SHED



APEX SHED

Type ▶	PENT WOODTHORPE CONCRETE SHEDS & WORKSHOPS							APEX WOODTHORPE CONCRETE SHEDS & WORKSHOPS						
Width ▶	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)
4'1" (1.24m)	3375	3420	3460	3780	3980	4370	5095	3650	3715	3825	4300	4470	4870	5515
6'1" (1.85m)	3595	3650	3695	3915	4110	4500	5240	3750	3825	3950	4390	4610	4970	5610
8'1" (2.46m)	3715	3770	3805	4110	4270	4620	5390	3890	3950	4050	4610	4770	5150	5800
10'1" (3.07m)	3780	3825	3890	4270	4450	4750	5645	4010	4080	4150	4770	4960	5390	5995
12'1" (3.68m)	3890	3940	3980	4450	4630	5070	5885	4170	4200	4270	4960	5290	5600	6315
14'1" (4.29m)	3960	4025	4070	4700	5020	5525	6485	4280	4320	4370	5270	5445	5910	6805
16'1" (4.90m)	4170	4230	4280	4800	5445	5820	7025	4410	4470	4510	5500	5900	6315	7265
Additional 2'	175	185	195	205	215	255	300	185	195	205	245	270	290	345

APEX **PRESSURE TREATED TIMBER**

- Hormann framed fully retractable Vertical design Up and Over door in White
- Interlocking Concrete Panels with multispar finish
- 'Pressure Treated' timber fascias
- Robust Grey Cement Fibre Roof Sheets with close fitting ridge tile
- 4' (1.22m) wide timber Window (Optional 1 on a single, 2 on a double)
- Foam Filler to eaves
- Unlimited Length
- Wide Range of Optional Extras (See Page 14-15)



TIMBER APEX (Pitched Roof)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)				2 x 7' (2.13m)	2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)	
Length ▶	14'1" (4.29m)	2975	3540	3695	4320	4510	5745	6275	6805	7640	7950	10020
	16'1" (4.90m)	3195	3715	3900	4520	4760	6095	6655	7155	8005	8370	10430
	18'1" (5.51m)	3375	3900	4100	4710	5020	6425	7045	7530	8380	8770	10860
	20'1" (6.12m)	3570	4090	4320	4910	5270	6765	7430	7895	8750	9150	11305
	22'1" (6.73m)	3760	4280	4530	5105	5515	7100	7805	8270	9120	9570	11720
	24'1" (7.34m)	3960	4440	4730	5305	5775	7445	8180	8630	9490	9945	12140
	26'1" (7.95m)	4180	4640	4950	5490	6030	7785	8580	9000	9845	10345	12570
	Additional 2'	220	245	250	295	315	340	360	405	410	415	425

PENT **PRESSURE TREATED TIMBER**

- Hormann framed fully retractable Vertical design Up and Over door in White
- Interlocking Concrete Panels with multispar finish
- 'Pressure Treated' timber fascias
- Box Profile Steel Roof Sheets with felt underlay (full length up to 20' long)
- Galvanised 'C' Section steel trusses (up to 18' wide)
- 4' (1.22m) wide timber Window (Optional 1 on a single, 2 on a double)
- Foam Filler to eaves
- Maximum Length of 30' (9.15m)
- Wide Range of Optional Extras (See Page 14-15)




TIMBER PENT (Rearward Sloping Roof)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)				2 x 7' (2.13m)	2 x 8' Doors (2.44m)					
Length ▶	14'1" (4.29m)	2935	3460	3650	4120	4390	5700	6295	6795	n/a	n/a	n/a
	16'1" (4.90m)	3130	3650	3840	4310	4640	5985	6605	7100	n/a	n/a	n/a
	18'1" (5.51m)	3320	3840	4010	4500	4895	6265	6935	7385	n/a	n/a	n/a
	20'1" (6.12m)	3505	4010	4220	4675	5150	6545	7275	7685	n/a	n/a	n/a
	22'1" (6.73m)	3680	4190	4410	4870	5390	6825	7575	7970	n/a	n/a	n/a
	24'1" (7.34m)	3860	4380	4600	5050	5655	7100	7915	8260	n/a	n/a	n/a
	26'1" (7.95m)	4035	4580	4820	5280	5910	7445	8270	8630	n/a	n/a	n/a
	Additional 2'*	195	215	220	230	285	315	330	330	n/a	n/a	n/a

*Maximum Length of 30'1" (9.17m)

SHEDS / WORKSHOPS

- 'Pressure Treated' timber fascias
- Interlocking Concrete Panels with multispar finish
- Robust Grey Cement Fibre Roof Sheets with close fitting ridge tile (Apex)
- Box Profile Steel Roof Sheets with felt underlay (Pent)
- Heavy Duty White 3' (915mm) wide 3 Point Locking Steel Personnel Door
- 4' (1.22m) wide timber Window (Optional)
- Foam Filler to eaves
- Wide Range of Optional Extras (See Page 14-15)



Type ▶	PENT CONCRETE SHEDS & WORKSHOPS							APEX CONCRETE SHEDS & WORKSHOPS							
Width ▶	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	
Length ▶	4'1" (1.24m)	2275	2315	2345	2535	2745	3100	3550	2375	2445	2525	2765	2985	3375	3770
	6'1" (1.85m)	2495	2535	2565	2680	2855	3220	3705	2455	2525	2635	2925	3130	3475	3970
	8'1" (2.46m)	2605	2645	2680	2855	3010	3330	3850	2595	2635	2735	3130	3275	3640	4120
	10'1" (3.07m)	2665	2725	2765	3010	3175	3540	4100	2725	2765	2845	3275	3460	3870	4330
	12'1" (3.68m)	2755	2800	2855	3175	3440	3860	4450	2845	2875	2945	3460	3770	4170	4630
	14'1" (4.29m)	2835	2875	2935	3495	3815	4300	5030	2945	2985	3035	3750	4010	4470	5095
	16'1" (4.90m)	3035	3085	3130	3595	4220	4690	5555	3155	3195	3240	3970	4440	4850	5545
	Additional 2'	125	135	145	180	190	235	270	150	170	180	210	245	270	300

THE FORTRESS **HIGH SECURITY GARAGE**

- Highly secure manual Single Skin Roller Shutter Door in White
- Interlocking Concrete Panels with multispar finish
- Maintenance Free white UPVC Fascias
- Box Profile Steel Roof Sheets with felt underlay (full length up to 20' long)
- Foam Filler to eaves
- Maximum Length of 30' (9.15m)
- Internal Cement Fillet
- Guttering and downpipes
- Wide Range of Optional Extras (See Page 14-15)



THE FORTRESS (Rearward Sloping Roof)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)				2 x 7' (2.13m)	2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)	
Length ▶	14'1" (4.29m)	3420	3970	4165	4650	4930	6565	7170	7690	n/a	n/a	n/a
	16'1" (4.90m)	3630	4165	4360	4620	5185	6855	7490	8010	n/a	n/a	n/a
	18'1" (5.51m)	3820	4360	4540	5040	5450	7140	7840	8300	n/a	n/a	n/a
	20'1" (6.12m)	4010	4535	4750	5220	5715	7435	8190	8610	n/a	n/a	n/a
	22'1" (6.73m)	4195	4720	4950	5430	5965	7720	8500	8910	n/a	n/a	n/a
	24'1" (7.34m)	4380	4910	5145	5610	6240	8010	8850	9210	n/a	n/a	n/a
	26'1" (7.95m)	4555	5120	5370	5850	6500	8365	9220	9595	n/a	n/a	n/a
	Additional 2'	205	225	230	240	295	325	340	340	n/a	n/a	n/a

BRICK CLADDING (£80 PER FOOT)



RUSTIC RED BRICK CLADDING



SAND BRICK CLADDING

STANDARD PLANK CLADDING (£80 PER FOOT)



ANTHRACITE PLANK CLADDING



WHITE PLANK CLADDING

STONE CLADDING (£80 PER FOOT)



SLATE GREY STONE CLADDING

IMPORTANT SIZE INFORMATION

- When you add cladding to any elevation on your building it will add 2" (50mm) to the external size.
- For instance, if you have a 16'1" x 8'3" building, and you clad the front and one side, the external size will become 16'3" x 8'5".
- It's important to then ensure the concrete base is laid allowing for the extra size.

QUATTRO PLANK CLADDING (£90 PER FOOT)



Quattro Plank Clad Vertically (Extra £10 per /ft)

SHADOW PLANK CLADDING (£90 PER FOOT)



Shadow Plank Clad Vertically (Extra £10 per /ft)

PREMIUM TIMBER EFFECT CLADDING (£90 PER FOOT)



SHEFFIELD OAK PREMIUM TIMBER EFFECT CLADDING


HOW TO PRICE THE BUILDING

- Step 1 - Decide which sides are to be cladded
- Step 2 - Use Guide below to calculate the cost

How to Calculate the Cost of the Cladding of your buildings

Example (4 sided Garage Cladding): Length1 + Length2 + Width1 + F1 (Front - use 1) x £80
 For a 16'1" long x 8'3" wide garage with a 7' up & over door (round to the nearest ft)
 = 16 + 16 + 8 + 1 = 41 x £80 = £3,280

* Please note: Hanson's require a 1m area to work around the building in order to clad



Latest Offers

Visit our Hanson Garages website to see our latest offers on our range of garages, sheds, workshops and garden rooms.



Scan QR Code



ROOF UPGRADE OPTIONS



£1.99 per square ft.
Apex Only
Cement Fibre Roof Sheets
in Spanish Red, Mocca Brown, Green or Blue/Black



£1.99 per square ft.
Apex Only
Coloured Box Profile Upgrade
Plastisol Coated with Felt Underlay



£8.00 per square ft.
Apex Only
Insulated Box Steel Roof Sheets
Box Profile, 40mm Thick Composite Sheets



£92 Each
Apex Only
Translucent Roof Sheets
Only available on Cement Fibre Roofs



£7.45 per square ft.
Apex Only
Tile Effect Steel Roof Sheets
Plastisol Coated with anti-condensation Felt Underlay in Anthracite, Terracotta, Black, Van Dyke Brown



£10.35 per square ft.
Apex Only
Insulated Tile Steel Roof Sheets
Plastisol Coated Steel Sheets with Felt Underlay and 25mm Insulation Board in Anthracite, Terracotta, Black, Van Dyke Brown



£11.90 per square ft.
Apex Only
Metro Tile Roof
in Titanium, Bramble, Rustic Brown, Terracotta, Tartan Green



£15.60 per square ft.
Apex Only
Tapco Slate Roof
in Pewter Grey, Chesnut Brown, Moss Green, Stone Black, Brick Red, Wheat, Sand, Plum

BRICK FRONTS



Red Wirecut



Golden Russett



Rustic Brown



Cedar Buff



Graphite Rustic



Stone Grey

REAL BRICK FRONT POSTS - Your choice of 6 different bricks

7' Door (2.13m)		8' Door (2.44m)		10' (3.05m)	2 x 7' Doors (2.13m)		2 x 8' Doors (2.44m)		2x9' (2.74m)		
8'3" (2.51m)	9'3" (2.83m)	9'3" (2.83m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)
275	330	275	330	490	490	430	660	440	660	755	755

WINDOWS

Timber	Fixed	Opening
EXTRA 4' (1.22m) TIMBER WINDOW	100	N/A
PVCu	White	Coloured
2' (610mm) FIXED	185	255
2' (610mm) OPENING	235	315
4' (1.22m) FIXED	225	305
4' (1.22m) OPENING	290	370
2' (610mm) FULL HEIGHT	280	305
2' (610mm) FULL HEIGHT OPENING	310	350


£40 extra for frosted glass




4'0" Timber Window (Fixed)



2'0" PVCu Window (Fixed or Opening)



4'0" PVCu Window (Fixed or Opening)



2'0" PVCu Full Height Window (Fixed)

UP AND OVER DOOR EXTRAS



£760
Electric Operator & Delatching Kit with 2 Remotes
(Customer must provide electric)



£115
Manual Release
(For electronic main doors where building has no other access)



£545
Throughway Garage




£105
4 Point Locking (7'-9' Wide Doors Only)

Hanson Garage Spares
Visit our Hanson Garages spares website for other building options available online




Scan QR Code

EXTRAS / NON STANDARD CHARGES



£9 ft. run
Guttering
in White, Black and Brown




£120 Single / £155 Double
Cement Fillet



£35 ft. run
Dividing Walls



2ft / 4ft / 6ft £115 / £132 / £154
Shelving Stacks



£24 for 12
Lining Clips
(Supply Only)



Garage Price + 15%
Lean-To / Tapered



£192
Non Standard Delivery Charge*
(*Subject to Survey)



£100
Hardwood Timber Weatherbar
(Supply Only)

EXTRA HEIGHT

EXTRA HEIGHT	
7'2" (2.18m) TO EAVES (7' HIGH DOOR)	15% of Garage Price
7'6" (2.28m) TO EAVES (7'6" HIGH DOOR)	25% of Garage Price
8' (2.44m) TO EAVES (7' HIGH DOOR)	30% of Garage Price
8' (2.44m) TO EAVES (7'6" HIGH DOOR)*	35% of Garage Price
9' (2.74m) TO EAVES AND OVER	POA

*8' To Eaves Door Maximum Door Height is 7'6"



FASCIAS

PVCU FASCIAS & VERGEBOARDS

Available as an upgrade to Pent and Apex Garages, Sheds and Workshops

Size	White	Coloured*
FASCIAS 8'-9' (2.43m-2.74m) WIDE	435	580
FASCIAS 10'-14' (3.00m-4.27m) WIDE	505	680
FASCIAS 16'-24' (4.88m-7.31m) WIDE	695	845

*Anthracite, Agate Grey, Golden Oak, Rosewood



White (Apex)



White (Pent)




Anthracite (Apex or Pent)



Agate Grey (Apex or Pent)



Golden Oak (Apex or Pent)



Rosewood (Apex or Pent)

PERSONNEL DOOR

PERSONNEL DOOR

STEEL / PVCu DOORS (4pt LOCKING AS STANDARD ON STEEL DOORS)	White	Black	Anthracite/Woodgrain	Coloured*
3' (915mm) STEEL DOOR	495	595	-	595
4' (1.22m) STEEL DOOR	780	880	-	880
3' (915mm) HALF/FULL GLAZED PVCu	850	-	1020	-
4' (1.22m) PVCu FRENCH DOORS	1275	-	1510	-

*Anthracite, Goosewing Grey, Olive Green, Juniper Green



Vertical Steel



Verical Steel (Black / Coloured)



Half / Full Glazed PVCu



French Doors PVCu

MAIN DOOR OPTIONS



MAIN DOOR OPTIONS

Door Size ▶	Vertical (Up and Over)	Horizontal (Up and Over)	Georgian (Up and Over)	Elegance (Up and Over)	Finesse (Up and Over)	Steel Side Hung	Roller ⁽¹⁾ (Single Skin)	Roller ⁽¹⁾ (Insulated Electric Operated with Box)	Sectional ⁽²⁾ (Insulated 40mm Non Electric)
6' (1.83m) x 6'6" (1.98m)	605	N/A	N/A	N/A	N/A	1140	315	1300	N/A
7' (2.13m) x 6'6" (1.98m)	As standard	75	255	255	255	1195	355	1395	1235
8' (2.44m) x 6'6" (1.98m)	As standard	125	395	395	395	1255	455	1460	1305
9' (2.74m) x 6'6" (1.98m)	195	275	425	N/A	N/A	N/A	550	1530	1390
10' (3.05m) x 6'6" (1.98m)	1005	N/A	1285	N/A	N/A	N/A	720	1830	1535
12' (3.65m) x 6'6" (1.98m)	1520	N/A	1680	N/A	N/A	N/A	900	2050	1820
14' (4.26m) x 6'6" (1.98m)	1660	1380	2330	N/A	N/A	N/A	1000	2090	2000

*Electric Operator is an additional £550

UPGRADE:

VERTICAL / HORIZONTAL / SECTIONAL / GEORGIAN / FINESSE / ELEGANCE

White Provided as Standard
 Coloured / Woodgrain Doors 7' - 14' ADD £350

ROLLER / SIDE HUNG DOORS

White Provided as Standard
 Coloured / Woodgrain Doors 7', 8' ADD £215 (See Colours Below)
 Coloured / Woodgrain Doors 9', 10', 12', 14' ADD £325 (See Colours Below)

DOOR COLOURS AVAILABLE

Terra Brown, Steel Blue, Signal Blue, Moss Green, Ruby Red, Jet Black, Anthracite, Golden Oak, Rosewood

(Allow extended delivery time on coloured doors)

ROLLER / SECTIONAL DOORS

(1) Roller Doors - requires the eaves height of an Apex or Monarch garage to be increased by 13" (0.33m) for insulated, 17" (0.43m) for single skin to accommodate the door. Add 15% to the basic garage price plus the cost of the door. Does not apply to the Pent range.
(2) Sectional Doors - Requires the eaves height of an Apex or Monarch garage to be increased by 10" (0.25m) to accommodate the door. Add 15% to the basic price of the garage plus the cost of the door. Does not apply to the Pent range.

PENT	APEX
<ul style="list-style-type: none"> • Interlocking Concrete Panels with multispar finish • Maintenance Free PVCu Fascias* • Box Profile Steel Roof Sheets with felt underlay • 4' (1.22m) wide PVCu fully glazed French doors* • 2'0" (0.61m) wide Full height PVC windows x 2* • PVCu Guttering • Foam Filler to eaves • Internal Cement Fillet • Wide range of Cladding Options (See Page 14-15) • Wide range of Optional Extras (See Page 14-15) • Can be customised to individual requirements <p><small>*See colour options below</small></p>	<ul style="list-style-type: none"> • Interlocking Concrete Panels with multispar finish • Maintenance Free PVCu Fascias* • Coloured Cement Fibre Roof Sheets with close fitting ridge tile • 4' (1.22m) wide PVCu fully glazed French doors* • 2'0" (0.61m) wide Full height PVC windows x 2* • PVCu Guttering • Foam Filler to eaves • Internal Cement Fillet • Wide range of Cladding Options (See Page 14-15) • Wide range of Optional Extras (See Page 14-15) • Can be customised to individual requirements <p><small>*See colour options below</small></p>
<p>Colour Options Fascias, French Doors, and Windows</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"> White <small>(Standard)</small> </div> <div style="text-align: center;"> Anthracite <small>(Extra £390)</small> </div> <div style="text-align: center;"> Agate Grey <small>(Extra £390)</small> </div> <div style="text-align: center;"> Golden Oak <small>(Extra £390)</small> </div> <div style="text-align: center;"> Rosewood <small>(Extra £390)</small> </div> </div>	

Type ▶		PENT CONCRETE GARDEN ROOM							APEX CONCRETE GARDEN ROOM						
Width ▶		4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)
Length ▶	4'1" (1.24m)	4265	4305	4350	4645	4835	5165	5690	4525	4605	4665	5135	5345	5730	6075
	6'1" (1.85m)	4475	4515	4555	4765	4945	5310	5820	4615	4665	4805	5285	5485	5815	6275
	8'1" (2.46m)	4585	4635	4665	4945	5075	5395	5955	4745	4805	4875	5485	5630	5970	6440
	10'1" (3.07m)	4645	4695	4735	5075	5245	5595	6195	4865	4915	4990	5630	5815	6210	6625
	12'1" (3.68m)	4735	4780	4815	5245	5495	5905	6540	4990	5045	5085	5815	6090	6500	6925
	14'1" (4.29m)	4815	4855	4905	5565	5850	6310	7330	5085	5135	5165	6080	6335	6800	7395
	16'1" (4.90m)	5015	5055	5100	5650	6260	6700	7605	5295	5345	5385	6290	6780	7160	7830
Additional 2'	175	185	195	205	215	255	300	185	195	205	245	270	290	345	

THE NEWBURY	
<ul style="list-style-type: none"> • 355mm roof canopy • Extra Height 2.13m eaves (stays under 2.5m Height) • 40mm composite panel insulation in the roof • Timber effect plank cladding to the front elevation (side elevations can be clad at extra cost) • Anthracite fascias, doors and windows • Anthracite French doors and 2 full height windows as standard • Internal Cement Fillet • Lining clips to aid internal fitting out • Guttering to the rear 	

Type ▶		THE NEWBURY			
Width ▶		12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)
Length ▶	5'11" (1.81m)	7075	7720	8670	9400
	7'11" (2.41m)	7300	7930	8855	9650
	9'11" (3.02m)	7410	8050	8990	9725
	11'11" (3.63m)	7555	8215	9345	9870
	13'11" (4.24m)	7775	8435	9370	10105
	15'11" (4.85m)	7815	8570	9480	10230
	Additional 2'	265	265	265	265

Find the Perfect Pent or Apex Garden Room for me; 5 easy steps:

1. Select the roof required, Pent or Apex
2. Measure up and agree size- Length (depth) and Width (frontage)
3. Choose your Door and Window options
4. Decide on the colours of Doors, Windows and Fascias
5. Confirm wall finish. Spa chippings as standard but you can upgrade to Brick, Plank or Stone effect cladding on one or more elevations

Cladding Options

Brick Cladding (£80 per foot)




Stone Cladding (£80 per foot)



Plank Cladding (£80 per foot)




Quattro Cladding (£90 per foot)



Shadow Cladding (£90 per foot)



Premium Timber Effect Cladding (£90 per foot)



Inspiration for your Garden Room



16 *If you add cladding to a side elevation the building will increase by 2" (50mm) per side.

APEX STEEL GARAGE

NEW TO THE MARKET

- White PVCu Fascias
- 40mm insulated walls
- 40mm insulated composite panel plastisol coated steel roof sheets
- Standard eaves height 6'8" (2.03m)
- Brick or plank effect finish externally (Options below)
- Various Door Styles available (See options)
- Secure White 3' (915mm) wide Multi Pont Point Locking Steel Personnel Door
- White 4'0" (1.22m) wide fixed PVCu window
- Guttering and downpipes
- Other options available see brochure for full list



INSULATED APEX STEEL GARAGE (Pitched Roof)											
Width ▶	8'5" (2.56m)	9'5" (2.87m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)	16'5" (5.00m)	18'5" (5.61m)	20'5" (6.22m)	22'5" (6.83m)	24'5" (7.44m)	26'5" (8.05m)
Door Width ▶	7' (2.13m)		8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)	
13'11" (4.24m)	8060	9045	9530	10955	12875	13655	15280	16335	18445	19050	22905
15'11" (4.85m)	8385	9485	9980	11385	13350	14150	16065	16980	19035	19825	23735
17'11" (5.46m)	8825	9935	10515	11990	13800	14885	16670	17700	19755	20520	24545
19'11" (6.07m)	9285	10400	10885	12365	14270	15365	17300	18265	20485	21115	25315
21'11" (6.68m)	9795	10855	11385	12730	14790	16240	18050	18890	21180	21750	26135
23'11" (7.29m)	10155	11240	11815	13200	15295	16980	18675	19520	21750	22410	26945
25'11" (7.90m)	10620	11815	12430	13680	15775	17635	19520	20175	22455	23200	27750
Additional 2'	370	420	475	525	580	630	685	735	790	840	895

PENT STEEL GARAGE

NEW TO THE MARKET

- White PVCu Fascias
- 40mm insulated walls
- 40mm insulated composite panel plastisol coated steel roof sheets
- Standard eaves height 6'8" (2.03m)
- Brick or plank effect finish externally (Options below)
- Various Door Styles available (See options)
- Secure White 3' (915mm) wide Multi Pont Point Locking Steel Personnel Door
- White 4'0" (1.22m) wide fixed PVCu window
- Guttering and downpipes
- Other options available see brochure for full list



INSULATED PENT STEEL GARAGE (Rearward Sloping Roof)											
Width ▶	8'5" (2.56m)	9'5" (2.87m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)	16'5" (5.00m)	18'5" (5.61m)	20'5" (5.92m)	22'5" (6.83m)	24'5" (7.44m)	26'5" (8.05m)
Door Width ▶	7' (2.13m)		8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)	
13'11" (4.24m)	7580	8790	9470	10500	12715	12700	14150	15470	n/a	n/a	n/a
15'11" (4.85m)	7895	9105	9795	10900	13080	12795	14545	15900	n/a	n/a	n/a
17'11" (5.46m)	8245	9485	10200	11225	13610	13600	14980	16280	n/a	n/a	n/a
19'11" (6.07m)	8605	9870	10555	11610	13940	13975	15450	16690	n/a	n/a	n/a
21'11" (6.68m)	9010	10240	10900	11990	14405	14325	15900	17120	n/a	n/a	n/a
23'11" (7.29m)	9310	10605	11265	12310	14830	14780	16280	17570	n/a	n/a	n/a
25'11" (7.90m)	9635	10990	11685	12775	15365	15390	16925	18285	n/a	n/a	n/a
Additional 2'	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

*Maximum Length of 30'1" (9.17m)

INSULATED GARDEN ROOMS

NEW TO THE MARKET

- White PVCu Fascias
- 40mm insulated walls
- 40mm insulated composite panel plastisol coated steel roof sheets
- Standard eaves height 6'8" (2.03m)
- Brick or plank effect finish externally (Options below)
- White 4'0" (1.22m) wide fully glazed French Doors
- Two White 2'0" (0.60m) wide full height PVCu Windows
- Guttering and downpipes
- Other options available see brochure for full list



Type ▶	INSULATED PENT STEEL GARDEN ROOM							INSULATED APEX STEEL GARDEN ROOM						
	Width ▶	4'5" (1.34m)	6'5" (1.95m)	8'5" (2.56m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)	16'5" (5.00m)	4'5" (1.34m)	6'5" (1.95m)	8'5" (2.56m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)
3'11" (1.27m)	8755	8805	8855	9170	9375	9730	10300	9040	9125	9195	9695	9925	10330	10705
5'11" (1.80m)	8985	9030	9075	9305	9490	9880	10440	9135	9195	9340	9860	10075	10430	11175
7'11" (2.41m)	9105	9160	9195	9490	9635	9980	10580	9275	9340	9420	10075	10225	10595	11355
9'11" (3.02m)	9170	9225	9265	9635	9810	10190	10830	9410	9460	9540	10225	10430	10850	11555
11'11" (3.71m)	9265	9315	9350	9810	10085	10525	11200	9540	9600	9645	10430	10725	11160	11875
13'11" (4.24m)	9350	9400	9450	10160	10465	10960	11775	9645	9695	9730	10710	10990	11485	12385
15'11" (4.85m)	9565	9615	9655	10250	10905	11375	12315	9870	9925	9965	10935	11460	11875	12845
Additional 2'	150	200	250	300	350	400	450	150	200	250	300	350	400	450

Cladding Options


Brick Cladding (£80 per foot)



Plank Cladding (£80 per foot)




Quattro Cladding (£90 per foot)



Shadow Cladding (£90 per foot)



Premium Timber Effect Cladding (£90 per foot)



Optional Extras

Steel Garages

Insulated roller door electrically operated *	1065
Insulated sectional door *	900
Upgrade personnel door to PVC door (White)	355
Upgrade personnel door to PVC door (Coloured)	525
Upgrade personnel door to French Doors (White)	780
Upgrade personnel door to French doors (coloured)	1015
Insulated tile effect roof sheets (Anthracite/Terracotta)	£5 per square ft
Electric operator for up and over / sectional door	760
Extra height 7'2" (2.20m) eaves	+10%
Extra Height 7'7" (2.32m) eaves	+15%

Steel Garden Rooms


Insulated tile effect roof sheets (Anthracite/Terracotta)	£5 per square ft
Extra height 7'2" (2.20m) eaves	+10%
Extra Height 7'7" (2.32m) eaves	+15%
Other door and window options – as per the options on pages 14-15.	

*If upgrading to a roller or sectional door you must increase the eaves height to 7'7" (2.31m) to accommodate the door mechanisms - applies to Apex roof only. The roller and sectional door will fit into a Pent garage standard height.

Superior Quality Steel Framework



The unique design offers a cold rolled 75mm thick steel framed garage, finished externally in a brick or plank finish, and internally in a smooth white steel sheet. The walls and roof will be supplied in a 40mm insulation to ensure that the building will be fit for purpose.



All of our steel frames have three holes pre-formed to allow easy fitting of cables and any other services required

INSULATED APEX STEEL GARAGE

NEW TO THE MARKET

- Anthracite PVCu Fascias
- 40mm insulated walls
- 40mm insulated composite panel plastisol coated steel roof sheets
- Standard eaves height 6'8" (2.03m)
- Brick or plank effect finish externally (Options below)
- Black Vertical Up and Over door (Other options available)
- Secure Black 3' (915mm) wide Multi Pont Point Locking Steel Personnel Door
- Anthracite 4'0" (1.22m) wide fixed PVC uwindow
- Guttering and downpipes
- Other options available see price list for options (pages 14-15)



INSULATED APEX STEEL GARAGE (Pitched Roof)

Width ▶	8'5" (2.56m)	9'5" (2.87m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)	16'5" (5.00m)	18'5" (5.61m)	20'5" (6.22m)	22'5" (6.83m)	24'5" (7.44m)	26'5" (8.05m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)	
Length ▶	13'11" (4.24m)	8710	9775	10310	11860	13915	14755	16490	17665	19950	20590	24745
	15'11" (4.85m)	9090	10255	10770	12290	14430	15295	17385	18370	20570	21420	25635
	17'11" (5.46m)	9540	10745	11360	12945	14945	16065	17995	19100	21360	22190	26530
	19'11" (6.07m)	10060	11240	11740	13380	15420	16585	18715	19740	22120	22810	27375
	21'11" (6.68m)	10570	11720	12290	13755	15970	17535	19490	20410	22870	23510	28245
	23'11" (7.29m)	10985	12150	12745	14250	16505	18370	20165	21090	23510	24225	29115
	25'11" (7.90m)	11460	12745	13440	14790	17065	19065	21075	21790	24260	25095	29985
Additional 2'	370	420	475	525	580	630	685	735	790	840	895	

INSULATED PENT STEEL GARAGE

NEW TO THE MARKET

- Anthracite PVCu Fascias
- 40mm insulated walls
- 40mm insulated composite panel plastisol coated steel roof sheets
- Standard eaves height 6'8" (2.03m)
- Brick or plank effect finish externally (Options below)
- Black Vertical Up and Over door (Other options available)
- Secure Black 3' (915mm) wide Multi Pont Point Locking Steel Personnel Door
- Anthracite 4'0" (1.22m) wide fixed PVCu window
- Guttering and downpipes
- Other options available see price list for options (pages 14-15)



INSULATED PENT STEEL GARAGE (Rearward Sloping Roof)

Width ▶	8'5" (2.56m)	9'5" (2.87m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)	16'5" (5.00m)	18'5" (5.61m)	20'5" (6.22m)	22'5" (6.83m)	24'5" (7.44m)	26'5" (8.05m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)
Length ▶	13'11" (4.24m)	8175	9525	10215	11360	13755	13730	15280	16705	n/a	n/a
	15'11" (4.85m)	8530	9855	10570	11820	14135	13825	15700	17190	n/a	n/a
	17'11" (5.46m)	8930	10255	11005	12150	14685	14675	16200	17595	n/a	n/a
	19'11" (6.07m)	9305	10670	11405	12550	15080	15100	16685	18060	n/a	n/a
	21'11" (6.68m)	9720	11020	11820	12945	15600	15510	17190	18500	n/a	n/a
	23'11" (7.29m)	10060	11440	12175	13320	16050	15985	17595	18985	n/a	n/a
	25'11" (7.90m)	10410	11860	12625	13790	16625	16665	18305	19755	n/a	n/a
Additional 2'	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

*Maximum Length of 30'1" (9.17m)

INSULATED GARDEN ROOMS

NEW TO THE MARKET

- Anthracite PVCu Fascias
- 40mm insulated walls
- 40mm insulated composite panel plastisol coated steel roof sheets
- Standard eaves height 6'8" (2.03m)
- Brick or plank effect finish externally (Options below)
- Anthracite 4'0" (1.22m) wide fully glazed French Doors
- Two Anthracite 2'0" (0.60m) wide full height PVCu Windows
- Black Guttering and downpipes
- Other options available see price list for options (pages 14-15)



PENT



APEX

Type ▶	INSULATED PENT STEEL GARDEN ROOM							INSULATED APEX STEEL GARDEN ROOM							
Width ▶	4'5" (1.34m)	6'5" (1.95m)	8'5" (2.56m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)	16'5" (5.00m)	4'5" (1.34m)	6'5" (1.95m)	8'5" (2.56m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)	16'5" (5.00m)	
Length ▶	3'11" (1.27m)	9105	9150	9195	9540	9755	10170	10695	9400	9470	9585	10095	10280	10710	11135
	5'11" (1.80m)	9340	9400	9450	9685	9890	10310	10845	9505	9585	9720	10190	10430	10820	11510
	7'11" (2.41m)	9470	9530	9565	9890	10065	10440	11010	9655	9720	9830	10430	10605	11010	11715
	9'11" (3.02m)	9540	9585	9655	10065	10260	10585	11270	9785	9860	9935	10605	10810	11270	11920
	11'11" (3.71m)	9655	9705	9755	10260	10455	10925	11530	9955	9990	10065	10810	11160	11500	12265
	13'11" (4.24m)	9730	9800	9850	10525	10870	11415	12155	10075	10115	10170	11140	11330	11830	12790
	15'11" (4.85m)	9955	10020	10075	10630	11330	11735	12720	10215	10280	10320	11385	11820	12265	13290
Additional 2'	150	200	250	300	350	400	450	150	200	250	300	350	400	450	

Cladding Options


Brick Cladding (£80 per foot)



Plank Cladding (£80 per foot)




Quattro Cladding (£90 per foot)



Shadow Cladding (£90 per foot)



Premium Timber Effect Cladding (£90 per foot)



Optional Extras

Steel Garages

Insulated roller door electrically operated *	1065
Insulated sectional door *	900
Upgrade personnel door to PVC door (White)	355
Upgrade personnel door to PVC door (Coloured)	525
Upgrade personnel door to French Doors (White)	780
Upgrade personnel door to French doors (coloured)	1015
Insulated tile effect roof sheets (Anthracite/Terracotta)	£5 per square ft
Electric operator for up and over / sectional door	760
Extra height 7'2" (2.20m) eaves	+10%
Extra Height 7'7" (2.32m) eaves	+15%

Steel Garden Rooms


Insulated tile effect roof sheets (Anthracite/Terracotta)	£5 per square ft
Extra height 7'2" (2.20m) eaves	+10%
Extra Height 7'7" (2.32m) eaves	+15%
Other door and window options – as per the options on pages 14-15.	

*If upgrading to a roller or sectional door you must increase the eaves height to 7'7" (2.31m) to accommodate the door mechanisms - applies to Apex roof only. The roller and sectional door will fit into a Pent garage standard height.

Superior Quality Steel Framework



The unique design offers a cold rolled 75mm thick steel framed garage, finished externally in a brick or plank finish, and internally in a smooth white steel sheet. The walls and roof will be supplied in a 40mm insulation to ensure that the building will be fit for purpose.



All of our steel frames have three holes pre-formed to allow easy fitting of cables and any other services required

INSULATED APEX STEEL GARAGE

NEW TO THE MARKET

- Woodgrain PVCu Fascias
- 40mm insulated walls
- 40mm insulated composite panel plastisol coated steel roof sheets
- Standard eaves height 6'8" (2.03m)
- Brick or plank effect finish externally (Options below)
- Woodgrain Vertical Up and Over door
- Secure Woodgrain 3' (915mm) wide PVCu Multi Pont Point Locking Personnel Door
- Woodgrain 4'0" (1.22m) wide fixed PVCu window
- Guttering and downpipes
- Other options available see price list for options (pages 14-15)

AVAILABLE IN:
GOLDEN OAK ROSEWOOD



INSULATED APEX STEEL GARAGE (Pitched Roof)

Width ▶	8'5" (2.56m)	9'5" (2.87m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)	16'5" (5.00m)	18'5" (5.61m)	20'5" (6.22m)	22'5" (6.83m)	24'5" (7.44m)	26'5" (8.05m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)				2 x 7' (2.13m)	2 x 8' Doors (2.44m)					
Length ▶	13'11" (4.24m)	8710	9775	10310	11860	13915	14755	16490	17665	19950	20590	24745
	15'11" (4.85m)	9090	10255	10770	12290	14430	15295	17385	18370	20570	21420	25635
	17'11" (5.46m)	9540	10745	11360	12945	14945	16065	17995	19100	21360	22190	26530
	19'11" (6.07m)	10060	11240	11740	13380	15420	16585	18715	19740	22120	22810	27375
	21'11" (6.68m)	10570	11720	12290	13755	15970	17535	19490	20410	22870	23510	28245
	23'11" (7.29m)	10985	12150	12745	14250	16505	18370	20165	21090	23510	24225	29115
	25'11" (7.90m)	11460	12745	13440	14790	17065	19065	21075	21790	24260	25095	29985
Additional 2'	370	420	475	525	580	630	685	735	790	840	895	

INSULATED PENT STEEL GARAGE

NEW TO THE MARKET

- Woodgrain PVCu Fascias
- 40mm insulated walls
- 40mm insulated composite panel plastisol coated steel roof sheets
- Standard eaves height 6'8" (2.03m)
- Brick or plank effect finish externally (Options below)
- Woodgrain Vertical Up and Over door
- Secure Woodgrain 3' (915mm) wide PVCu Multi Pont Point Locking Personnel Door
- Woodgrain 4'0" (1.22m) wide fixed PVCu window
- Guttering and downpipes
- Other options available see price list for options (pages 14-15)

AVAILABLE IN:
GOLDEN OAK ROSEWOOD



INSULATED PENT STEEL GARAGE (Rearward Sloping Roof)

Width ▶	8'5" (2.56m)	9'5" (2.87m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)	16'5" (5.00m)	18'5" (5.61m)	20'5" (6.22m)	22'5" (6.83m)	24'5" (7.44m)	26'5" (8.05m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)				2 x 7' (2.13m)	2 x 8' Doors (2.44m)					
Length ▶	13'11" (4.24m)	8175	9525	10215	11360	13755	13730	15280	16705	n/a	n/a	n/a
	15'11" (4.85m)	8530	9855	10570	11820	14135	13825	15700	17190	n/a	n/a	n/a
	17'11" (5.46m)	8930	10255	11005	12150	14685	14675	16200	17595	n/a	n/a	n/a
	19'11" (6.07m)	9305	10670	11405	12550	15080	15100	16685	18060	n/a	n/a	n/a
	21'11" (6.68m)	9720	11020	11820	12945	15600	15510	17190	18500	n/a	n/a	n/a
	23'11" (7.29m)	10060	11440	12175	13320	16050	15985	17595	18985	n/a	n/a	n/a
	25'11" (7.90m)	10410	11860	12625	13790	16625	16665	18305	19755	n/a	n/a	n/a
Additional 2'	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

*Maximum Length of 30'1" (9.17m)

INSULATED GARDEN ROOMS

NEW TO THE MARKET

- Woodgrain PVCu Fascias
- 40mm insulated walls
- 40mm insulated composite panel plastisol coated steel roof sheets
- Standard eaves height 6'8" (2.03m)
- Brick or plank effect finish externally (Options below)
- Woodgrain 4'0" (1.22m) wide fully glazed PVCu French Doors
- Two Woodgrain 2'0" (0.60m) wide full height PVCu Windows
- Guttering and downpipes
- Other options available see price list for options (pages 14-15)

AVAILABLE IN:
GOLDEN OAK ROSEWOOD



INSULATED PENT STEEL GARDEN ROOM

Type ▶	INSULATED PENT STEEL GARDEN ROOM							INSULATED APEX STEEL GARDEN ROOM							
Width ▶	4'5" (1.34m)	6'5" (1.95m)	8'5" (2.56m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)	16'5" (5.00m)	4'5" (1.34m)	6'5" (1.95m)	8'5" (2.56m)	10'5" (3.17m)	12'5" (3.78m)	14'5" (4.39m)	16'5" (5.00m)	
Length ▶	3'11" (1.27m)	9105	9150	9195	9540	9755	10170	10695	9400	9470	9585	10095	10280	10710	11135
	5'11" (1.80m)	9340	9400	9450	9685	9890	10310	10845	9505	9585	9720	10190	10430	10820	11510
	7'11" (2.41m)	9470	9530	9565	9890	10065	10440	11010	9655	9720	9830	10430	10605	11010	11715
	9'11" (3.02m)	9540	9585	9655	10065	10260	10585	11270	9785	9860	9935	10605	10810	11270	11920
	11'11" (3.71m)	9655	9705	9755	10260	10455	10925	11530	9955	9990	10065	10810	11160	11500	12265
	13'11" (4.24m)	9730	9800	9850	10525	10870	11415	12155	10075	10115	10170	11140	11330	11830	12790
	15'11" (4.85m)	9955	10020	10075	10630	11330	11735	12720	10215	10280	10320	11385	11820	12265	13290
Additional 2'	150	200	250	300	350	400	450		150	200	250	300	350	400	450

Cladding Options


Brick Cladding (£80 per foot)



Plank Cladding (£80 per foot)




Quattro Cladding (£90 per foot)



Shadow Cladding (£90 per foot)



Premium Timber Effect Cladding (£90 per foot)



Optional Extras

Steel Garages

- Insulated roller door electrically operated * 1065
- Insulated sectional door * 900
- Upgrade personnel door to PVC door (White) 355
- Upgrade personnel door to PVC door (Coloured) 525
- Upgrade personnel door to French Doors (White) 780
- Upgrade personnel door to French doors (coloured) 1015
- Insulated tile effect roof sheets (Anthracite/Terracotta) £5 per square ft
- Electric operator for up and over / sectional door 760
- Extra height 7'2" (2.20m) eaves +10%
- Extra Height 7'7" (2.32m) eaves +15%

Steel Garden Rooms


- Insulated tile effect roof sheets (Anthracite/Terracotta) £5 per square ft
- Extra height 7'2" (2.20m) eaves +10%
- Extra Height 7'7" (2.32m) eaves +15%
- Other door and window options – as per the options on pages 14-15.

*If upgrading to a roller or sectional door you must increase the eaves height to 7'7" (2.31m) to accommodate the door mechanisms - applies to Apex roof only. The roller and sectional door will fit into a Pent garage standard height.

Superior Quality Steel Framework



The unique design offers a cold rolled 75mm thick steel framed garage, finished externally in a brick or plank finish, and internally in a smooth white steel sheet. The walls and roof will be supplied in a 40mm insulation to ensure that the building will be fit for purpose.



All of our steel frames have three holes pre-formed to allow easy fitting of cables and any other services required

WHY CHOOSE A HANSON CONCRETE GARAGE?

 <p>UNIQUE INTERLOCKING REINFORCED CONCRETE PANELS</p>	 	<p>COMPETITORS</p> 
 <p>HORMANN GARAGE UP & OVER DOORS RETRACTABLE FRAMED</p>	 	<p>COMPETITORS</p> 
 <p>STEEL PERSONNEL DOORS WITH ADDITIONAL SECURITY</p>	 	<p>COMPETITORS</p> 
 <p>PRESSURE TREATED INTERNAL TIMBERWORK</p>	 	<p>COMPETITORS</p> 
 <p>GALVANISED STEEL C-SECTION TRUSSES ON PENT ROOFS</p>	 	<p>COMPETITORS</p> 

 <p>PLASTIC COATED GALVANISED STEEL ROOF SHEETS FOR PENT ROOFS* <small>* WITH A FELT ANTI-CONDENSATION LINING</small></p>	 	<p>COMPETITORS</p> 
 <p>SAND AND CEMENT FILLET</p>	 	<p>COMPETITORS</p> 
 <p>CEMENT FIBRE ROOF SHEETS WITH MATCHING CLOSE FITTING RIDGES</p>	 	<p>COMPETITORS</p> 
 <p>INSULATED STEEL FRAMED BUILDINGS WITH 40MM THICK INSULATION* <small>*INSULATION TO THE WALLS AND ROOF</small></p>	 	<p>COMPETITORS</p> 
 <p>BRICK OR PLANK EFFECT CLADDING OPTION TO THE WALLS</p>	 	<p>COMPETITORS</p> 

NO OTHER MANUFACTURER OFFERS ALL OF THE ABOVE

Hanson Buildings Limited
 Warren Road, Green Lane Industrial Park,
 Featherstone, WF7 6EL

Tel: 01977 695111
Email: sales@hansonbuildings.co.uk

